according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

1 Identification · Product identifier · Trade name: Trace Hardness Reagent · Product code: NCED1995-G Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Nashville Chemical 7001 Westbelt Drive Nashville, TN 37209 (615) 350-7070 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS07 GHS08 · Signal word: Warning · Hazard statements: H315 Causes skin irritation.

H319 Causes serious eye irritation.

H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

• Precautionary statements:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P280 Wear protective gloves and eye protection. P302+P352 If on skin: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. P314 P332+P313 If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362+P364 P337+P313 If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	nts:	
7732-18-5	Water	>90%
6381-92-6	edetic acid disodium salt STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315	<2%
1310-73-2	Sodium hydroxide ♦ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	<2%
7791-18-6	Magnesium chloride hexahydrate	<2%
Additional	information	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 2)

Gastric or intestinal disorders when ingested. Causes skin and eye irritation.

Causes skin irritation.

Danger:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed: Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[·] Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Information about protection against explosions and fires: No special measures required.

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

	Revision: May 02
ade name: Trac	ce Hardness Reagent
	(Cont'd. of
· Conditions fo	or safe storage, including any incompatibilities
	to be met by storerooms and receptacles:
	e original receptacle.
	erial for receptacle: aluminium.
	erial for receptacle: steel. erial for receptacle: glass or ceramic.
	out storage in one common storage facility:
Store away from	
	jether with acids.
	ation about storage conditions: Keep containers tightly sealed.
· Specific end u	use(s) No relevant information available.
	antrolo/nerroanol arotestion
•	ontrols/personal protection
· Control paran	
1310-73-2 Sodi	vith limit values that require monitoring at the workplace:
PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m ³
TLV (USA)	Ceiling limit value: 2 mg/m ³
EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m ³
· ,	Ceiling limit value: 2 mg/m ³
. ,	
• Exposure con	ntrols tive and hygienic measures:
	autionary measures for handling chemicals should be followed.
	n foodstuffs, beverages and feed.
Immediately rem	nove all soiled and contaminated clothing.
	fore breaks and at the end of work.
	ith the eyes and skin.
	pntrols: Provide adequate ventilation. pment: Use suitable respiratory protective device when aerosol or mist is formed.
· Protection of h	
(III)	
M7 Drotoet	ivo dovoc
Protecti	ive gloves
The glove mater	rial has to be impermeable and resistant to the product/ the substance/ the preparatic
The glove mater	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves
The glove mater • Material of glov Fluorocarbon ru	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves lbber (Viton)
The glove mater • Material of glov Fluorocarbon ru Natural rubber, I Butyl rubber, BR	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves lbber (Viton) NR R
The glove mater • Material of glov Fluorocarbon ru Natural rubber, I Butyl rubber, N Nitrile rubber, N	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves ibber (Viton) NR २ २ हिR
The glove mater Material of glov Fluorocarbon ru Natural rubber, I Butyl rubber, BR Nitrile rubber, Ni Neoprene glove	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves lbber (Viton) NR R BR BR
The glove mater • Material of glov Fluorocarbon ru Natural rubber, I Butyl rubber, BR Nitrile rubber, NI Neoprene glove • Penetration tim	rial has to be impermeable and resistant to the product/ the substance/ the preparatic ves ibber (Viton) NR २ २ हिR

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 4)

be observed.

· Eye protection:

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical propert	ies	
Information on basic physical and	d chemical properties	
· Appearance:	1 Sec. 14	
Form: Color:	Liquid Clear	
· Odor:	Not determined.	
· Odor threshold:	Not determined.	
· pH-value:	Not determined. Not determined.	
 Melting point/Melting range: Boiling point/Boiling range: 	102-106 °C (215.6-222.8 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
[·] Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 5)

[•] Other information

No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- [•] Possibility of hazardous reactions
- Corrosive action on metals.
- Reacts with oxidizing agents.
- Exothermic reaction with acids.
- Contact with acids liberates very toxic gas.
- Toxic fumes may be released if heated above the decomposition point.
- Conditions to avoid Excessive heat.
- Incompatible materials Metals. Strong acids
- Oxidizing agents.
- [•] Hazardous decomposition products
- Under fire conditions only:
- Nitrogen oxides (NOx)

11 Toxicological information

- Information on toxicological effects
 Acute toxicity:
- LD/LC50 values that are relevant for classification:

6381-92-6 edetic acid disodium salt

Oral LD50 2,800 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- On the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.
- NTP (National Toxicology Program):
- None of the ingredients are listed.
- · OSHA-Ca (Occupational Safety & Health Administration):
- None of the ingredients are listed.
- Probable route(s) of exposure: Ingestion.
- Inhalation.
- Eye contact.

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 6)

Skin contact.

- Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.
- Repeated dose toxicity: Possible risk of irreversible effects.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

Recommendation: Disposal must be made according to official regulations.

[·] UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
[·] Transport hazard class(es)		

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

	Revision: May 02
ade name: Trace Hardness Reagent	
	(Cont'd. of p
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.
· Environmental hazards	Not applicable.
[·] Special precautions for user	Not applicable.
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	x II of Not applicable.
5 Regulatory information · Safety, health and environmental re	qulations/legislation specific for the substand
	gulations/legislation specific for the substand
 Safety, health and environmental re mixture United States (USA) SARA Section 302 (extremely hazardous substation substation	
 Safety, health and environmental re mixture United States (USA) SARA 	
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation None of the ingredients are listed. Section 355 (extremely hazardous substation substation substation substation substation substations) 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation of the ingredients are listed. 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substates and the ingredients are listed. Section 355 (extremely hazardous substates and the ingredients are listed. Section 313 (Specific toxic chemical listing) 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation None of the ingredients are listed. Section 355 (extremely hazardous substation None of the ingredients are listed. 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substates None of the ingredients are listed. Section 355 (extremely hazardous substates None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation None of the ingredients are listed. Section 355 (extremely hazardous substation None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substates None of the ingredients are listed. Section 355 (extremely hazardous substates None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation None of the ingredients are listed. Section 355 (extremely hazardous substation None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation None of the ingredients are listed. Section 355 (extremely hazardous substation None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide 7732-18-5 Water 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substances of the ingredients are listed. Section 355 (extremely hazardous substances of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide 7732-18-5 Water Proposition 65 (California) 	inces):
 Safety, health and environmental remixture United States (USA) SARA Section 302 (extremely hazardous substation of the ingredients are listed. Section 355 (extremely hazardous substation of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. Section 313 (Specific toxic chemical listing None of the ingredients are listed. TSCA (Toxic Substances Control Act) 1310-73-2 Sodium hydroxide 7732-18-5 Water Proposition 65 (California) Chemicals known to cause cancer: 	inces): inces): ngs):

Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients listed on DSL or NDSL.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 02, 2019

Trade name: Trace Hardness Reagent

(Cont'd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com