according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol,95%,

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Ethanol,95%, **Manufacturer/Supplier Article number**: \$25344-A

Recommended uses of the product and restrictions on use: Dec 16 2015 12:00AM

Manufacturer Details:

AquaPhoenix Scientific 860 Gitts Run Road, Hanover, PA 17331 (717) 632-1291

Supplier Details:

Fisher Science Education 6771 Silver Crest Road, Nazareth, PA 18064 800 955-1177

Emergency telephone number:

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture:



Flammable

Flammable liquids, category 2



Irritant

Eye irritation, category 2A Specific target organ toxicity following single exposure, category 3 Acute toxicity (oral), category 4



Environmentally Damaging

Skin irritation, category 2



Health hazard

Reproductive toxicity, category 2 Specific target organ toxicity following repeated exposure, category 2

Narcotic effects

Flammable Liquid 2.

Specific Target Organ Toxicity, Single Exposure 3.

Specific Target Organ Toxicity, Repeat Exposure 1.

Reproductive toxicity 2.

Acute Toxicity (Oral) 4.

Skin Irritation 2.

Eye Irritation 2A.

Signal word: Danger

Hazard statements:

Highly flammable liquid and vapour. May cause drowsiness or dizziness.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol,95%,

May damage fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure.

Causes skin irritation.

Causes serious eye irritation.

Harmful if swallowed.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not eat, drink or smoke when using this product.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Use personal protective equipment as required.

Keep away from heat/sparks/open flames/hot surfaces - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/.../equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

Wash thoroughly after handling.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use ... for extinction.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get Medical advice/attention if you feel unwell.

Collect spillage.

IF exposed or concerned: Get medical advice/attention.

Store in a well ventilated place. Keep cool.

Store locked up.

Store in a well ventilated place. Keep container tightly closed.

Dispose of contents/container.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

| Ingredients: | | | | |
|---------------|-------------------|---------------------------|--|--|
| CAS 64-17-5 | Ethanol | 81.51 % | | |
| CAS 67-56-1 | Methanol | 4.29 % | | |
| CAS 108-10-1 | MIBK | 0.9 % | | |
| CAS 67-63-0 | Isopropyl Alcohol | 9.01 % | | |
| CAS 7732-18-5 | Deionized Water | 4.29 % | | |
| | | Percentages are by weight | | |

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol,95%,

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists. Remove to fresh air. Give artificial respiration if necessary. If breathing is difficult, give oxygen. Give artificial respiration if necessary.

After skin contact:

Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists. Rinse area with water for 10-15 minutes.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek immediate medical attention or advice.

After swallowing:

Rinse mouth thoroughly. Induce vomiting. Have exposed individual drink sips of water or milk. Seek immediate medical attention or advice.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. Dizziness. Vomiting. Impact to organs (liver, eyes, othervarious). Impact to fetus (if pregnant).

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Water. Dry chemical. Foam. Carbon dioxide.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Dangerous fire hazard when exposed to heat, sparks and open flames.

Advice for firefighters:

Protective equipment:

Wear protective equipment. Use NIOSH-approved respiratory protection/breathing apparatus. Use spark-proof tools and explosion-proof equipment.

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Avoid contact with skin and eyes, and clothing. Use spark-proof tools. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol, 95%,

Collect spilled liquid for recovery, treatment or disposal.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Use non-sparking equipment. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Remove all sources of ignition. Contain spill. Do not flush to sewer. Absorb with suitable material and place in chemical waste container. Ventilate area of spill.

Reference to other sections: None **SECTION 7: Handling and storage**

Precautions for safe handling:

Prevent formation of aerosols. Empty containers can still be hazardous since they retain product residue. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Wash hands before breaks and at the end of work. Avoid contact with eyes, skin, and clothing.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed. Store in secure flammable storage area away from sources of ignition. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection





Control parameters: 108-10-1, MIBK, ACGIH TLV STEL: 75 ppm.

64-17-5, Ethanol, NIOSH REL TWA: 1000 ppm (1900 mg/m³). 67-56-1, Methanol., OSHA PEL TWA: 260 mg/m³ (200 ppm).

67-56-1, Methanol., OSHA PEL STEL: 325 mg/m³ (250 ppm).

67-56-1, Methanol., ACGIH TLV TWA: 262 mg/m³.

67-56-1, Methanol., ACGIH TLV STEL: 328 mg/m³ (250 ppm).

108-10-1, MIBK, OSHA PEL TWA: 205 mg/m³ (50 ppm).

108-10-1, MIBK, OSHA PEL STEL: 300 mg/m³ (75 ppm).

108-10-1, MIBK, ACGIH TLV TWA: 20 mg/m³.

67-63-0, 2-Propanol, OSHA PEL TWA: 400 ppm (980 mg/m³). 67-63-0, 2-Propanol, NIOSH REL: TWA 400 ppm (980 mg/m³). 67-63-0, 2-Propanol, NIOSH REL ST: 500 ppm (1225 mg/m³).

67-63-0, 2-Propanol, ACGIH TLV TWA: 200 ppm. 67-63-0, 2-Propanol, ACGIH TLV STEL: 400 ppm.

64-17-5, Ethanol, OSHA PEL: TWA 1000 ppm (1900 mg/m³). 64-17-5, Ethanol, ACGIH TLV TWA: 1000 ppm (1881 mg/m³).

64-17-5, Ethanol, NIOSH IDLH: 3300 ppm [10%LEL].

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Use suitable respiratory

protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills,

respiratory protection may be advisable.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol,95%,

Protection of skin: The glove material has to be impermeable and resistant to the product/

the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation.

Eye protection: Safety glasses with side shields or goggles.

General hygienic measures: The usual precautionary measures are to be adhered to when handling

chemicals. Keep away from food, beverages and feed sources.

Immediately remove all soiled and contaminated clothing. Wash hands

before breaks and at the end of work. Do not inhale

gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and

skin.

SECTION 9: Physical and chemical properties

| Appearance (physical state, color): | | Explosion limit lower: Explosion limit upper: | 3.3 18 | |
|-------------------------------------|----------------|--|---|--|
| Odor: | Alcohol | Vapor pressure at 20°C: | 48 mm Hg | |
| Odor threshold: | 10 ppm | Vapor density: | 1.5 | |
| pH-value: | Not determined | Relative density: | Approx. 0.8 | |
| Melting/Freezing point: | - 90 C | Solubilities: | infinite solubility | |
| Boiling point/Boiling range: | 1//(| Partition coefficient (noctanol/water): | Not determined | |
| Flash point (closed cup): | 15.5 C | Auto/Self-ignition temperature: | 362.8 C | |
| Evaporation rate: | 3.6 | Decomposition temperature: | Not determined | |
| Flammability (solid, gaseous): | Flammable | Viscosity: | a. Kinematic: Not determined b. Dynamic: Not determined | |
| Density at 20°C: | Not determined | | | |

SECTION 10: Stability and reactivity

Reactivity: None Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions: None

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases. Ignition source. Excess heat. Incompatible materials. Open flame.

Incompatible materials:

Strong acids. Heat. Open flame. Sparks. Strong bases. Potassium dioxide. Acetyl bromide. Acetyl chloride. Bromine pentafluoride. Sodium. Platinum. Strong oxidizers.

Hazardous decomposition products:

Carbon oxides (CO, CO2). Acrid smoke and fumes. Irritating fumes.

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol, 95%,

Skin corrosion/irritation: No additional information.

Serious eye damage/irritation:

May cause eye irritation.

Respiratory or skin sensitization: No additional information.

Carcinogenicity:

IARC: IARC classification (1) for Ethanol, CAS# 64-17-5, is intended for use in alcoholic beverage use only. This product is NOT intended for this use.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure:

Classified as STOT in Section 2 (multiple organs - see above, Section 11)

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity: No additional information. **Persistence and degradability**:

Readily degradable in the environment.

Bioaccumulative potential: No additional information.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA 1170

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Ethanol (Mixture). **Proper shipping Name:** Ethanol (Mixture).

Hazard Class: 3 Hazard Class: 3

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol, 95%,

Packing Group: II.

Marine Pollutant (if applicable): No

additional information. **Comments:** None

Packing Group: II.

Marine Pollutant (if applicable): No

additional information. **Comments:** None





SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire, Reactive

SARA Section 313 (Specific toxic chemical listings):

67-56-1 Methanol.

67-63-0 2-Propanol.

108-10-1 MIBK.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

108-10-1 Methanol.

Canada

Canadian Domestic Substances List (DSL) :

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 11.19.2014

Ethanol,95%,

handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-0-0 **HMIS**: 3-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms:

| IMDG | International | Maritime | Code f | or Dangerous | Goods. |
|------|---------------|----------|--------|--------------|--------|
|------|---------------|----------|--------|--------------|--------|

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).