# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

I Identificat	
· Product id	entifier
· Trade name	e: <u>Methyl Red Stock Solution</u> de: DUMR6200-B
	ded use and restriction on use ded use: Laboratory chemicals
	s on use: No relevant information available.
· Details of t	the supplier of the Safety Data Sheet
· Manufactur	
	x Scientific, Inc.
860 Gitts Ru	
Hanover, PA	
Phone: (717 Toll-Free: (8	
	hoenixsci.com
· Distributor:	
Dubois Cher	
3630 East K	
Cincinnati, C (800) 438-26	
( )	
<ul> <li>Emergency ChemTel Inc</li> </ul>	telephone number:
(inem lei inc	
(800)255-39	24 (North America)
(800)255-39	
(800)255-39 +1 (813)248	24 (North America) -0585 (International)
(800)255-39 +1 (813)248 2 Hazard(s)	24 (North America) -0585 (International) identification
(800)255-39 +1 (813)248 2 Hazard(s) · Classificat	24 (North America) -0585 (International) identification ion of the substance or mixture
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor.
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2	24 (North America) -0585 (International) identification ion of the substance or mixture
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS).
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label elem The product • Hazard pict	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hattanta Hattanta Hements is classified and labeled according to the Globally Harmonized System (GHS). ograms:
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hattanta Hattanta Hements is classified and labeled according to the Globally Harmonized System (GHS). ograms:
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hattan Stements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 507 E: Danger
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict GHS02 GHS • Signal word • Hazard state	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents lements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 507 I: Danger ements:
(800)255-39 +1 (813)248 2 Hazard(s) • Classificat Flam. Liq. 2 Eye Irrit. 2A • Label elem • GHS label e The product • Hazard pict • Hazard pict • GHS02 GHS • Signal word • Hazard state H225 Highly	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents Hements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 
(800)255-39 +1 (813)248 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard left 3 Hazard pict 3 GHS02 GHS 3 GHS02 GHS 3 GHS02 GHS 3 GHS02 GHS 3 Hazard statt 4 H225 Highly 3 H319 Cause	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents is classified and labeled according to the Globally Harmonized System (GHS). ograms: 
(800)255-39 +1 (813)248 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard left 3 Label elem 3 Label e	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hents is classified and labeled according to the Globally Harmonized System (GHS). ograms: S07 I: Danger ements: flammable liquid and vapor. is serious eye irritation. ary statements:
(800)255-39 +1 (813)248 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard pictor 3 GHS02 GHS 3 GHS	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hatter S Hements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 
(800)255-39 +1 (813)248 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard left 3 Label elem 3 Label e	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H319 Causes serious eye irritation. H310 Causes eye irritati
(800)255-39 +1 (813)248 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard(s) 2 Hazard elem 3 GHS label elem 3 GHS label elem 4 Hazard pictor 3 GHS 102 GHS 3 GHS 2 GHS 3 GHS 2 GHS 3 GHS 2 GHS 3 GHS 2 GHS 4 Hazard state 4 H225 Highly 4 H3 19 Cause 9 Precautiona P210 P233	24 (North America) -0585 (International) identification ion of the substance or mixture H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. Hatter S Hements is classified and labeled according to the Globally Harmonized System (GHS). ograms: 

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

# Trade name: Methyl Red Stock Solution

(Cont'd. of page 1)

P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
• Other hazarde T	Eboro are no other bazarde not otherwise eleccified that have been identified

Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

# · Chemical characterization: Mixtures

# · Components:

components.			
64-17-5		<ul> <li>Flam. Liq. 2, H225</li> <li>Eye Irrit. 2A, H319</li> </ul>	51.802%
7732-18-5	Water		48.084%
845-10-3	sodium 2-(p-(dimethylamino)phenylazo)benzoate		0.114%
ا م در م الله ام ۸	information.		

#### Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

# 4 First-aid measures

# <sup>.</sup> Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

#### · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

# · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

• Most important symptoms and effects, both acute and delayed:

Causes eye irritation. Breathing difficulty

# Coughing

(Cont'd. on page 3)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

# Trade name: Methyl Red Stock Solution

(Cont'd. of page 2)

Causes mild skin irritation. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Dizziness Acidosis Disorientation Unconsciousness

Danger:

May cause neurotoxic effects.

Danger of impaired breathing.

Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

# **5 Fire-fighting measures**

· Extinguishing media · Suitable extinguishing agents: Alcohol resistant foam Water fog / haze Carbon dioxide Gaseous extinguishing agents Fire-extinguishing powder · For safety reasons unsuitable extinguishing agents: Water stream. · Special hazards arising from the substance or mixture Highly flammable liquid and vapor. Formation of toxic gases is possible during heating or in case of fire. <sup>•</sup> Advice for firefighters · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

<sup>•</sup> Additional information: Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product. Cool endangered receptacles with water in flooding quantities.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation. Keep away from ignition sources.

Protect from heat.

# Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

# Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders).

(Cont'd. on page 4)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

Trade name: Methyl Red Stock Solution

(Cont'd. of page 3)

Send for recovery or disposal in suitable receptacles.

# Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

# · Handling

# · Precautions for safe handling:

Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

 Information about protection against explosions and fires: Highly flammable liquid and vapor. Keep ignition sources away - Do not smoke.
 Protect against electrostatic charges.
 Flammable gas-air mixtures may be formed in empty containers/receptacles.

• Conditions for safe storage, including any incompatibilities • Requirements to be met by storerooms and receptacles: Store in a cool location.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

# <sup>·</sup> Control parameters

· Components with limit values that require monitoring at the workplace:

64-17-5 Ethanol

PEL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV (USA)	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
EL (Canada)	Short-term value: 1000 ppm
EV (Canada)	Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm
LMPE (Mexico)	Short-term value: 1000 ppm Long-term value: 1,900 mg/m <sup>3</sup> , 1,000 ppm Long-term value: 1000 ppm A3

# • Exposure controls

# · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 5)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

· Flammability (solid, gaseous):

· Auto-ignition temperature:

· Danger of explosion:

· Decomposition temperature:

Revision: March 11, 2019

Trade name: Methyl Red Stock Solution (Cont'd. of page 4) Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. · Engineering controls: Provide adequate ventilation. · Breathing equipment: Not required under normal conditions of use. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of gloves Laminated film gloves. Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR Not suitable are gloves made of the following materials: **PVC** gloves **PVA** gloves · Eye protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Solvent resistant protective clothing • Limitation and supervision of exposure into the environment No relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Liquid Color: Light yellow · Odor: Like alcohol · Odor threshold: Not determined. · pH-value: Not determined. Not determined. · Melting point/Melting range: · Boiling point/Boiling range: Not determined. · Flash point: 13-22 °C (55.4-71.6 °F)

Not applicable.

Not determined.

Not determined.

vapor mixtures are possible.

Product is not explosive. However, formation of explosive air/

(Cont'd. on page 6)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

#### Trade name: Methyl Red Stock Solution

		(Cont'd. of page 5
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.87-0.90 g/cm <sup>3</sup> (7.26-7.51 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	iter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<sup>·</sup> Other information	No relevant information available.	

# 10 Stability and reactivity

· Reactivity: No relevant information available.

- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Reacts violently with oxidizing agents.

Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

# Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- · Incompatible materials No relevant information available.
- Hazardous decomposition products
- Under fire conditions only:

Carbon monoxide and carbon dioxide

# 11 Toxicological information Information on toxicological effects · Acute toxicity:

· LD/LC50 values that are relevant for classification:

# 64-17-5 Ethanol

(Cont'd. on page 7)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

Trade name:	<b>Methyl Red</b>	<b>Stock Solution</b>
-------------	-------------------	-----------------------

	(Cont'd. of page
Oral	LD50 7,060 mg/kg (rat)
Inhalative	LC50/4h 20,000 mg/l (rat)
	rritant effect:
· On the s	
	available data, the classification criteria are not met.
	ild skin irritation.
	re: Irritating effect.
	tion: Based on available data, the classification criteria are not met.
64-17-5	ernational Agency for Research on Cancer):
	ional Toxicology Program):
None of t	ne ingredients are listed.
· OSHA-Ca	(Occupational Safety & Health Administration):
None of t	ne ingredients are listed.
· Probable	route(s) of exposure:
Ingestion	
Inhalatior	
Eye conta	
Skin cont	
	ects (acute toxicity, irritation and corrosivity):
Irritating t	
	ild skin irritation.
	dose toxicity: No relevant information available.
	I mutagenicity: Based on available data, the classification criteria are not met.
	enicity: Based on available data, the classification criteria are not met.
	ctive toxicity: Based on available data, the classification criteria are not met.
	gle exposure: Based on available data, the classification criteria are not met.
	peated exposure: Based on available data, the classification criteria are not met.
· Aspiratio	n hazard: Based on available data, the classification criteria are not met.
2 Ecolog	cal information
· Toxicity	
	oxicity No relevant information available.
-	nce and degradability No relevant information available.
	nulative potential: No relevant information available.
	<b>n soil:</b> No relevant information available.
	al ecological information
· Mobility	
<ul> <li>Mobility</li> <li>Addition</li> </ul>	$\mathbf{v}$
<ul> <li>Mobility</li> <li>Addition</li> <li>General</li> </ul>	notes:
<ul> <li>Mobility</li> <li>Addition</li> <li>General I</li> <li>Do not al</li> </ul>	notes:
<ul> <li>Mobility</li> <li>Addition</li> <li>General I Do not al system.</li> </ul>	notes: low undiluted product or large quantities of it to reach ground water, water course or sewag
<ul> <li>Mobility</li> <li>Addition</li> <li>General I Do not al system.</li> <li>Results</li> </ul>	notes: low undiluted product or large quantities of it to reach ground water, water course or sewag of PBT and vPvB assessment
<ul> <li>Mobility</li> <li>Addition</li> <li>General a Do not al system.</li> <li>Results</li> <li>PBT: Not</li> </ul>	notes: low undiluted product or large quantities of it to reach ground water, water course or sewag of PBT and vPvB assessment applicable.
<ul> <li>Mobility</li> <li>Addition</li> <li>General I Do not al system.</li> <li>Results</li> <li>PBT: Not</li> <li>vPvB: Not</li> </ul>	notes: low undiluted product or large quantities of it to reach ground water, water course or sewag of PBT and vPvB assessment

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

# Trade name: Methyl Red Stock Solution

(Cont'd. of page 7)

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

# · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

# <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1170
<ul> <li>· UN proper shipping name</li> <li>· DOT</li> <li>· ADR/RID/ADN, IMDG, IATA</li> </ul>	Ethanol ETHANOL SOLUTION
· Transport hazard class(es)	
· DOT	
· Class	3
·Label	3
· ADR/RID/ADN	
· Class	3 (F1)
· Label	3
· Class	3
· Label	3
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	Π
	(Cont'd. on page 9

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

# Trade name: Methyl Red Stock Solution

		(Cont'd. of page 8)
· Environmental hazards	Not applicable.	
<ul> <li>Special precautions for user</li> <li>Danger code (Kemler):</li> <li>EMS Number:</li> </ul>	Warning: Flammable liquids 33 F-E,S-D	
<ul> <li>Transport in bulk according to Annex MARPOL73/78 and the IBC Code</li> </ul>	t <b>II of</b> Not applicable.	
· Transport/Additional information:		
<ul> <li>DOT</li> <li>Quantity limitations</li> </ul>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L	

# 15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

# · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

# · Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

# · TSCA (Toxic Substances Control Act)

All ingredients are listed.

# · Proposition 65 (California)

# · Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. All ingredients are listed.

# · Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

# · Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

# · Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. All ingredients are listed.

# · EPA (Environmental Protection Agency):

None of the ingredients are listed.

# · IARC (International Agency for Research on Cancer):

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 11, 2019

Revision: March 11, 2019

# Trade name: Methyl Red Stock Solution

(Cont'd. of page 9)

1

# 64-17-5 Ethanol

# · Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com