Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

	t identifier
· Trado n	ame: Sand, Fine, 25 Lb
	code: NC0332723
· Recomr	nended use and restriction on use nended use: Construction chemicals fons on use: No relevant information available.
 Manufac AquaPho 860 Gitts Hanover Phone: (Toll-Free info@aq Distribu Fisher S 6771 Silt 	cience Education ver Crest Road n, PA 18064
ChemTe (800)255	ncy telephone number: I Inc. i-3924 (North America) 248-0585 (International)
2 Hazaro	(s) identification
	cation of the substance or mixture
Carc. 1A	cation of the substance or mixture H350 May cause cancer. Route of exposure: Inhalation.
Carc. 1A	cation of the substance or mixture
Carc. 1A STOT R • Label e • GHS lab	cation of the substance or mixture H350 May cause cancer. Route of exposure: Inhalation. E 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 1)

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

•			
7631-86-9 Silico	on dioxide		>80%
14808-60-7 Quar	tz (SiO2)	🚸 Carc. 1A, H350; STOT RE 1, H372	0-50%
1317-95-9 Silica	a-Crystalline Tripoli	🚸 Carc. 1A, H350; STOT RE 1, H372	<10%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- [•] Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Supply fresh air. If experiencing respiratory symptoms: Call a doctor.
- · After skin contact:
- Brush off loose particles from skin.
- Rinse with warm water.

If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed:
- Mechanical irritation to eyes.

May cause gastro-intestinal irritation if ingested.

· Danger:

May cause cancer. Route of exposure: Inhalation.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand. Medical supervision for at least 48 hours.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 2)

5 Fire-fighting measures

Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6 Accidental release measures

• **Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions No special measures required.

• Methods and material for containment and cleaning up Pick up mechanically.

Dispose of the collected material according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Thorough dedusting.

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

- · Requirements to be met by storerooms and receptacles: No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[•] Control parameters

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

		(Cont'd. of page
•	I limit values that require monitoring at the workplace:	
7631-86-9 Silicon		
• •	Long-term value: 6 mg/m ³	
OSHA PEL (USA)	Long-term value: 80 mg/m ³	
14808-60-7 Quart	z (SiO2)	
PEL (USA)	Long-term value: 0.05* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m ³ *as respirable fraction	
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction	
LMPE (Mexico)	Long-term value: 0.025* mg/m ³ A2, *fracción respirable	
1317-95-9 Silica-0	Crystalline Tripoli	
PEL (USA)	Long-term value: 0.5* mg/m ³ *resp. dust; 30mg/m3/%SiO2+2	
REL (USA)	Long-term value: 0.05* mg/m ³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 0.025 mg/m ³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.10* mg/m ³ *respirable fraction	
LMPE (Mexico)	Long-term value: 0.025* mg/m ³ A2, *fracción respirable	

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

- Do not breathe dust.
- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

Use suitable respiratory protective device when high concentrations are present. For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules. • Eye protection:

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 4)

()

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

• Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical properties

		_
Information on basic physical are	nd chemical properties	
· Appearance:		
Form:	Solid	
Color:	White	
· Odor:	Not determined.	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
 Melting point/Melting range: 	Not determined.	
 Boiling point/Boiling range: 	Not determined.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
 Explosion limits 		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidizing properties:	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	Not determined.	
Vapor density:	Not applicable.	
Evaporation rate:	Not applicable.	
 Solubility in / Miscibility with 		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
	(Cont'd. on pag	je (

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 5)

Other information

No relevant information available.

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions Reacts with hydrogen fluoride / hydrofluoric acid.

• Conditions to avoid No relevant information available.

- · Incompatible materials No relevant information available.
- · Hazardous decomposition products No dangerous decomposition products known.

11 Toxicological information

[.] Information on toxicological effects

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

7631-86-9 Silicon dioxide

14808-60-7 Quartz (SiO2)

1317-95-9 Silica-Crystalline Tripoli

• NTP (National Toxicology Program):

14808-60-7 Quartz (SiO2)

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.

Repeated dose toxicity:

May cause cancer by inhalation.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: May cause cancer. Route of exposure: Inhalation.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

· Aspiration hazard: Based on available data, the classification criteria are not met.

3

1

1

Κ

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 6)

12 Ecological information

· Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes: Not known to be hazardous to water.
- [•] Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

Transport information		
[·] UN-Number [·] DOT, ADR, ADN, IMDG, IATA	Not regulated.	
[·] UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR, IMDG, IATA 	Not regulated.	
· Environmental hazards	Not applicable.	
[·] Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	k II of Not applicable.	

(Cont'd. on page 8)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 7)

mixture · United Sta · SARA	ealth and environmental regulations/legislation specific for the substance tes (USA)
	2 (extremely hazardous substances):
None of the	ingredients are listed.
	5 (extremely hazardous substances):
None of the	ingredients are listed.
· Section 31	3 (Specific toxic chemical listings):
None of the	ingredients are listed.
· TSCA (Tox	ic Substances Control Act)
All ingredie	nts are listed.
· Propositio	n 65 (California)
· Chemicals	known to cause cancer:
	Quartz (SiO2)
1317-95-9	Silica-Crystalline Tripoli
	known to cause developmental toxicity for females:
None of the	ingredients are listed.
· Chemicals	known to cause developmental toxicity for males:
None of the	ingredients are listed.
· Chemicals	known to cause developmental toxicity:
None of the	ingredients are listed.
	onmental Protection Agency):
· EPA (Envi	ingredients are listed.
• EPA (Envir None of the	
• EPA (Envir None of the	ingredients are listed.
• EPA (Envir None of the • IARC (Inter 7631-86-9 14808-60-7	ingredients are listed. national Agency for Research on Cancer):

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: October 12, 2018

Revision: October 12, 2018

Trade name: Sand, Fine, 25 Lb

(Cont'd. of page 8) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Carc. 1A: Carcinogenicity – Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com