according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

1 Identification Product identifier Trade name: CAN Nitrite Reagent · Product code: AR-1023-60 EW Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com **Distributor:** Aqua Analytics 39555 Orchard Hill Place, Suite 600 Novi, MI 48375 (888) 712-4000 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms: GHS05 GHS07 · Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction.

· Precautionary statements:

P234 Keep only in original container.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent (Cont'd. of page 1) P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. P310 P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. P405 Store locked up. Store in corrosive resistant container with a resistant inner liner. P406 P501 Dispose of contents/container in accordance with local/regional/national/international regulations. • Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

16774-21-3 diammonium hexanitratocerate	5-10%
 Ox. Sol. 2, H272 Met. Corr.1, H290; Skin Corr. 1C, H314; Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Sens. 1A, H317 	
7664-93-9 Sulfuric acid	5-10%
Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	
7732-18-5 Water	>80%

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately rinse with water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

(Cont'd. of page 2)

After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help.
Most important symptoms and effects, both acute and delayed: Allergic reactions Caustic effect on skin and mucous membranes. Danger of severe eye injury. Gastric or intestinal disorders when ingested. Methaemoglobinaemia
Danger: May be harmful if swallowed. Danger of gastric perforation. Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Slowly add calcium hydroxide slurry to material to neutralize acid.

Pick up mechanically. Send for recovery or disposal in suitable receptacles.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

(Cont'd. on page 4)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

Use only in well	n of aerosols. or spray in enclosed areas.
 Requirements to Store only in the Unsuitable mate Unsuitable mate Information abore Store away from Do not store tog Further information 	r safe storage, including any incompatibilities o be met by storerooms and receptacles: original receptacle. rial for receptacle: aluminium. rial for receptacle: steel. out storage in one common storage facility: foodstuffs. ether with reducing agents, heavy-metal compounds, acids and alkalis. ether with reducing agents, heavy-metal compounds, acids and alkalis. Ition about storage conditions: Keep containers tightly sealed. Ise(s) No relevant information available.
8 Exposure co	ntrols/personal protection
[.] Control paran	neters
Components w	ith limit values that require monitoring at the workplace:
7664-93-9 Sulfu	ric acid
PEL (USA)	Long-term value: 1 mg/m ³
REL (USA)	Long-term value: 1 mg/m ³
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction
EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.2 mg/m ³
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica
The usual preca Keep away from Immediately rem Wash hands bei Do not inhale ga Avoid contact wi Engineering co Breathing equi Not required und Use suitable res	tive and hygienic measures: utionary measures for handling chemicals should be followed. foodstuffs, beverages and feed. iove all soiled and contaminated clothing. fore breaks and at the end of work. ses / fumes / aerosols. th the eyes and skin. ntrols: Provide adequate ventilation.

Protection of hands:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

(Cont'd. of page 4)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves** Butyl rubber, BR

Nitrile rubber, NBR Neoprene gloves Fluorocarbon rubber (Viton)

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

Physical and chemical prope	rties	
Information on basic physical a	nd chemical properties	
Appearance:		
Form:	Liquid	
Color:	Orange	
Odor:	Characteristic	
Odor threshold:	Not determined.	
· pH-value at 20 °C (68 °F):	<2	
Melting point/Melting range:	Not determined.	
Boiling point/Boiling range:	100-110 °C (212-230 °F)	
Flash point:	The product is not flammable.	
Flammability (solid, gaseous):	Not applicable.	
Auto-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	>1.2 g/cm ³ (>10.01 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
		(Cont'd. on page

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

ade name: CAN Nitrite Reage	nt	
		(Cont'd. of page 5
· Evaporation rate:	Not determined.	
Solubility in / Miscibility with Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity · Reactivity: No relevant information available. · Chemical stability: Stable under normal temperatures and pressures. Thermal decomposition / conditions to be avoided: No decomposition if used and stored according to specifications. [•] Possibility of hazardous reactions Toxic fumes may be released if heated above the decomposition point. Reacts with alkali (lyes). Corrosive action on metals. Reacts with certain metals. Reacts with reducing agents. · Conditions to avoid No relevant information available. · Incompatible materials No relevant information available. [•] Hazardous decomposition products Under fire conditions only: Toxic metal oxide smoke Sulfur oxides (SOx) Nitrogen oxides (NOx)

 Information on toxicological effects Acute toxicity: 	
LD/LC50 values that are relevant for classification:	
ATE (Acute Toxicity Estimate)	
Oral LD50 >3,000 mg/kg (rat)	
 Primary irritant effect: On the skin: Caustic effect on skin and mucous membranes. On the eye: Strong irritant with the danger of severe eye injury. Sensitization: Sensitization possible through skin contact. 	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· NTP (National Toxicology Program):	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

	(Cont'd. of page
7664-93-9 Sulfuric acid	
· OSHA-Ca (Occupational Safety & Health Administration):	
None of the ingredients are listed.	
· Probable route(s) of exposure:	
Ingestion.	
Inhalation.	
Eye contact.	
Skin contact.	
 Acute effects (acute toxicity, irritation and corrosivity): 	
May be harmful if swallowed.	
Causes severe skin burns and eye damage.	
 Repeated dose toxicity: Repeated exposure may result in skin sensitivity. 	
· Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
 Carcinogenicity: Based on available data, the classification criteria are not met. 	
Reproductive toxicity: Based on available data, the classification criteria are not met.	
STOT-single exposure: Based on available data, the classification criteria are not met.	
STOT-repeated exposure: Based on available data, the classification criteria are not m	et.
Aspiration hazard: Based on available data, the classification criteria are not met.	

12 Ecological information

· Toxicity

- Aquatic toxicity Toxic for aquatic organisms
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

13 Disposal considerations

[•] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Cont'd. on page 8)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

(Cont'd. of page 7)

Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric ac diammonium hexanitratocerate)
ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (SULPHURIC ACID, diammonium hexanitratocerat ENVIRONMENTALLY HAZARDOUS
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (SULPHURIC ACID, diammonium hexanitratocerate)
Transport hazard class(es)	
DOT	
Class Label	8 8
ADR/RID/ADN	
Class Label	8 (C1)
IMDG	8
Class Label	8 8
ΙΑΤΑ	
Class Label	8 8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	
Marine pollutant:	Yes (DOT) Symbol (fish and tree)
	(Cont'd. on pag

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

ade name: CAN Nitrite Reagent	
	(Cont'd. of page
 Special precautions for user Danger code (Kemler): 	Warning: Corrosive substances 80
· EMS Number:	50 F-A,S-B
· Segregation groups	Acids
Transport in bulk according to Ann MARPOL73/78 and the IBC Code	nex II of Not applicable.
Regulatory information	
 Safety, health and environmental mixture United States (USA) SARA 	regulations/legislation specific for the substance
· Section 302 (extremely hazardous sub	stances):
None of the ingredients are listed.	
· Section 355 (extremely hazardous sub	istances):
7664-93-9 Sulfuric acid	
Section 313 (Specific toxic chemical li	stings):
7664-93-9 Sulfuric acid	
16774-21-3 diammonium hexanitratocer	ate
TSCA (Toxic Substances Control Act)	
7664-93-9 Sulfuric acid	
16774-21-3 diammonium hexanitratocer	ate
7732-18-5 Water	
· Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developme	ental toxicity for females:
None of the ingredients are listed.	
· Chemicals known to cause developme	ental toxicity for males:
None of the ingredients are listed.	
· Chemicals known to cause developme	ental toxicity:
None of the ingredients are listed.	.
· EPA (Environmental Protection Agenc	v):
16774-21-3 diammonium hexanitratocer	
· IARC (International Adency for Resear	
• IARC (International Agency for Resear None of the ingredients are listed.	
 None of the ingredients are listed. Canadian Domestic Substances List (I 	

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: CAN Nitrite Reagent

(Cont'd. of page 9)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com