

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018


## 1 Identification

- **Product identifier**
- **Trade name: ORP Standard 400 mV +/-5% @ 25°C**
- **Product code:** KZOR4400-Q
- **Recommended use and restriction on use**
- **Recommended use:** Laboratory chemicals
- **Restrictions on use:** None
- **Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
AquaPhoenix Scientific, Inc.  
860 Gitts Run Road  
Hanover, PA 17331  
Phone: (717)632-1291  
Toll-Free: (866)632-1291  
info@aquaphoenixsci.com
- **Distributor:**  
Aqua Analytics  
245 Matheson Blvd East, Units 1 & 2  
Mississauga, Ontario Canada L4Z 3C9  
(888) 712-4000
- **Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924 (North America)  
+1 (813)248-0585 (International)

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Met. Corr.1 H290 May be corrosive to metals.  
Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2A H319 Causes serious eye irritation.

---

- **Label elements**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:**  
  
GHS05
- **Signal word:** Warning
- **Hazard statements:**  
H290 May be corrosive to metals.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Precautionary statements:**  
P234 Keep only in original container.  
P264 Wash thoroughly after handling.

(Cont'd. on page 2)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

**Trade name: ORP Standard 400 mV +/-5% @ 25°C**

(Cont'd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection.  
 P302+P352 If on skin: Wash with plenty of water.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P390 Absorb spillage to prevent material damage.  
 P406 Store in corrosive resistant container with a resistant inner liner.

## 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

#### · Components:

|           |   |        |
|-----------|---|--------|
| 7732-18-5 | Water   | 85.45% |
| 7783-85-9 | Ferrous ammonium sulfate<br>⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | 4.0%   |
| 7783-83-7 | Ferric Ammonium Sulfate   | 0.15%  |
| 7664-93-9 | Sulfuric acid<br>⚠ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318            | 10.4%  |

· **Additional information:** For the wording of the listed Hazard Statements, refer to section 16.

## 4 First-aid measures

### · Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
 Immediately rinse with water.  
 Seek immediate help for blistering or open wounds.  
 If skin irritation continues, consult a doctor.
- **After eye contact:**  
 Remove contact lenses if worn, if possible.  
 Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
 Rinse out mouth and then drink plenty of water.  
 Do not induce vomiting; immediately call for medical help.
- **Most important symptoms and effects, both acute and delayed:**  
 Causes serious eye irritation.  
 Irritant to skin and mucous membranes.  
 Nausea in case of ingestion.  
 Gastric or intestinal disorders when ingested.
- **Danger:** Danger of gastric perforation.
- **Indication of any immediate medical attention and special treatment needed:**  
 If medical advice is needed, have product container or label at hand.

(Cont'd. on page 3)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 2)

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** None.
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information:** No relevant information available.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
- **Environmental precautions** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up**  
Use calcium oxide as a neutralizing agent.  
Clean the affected area carefully; suitable cleaners are:  
Warm water  
Dispose of the collected material according to regulations.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling**
- **Precautions for safe handling:**  
Prevent formation of aerosols.  
Avoid splashes or spray in enclosed areas.  
Use only in well ventilated areas.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Store only in the original receptacle.  
Unsuitable material for receptacle: aluminium.  
Unsuitable material for receptacle: steel.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Store away from metals.

(Cont'd. on page 4)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

**Trade name: ORP Standard 400 mV +/-5% @ 25°C**

(Cont'd. of page 3)

- Store away from oxidizing agents.
- Do not store together with alkalis (caustic solutions).
- **Specific end use(s)** No relevant information available.

## 8 Exposure controls/personal protection

### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

##### 7664-93-9 Sulfuric acid

|               |  |
|---------------|--|
| PEL (USA)     | Long-term value: 1 mg/m <sup>3</sup>                             |
| REL (USA)     | Long-term value: 1 mg/m <sup>3</sup>                             |
| TLV (USA)     | Long-term value: 0.2* mg/m <sup>3</sup><br>*as thoracic fraction |
| EL (Canada)   | Long-term value: 0.2 mg/m <sup>3</sup><br>ACGIH A2; IARC 1       |
| EV (Canada)   | Long-term value: 0.2 mg/m <sup>3</sup>                           |
| LMPE (Mexico) | Long-term value: 0.2* mg/m <sup>3</sup><br>A2;*fracción torácica |

### · Exposure controls

#### · General protective and hygienic measures:

- The usual precautionary measures for handling chemicals should be followed.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

#### · Engineering controls: Provide adequate ventilation.

#### · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### · Material of gloves

- Nitrile rubber, NBR
- Laminated film gloves.
- Neoprene gloves

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

(Cont'd. on page 5)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 4)

- **Body protection:** Acid resistant protective clothing.
- **Limitation and supervision of exposure into the environment**  
No relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No relevant information available.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · Appearance:

Form: Liquid

Color: Clear

· Odor: Not determined.

· Odor threshold: Not determined.

· pH-value at 20 °C (68 °F): <2.0

· Melting point/Melting range: Not determined.

· Boiling point/Boiling range: Not determined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto-ignition temperature: Not determined.

· Decomposition temperature: Not determined.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits

Lower: Not determined.

Upper: Not determined.

· Oxidizing properties: Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density: Not determined.

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water: Soluble.

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity

Dynamic: Not determined.

Kinematic: Not determined.

· Other information: No relevant information available.

(Cont'd. on page 6)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 5)

## 10 Stability and reactivity

- **Reactivity:** No relevant information available.
- **Chemical stability:** Stable under normal temperatures and pressures.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.  
To avoid thermal decomposition, do not overheat.
- **Possibility of hazardous reactions**  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with alkali (lyes).  
Reacts with strong oxidizing agents.  
Reacts with certain metals.
- **Conditions to avoid** No relevant information available.
- **Incompatible materials**  
Metals.  
Alkalis.  
Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.
- **Hazardous decomposition products**  
Sulfur oxides (SOx)  
Toxic metal oxide smoke

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:** None.
- **Primary irritant effect:**
- **On the skin:** Irritant to skin and mucous membranes.
- **On the eye:** Causes eye irritation.
- **Sensitization:** No sensitizing effects known.

### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · NTP (National Toxicology Program):

7664-93-9 | Sulfuric acid

K

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

### · Probable route(s) of exposure:

Ingestion.  
Inhalation.  
Eye contact.  
Skin contact.

- **Acute effects (acute toxicity, irritation and corrosivity):** Irritating to eyes and skin.
- **Repeated dose toxicity:** No relevant information available.
- **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- **Reproductive toxicity:** Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.

(Cont'd. on page 7)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 6)

- **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
- **Aspiration hazard:** Based on available data, the classification criteria are not met.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity** No relevant information available.
- **Persistence and degradability** No relevant information available.
- **Bioaccumulative potential:** No relevant information available.
- **Mobility in soil:** No relevant information available.
- **Additional ecological information**
- **General notes:**  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.
- **Other adverse effects** No relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                                       |  |
|---------------------------------------|--|
| · <b>UN-Number</b>                    |  |
| · <b>DOT, ADR/RID/ADN, IMDG, IATA</b> | UN3264   |
| · <b>UN proper shipping name</b>      |  |
| · <b>DOT</b>                          | Corrosive liquid, acidic, inorganic, n.o.s. (Sulfuric acid)  |
| · <b>ADR/RID/ADN, IMDG, IATA</b>      | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHURIC ACID) |
| · <b>Transport hazard class(es)</b>   |  |

(Cont'd. on page 8)

# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 7)

· DOT



· Class 8  
· Label 8

· ADR/RID/ADN



· Class 8 (C1)

· IMDG, IATA



· Class 8  
· Label 8

· Packing group

· DOT, ADR/RID/ADN, IMDG, IATA III

· Environmental hazards

· Marine pollutant: No

· Special precautions for user

Warning: Corrosive substances

· Danger code (Kemler):

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

7664-93-9 | Sulfuric acid

· Section 313 (Specific toxic chemical listings):

7664-93-9 | Sulfuric acid

(Cont'd. on page 9)



# Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: November 28, 2018

Trade name: ORP Standard 400 mV +/-5% @ 25°C

(Cont'd. of page 8)

· **TSCA (Toxic Substances Control Act)**

|           |               |
|-----------|---------------|
| 7664-93-9 | Sulfuric acid |
| 7732-18-5 | Water         |

· **Proposition 65 (California)**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **IARC (International Agency for Research on Cancer):**

|           |               |   |
|-----------|---------------|---|
| 7664-93-9 | Sulfuric acid | 1 |
|-----------|---------------|---|

· **Canadian Domestic Substances List (DSL):**

All components have the value \*.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Abbreviations and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr. 1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3