Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

1 Identificatio	on	
· Product ider	ntifier	
 Trade name: Product code 	<u>Sulfuric Acid, 50% v/v (1:1)</u> : DU11753120	
· Recommende	ed use and restriction on use ed use: Laboratory chemicals on use: No relevant information available.	
 Manufacturer, AquaPhoenix S 860 Gitts Run Hanover, PA 1 Phone: (717)63 Toll-Free: (866 info@aquapho Distributor: Dubois Chemio 3630 East Ken Cincinnati, OH (800) 438-264 	Scientific, Inc. Road 7331 32-1291 3)632-1291 Denixsci.com cals Inc. nper Rd 45241 7	
ChemTel Inc. (800)255-3924	elephone number: I (North America) 585 (International)	
2 Hazard(s) id	dentification	
· Classificatio	on of the substance or mixture	
Met. Corr.1	H290 May be corrosive to metals.	
Skin Corr. 1A	H314 Causes severe skin burns and eye damage.	
Eye Dam. 1	H318 Causes serious eye damage.	
Label eleme GHS label ele The product is Hazard pictog	ments classified and labeled according to the Globally Harmonized System (GHS).	
GHS05		
· Signal word:		
 Signal word: Hazard staten 	nents:	
 Signal word: Hazard staten H290 May be d 		
 Signal word: Hazard staten H290 May be of H314 Causes Precautionary 	nents: corrosive to metals. severe skin burns and eye damage. y statements:	
 Signal word: Hazard staten H290 May be of H314 Causes Precautionary P234 	nents: corrosive to metals. severe skin burns and eye damage. y statements: Keep only in original container.	
 Signal word: Hazard staten H290 May be of H314 Causes Precautionary 	nents: corrosive to metals. severe skin burns and eye damage. y statements:	

<25%

75-100%

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

D000	(Cont'd. of page 1)
P280	Wear protective gloves/protective clothing/eye protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	FIN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
· Other hazards ⁻	There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:

7732-18-5 Water

7664-93-9 Sulfuric acid

Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate help for blistering or open wounds.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Gastric or intestinal disorders when ingested.

Eye damage.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 2)

Acidosis

• Danger: Danger of gastric perforation.

Causes serious eye damage.

Danger of impaired breathing.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

[·] Extinguishing media

• Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

[•] Personal precautions, protective equipment and emergency procedures

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Clean the affected area carefully; suitable cleaners are: Warm water

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

• Precautions for safe handling:

Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid breathing mist, vapors, or spray.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 3)

Avoid contact with the eyes and skin. Open and handle receptacle with care.

 Conditions for safe storage, including any incompatibilities
 Requirements to be met by storerooms and receptacles: Store in cool, dry conditions in well sealed receptacles.

Store only in the original receptacle. Unsuitable material for receptacle: steel. Unsuitable material for receptacle: aluminium. • Information about storage in one common storage facility:

Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with alkalis (caustic solutions). Store away from metals.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

 Components with limit values that require monitoring at the workplace: 7664-93-9 Sulfuric acid 		
REL (USA)	Long-term value: 1 mg/m ³	
TLV (USA)	Long-term value: 0.2* mg/m ³ *as thoracic fraction	
EL (Canada)	Long-term value: 0.2 mg/m ³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.2 mg/m ³	
LMPE (Mexico)	Long-term value: 0.2* mg/m³ A2;*fracción torácica	

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves**

Nitrile rubber, NBR

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 4)

Neoprene gloves Natural rubber, NR Laminated film gloves.

- Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:



Safety glasses

· Body protection: Protective work clothing

- Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures No relevant information available.

9 Physical and chemical properties

Information on basic physical a	nd chemical properties
 Appearance: Form: Color: Odor: Odor threshold: 	Liquid Colorless Characteristic Not determined.
· pH-value at 20 ℃ (68 ℉): · Melting point/Melting range: · Boiling point/Boiling range:	<2.0 Not determined. Not determined.
· Flash point:	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits Lower: Upper: Oxidizing properties: 	Not determined. Not determined. Not determined.
· Vapor pressure:	Not determined.
[·] Density: Relative density: Vapor density: Evaporation rate:	1.15-1.30 Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
	(Cont'd. on page

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 5)

 Viscosity Dynamic: Kinematic:
 Other information

Not determined. Not determined. No relevant information available.

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

[•] Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Corrosive action on metals.

Reacts with certain metals.

Reacts with alkali (lyes).

Reacts with oxidizing agents.

· Conditions to avoid No relevant information available.

[·] Incompatible materials

Metals.

Alkalis

Strong oxidizers such as perchlorates, bromates, and nitrates; hydrofluoric acid.

· Hazardous decomposition products Sulfur oxides (SOx)

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Strong caustic effect on skin and mucous membranes.
- · On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

· OSHA-Ca (Occupational Safety & Health Administration):

- None of the ingredients are listed.
- · Probable route(s) of exposure:
- Ingestion. Inhalation.

Eye contact.

Skin contact.

(Cont'd. on page 7)

Κ

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 6)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Carcinogenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. If the dilution of the use-level pH-value is considerably increased after use, the aqueous waste, emptied into drains, is only low water-dangerous.

[·] Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN2796	
· UN proper shipping name		
DOT	Sulfuric acid	
		(Cont'd. on page

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

	(Co	ont'd. of page
· ADR/RID/ADN, IMDG · IATA	SULPHURIC ACID Sulphuric acid	
[·] Transport hazard class(es)		
· DOT		
CORRECTION OF THE PARTY OF THE		
· Class	8	
·Label	8	
· ADR/RID/ADN		
· Class	8 (C1)	
· Label	8	
· IMDG, IATA		
Class	8	
· Label	8	
[·] Packing group		
· DOT, ADR/RID/ADN, IMDG, IATA	II	
· Environmental hazards		
· Marine pollutant:	No	
· Special precautions for user	Warning: Corrosive substances	
 Danger code (Kemler): 	80	
· EMS Number:	F-A,S-B	
· Segregation groups	Acids	
[•] Transport in bulk according to Annex	k II of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

 Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

·SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

(Cont'd. on page 9)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

	(Cont'd. of page
 Section 355 (extremely hazardous substances): 	
7664-93-9 Sulfuric acid	
· Section 313 (Specific toxic chemical listings):	
7664-93-9 Sulfuric acid	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL) (Substances not listed.	.):
All ingredients are listed.	
Other information	
This information is based on our present knowledge. However, this sha	Il not constitute a quarantee for ;

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

(Cont'd. on page 10)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: January 17, 2019

Revision: November 28, 2018

Trade name: Sulfuric Acid, 50% v/v (1:1)

(Cont'd. of page 9) Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com