According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 1 of 9

Kerosene

SECTION 1: Identification

Product identifier

Product name: Kerosene **Product code:** S25373

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth
PA 17331 PA 18064
(717) 632-1291 800 955-1177

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 3

Aspiration hazard, category 1

Skin irritation, category 2

Specific target organ toxicity - single exposure, category 3, central nervous system

Label elements

Hazard pictograms:







Signal word: Danger Hazard statements:

H226 Flammable liquid and vapor

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/light/equipment

P242 Use only non-sparking tools

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 2 of 9

Kerosene

P243 Take precautionary measures against static discharge

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash skin thoroughly after handling

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P331 Do not induce vomiting

P301+P310 If swallowed: Immediately call a poison center or doctor/physician

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P332+P313 If skin irritation occurs: Get medical advice/attention

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 8008-20-6	Kerosene	>99

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Wash affected area with soap and water

Seek medical attention if symptoms develop or persist

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 3 of 9

Kerosene

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Do not use a water stream as an extinguisher

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceus earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 4 of 9

Kerosene

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Kerosene	8008-20-6	200 mg/m3, total hydrocarbon vapor
NIOSH	Kerosene	8008-20-6	10 Hour Time-Weighted Average: 100 mg/3
United States (OSHA)	Kerosene		8 hr Time Weighted Avg (TWA): 200 mg/3 , (Application restricted to conditions in which there are negligible aerosol exposures).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 5 of 9

Kerosene

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Odorless
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-17.8°C
Initial boiling point/range	151.1 - 301°C
Flash point (closed cup)	71.1°C
Evaporation rate	2.4
Flammability (solid, gas)	Not available.
Upper flammability/explosive limit	5.0 vol.%
Lower flammability/explosive limit	0.7 vol. %
Vapor pressure	5mmHg @ 38°C
Vapor density	4.5 (Air=1.0)
Density	Not available.
Relative density	0.8 (H2O=1)
Solubilities	Insoluble in water.
Partition coefficient (n-octanol/water)	Not available.
Auto/Self-ignition temperature	210°C
Decomposition temperature	Not available.
Dynamic viscosity	Not available.
Kinematic viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Incompatible products, excess heat, flames and sparks.

Incompatible materials:

Strong oxidizers.

Hazardous decomposition products:

Irritating gases and vapors.

SECTION 11: Toxicological information

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 6 of 9

Kerosene

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result	
Kerosene	inhalation	LC50 > 5000 mg/m3 - 4 h	

Skin corrosion/irritation

Assessment: Causes skin irritation Product data: No data available. Substance data: No data available.

Serious eve damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Kerosene	Group 3

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause drowsiness or dizziness

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: May be fatal if swallowed and enters airways

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 7 of 9

Kerosene

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1223
UN proper shipping name	Kerosene
UN transport hazard class(es)	3
Packing group	III
Environmental hazards	Marine Pollutant Kerosene
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	1223
UN proper shipping name	Kerosene
UN transport hazard class(es)	3

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 8 of 9

Kerosene

Packing group	III
	Marine Pollutant Kerosene
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1223	
UN proper shipping name	Kerosene	
UN transport hazard class(es)	3	***
Packing group	III	
Environmental hazards	Marine Pollutant Kerosene	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code			
Bulk Name None			
Ship type	None		
Pollution category	None		

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

8008-20-6	Kerosene	Listed
-----------	----------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

8008-20-6	Kerosene	Not
		Listed

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

8008-20-6	Kerosene	Listed
8008-20-6	Kerosene	Listed

New Jersey Right to Know:

8008-20-6	Kerosene	Listed
8008-20-6	Kerosene	Listed

New York Right to Know:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 07.10.2017 Page 9 of 9

•		•						
Kerosene								
8008-20-6	Kerosene	Listed						
8008-20-6	Kerosene	Listed						
nnsylvania Rig	nt to Know:							
8008-20-6	Kerosene	Listed						
8008-20-6	Kerosene	Listed						
	8008-20-6 8008-20-6 nnsylvania Righ 8008-20-6	8008-20-6 Kerosene 8008-20-6 Kerosene nnsylvania Right to Know: 8008-20-6 Kerosene						

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-2-0 **HMIS:** 2-2-0

Initial preparation date: 07.10.2017

End of Safety Data Sheet