according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

1 Identification

· Product identifier

· Trade name: Calcium Hardness Buffer

· Product code: NCCA1119-P

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291

Toll-Free: (866)632-1291 info@aquaphoenixsci.com

Distributor:

Nashville Chemical 7001 Westbelt Drive Nashville, TN 37209 (615) 350-7070

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Danger · Hazard statements:

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

Keep only in original container. P234 P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 1) Wear protective gloves/protective clothing/eye protection. P280 P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P405 Store locked up.

Store in corrosive resistant container with a resistant inner liner. P406

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:		
7732-18-5	Water	60-80%
1310-73-2	Sodium hydroxide	20-40%
	Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately remove any clothing soiled by the product.

Immediately rinse with water.

Seek immediate help for blistering or open wounds.

If skin irritation continues, consult a doctor.

· After eve contact:

Protect unharmed eve.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Strong caustic effect on skin and mucous membranes.

Danger of severe eye injury.

· Danger:

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 2)

Danger of gastric perforation.

Causes serious eye damage.

· Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- ·Handling
- · Precautions for safe handling:

Avoid contact with the eyes and skin.

Open and handle receptacle with care.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

(Cont'd. of page 3)

Trade name: Calcium Hardness Buffer

· Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Unsuitable material for receptacle: glass or ceramic.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components	with limit v	alues that	require monito	ring at the work	ipiace:

1310-73-2 Sodium hydroxide

PEL (USA)	Long-term value: 2 mg/m³
REL (USA)	Ceiling limit value: 2 mg/m³
	Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m³
	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Laminated film gloves.

Nitrile rubber, NBR

Fluorocarbon rubber (Viton)

Natural rubber, NR

Neoprene gloves

Butyl rubber, BR

- Not suitable are gloves made of the following materials: PVA gloves
- · Eye protection:

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 4)



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures No relevant information available.

Physical and chemical properties				
Information on basic physical and chemical properties				
· Appearance:				
Form:	Liquid			
Color:	Colorless			
· Odor: · Odor threshold:	Characteristic Not determined.			
	Not determined.			
pH-value at 20 °C (68 °F):	>13			
Melting point/Melting range:	Not determined.			
· Boiling point/Boiling range:	>100 °C (>212 °F)			
· Flash point:	The product is not flammable.			
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
· Oxidizing properties:	Not determined.			
· Vapor pressure:	Not determined.			
· Density:				
Relative density:	1.2-1.3			
Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wa	ter): Not determined.			
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Other information	No relevant information available.			

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 5)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Strong exothermic reaction with acids.

Corrosive action on metals.

Attacks materials containing glass and silicate.

- · Conditions to avoid Avoid acids.
- · Incompatible materials Strong acids
- · Hazardous decomposition products No relevant information available.

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.

(Cont'd. on page 7)

Page: 7/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 6)

(Cont'd. on page 8)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- **Uncleaned packagings**
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information				
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	UN1824			
· UN proper shipping name · DOT, IATA · ADR/RID/ADN, IMDG	Sodium hydroxide solution SODIUM HYDROXIDE SOLUTION			
· Transport hazard class(es)				
· DOT				
AT THE CONTROL OF THE				
· Class	8			
· Label	8			
· ADR/RID/ADN				
· Class	8 (C5)			
· Label	8			

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 7) · IMDG, IATA 8 · Class · Label 8 · Packing group DOT, ADR/RID/ADN, IMDG, IATA Ш · Environmental hazards · Marine pollutant: Nο Special precautions for user Warning: Corrosive substances Danger code (Kemler): · EMS Number: F-A,S-B · Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

1310-73-2 Sodium hydroxide

7732-18-5 Water

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

(Cont'd. on page 9)

Page: 9/9

Safety Data Sheet

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 08, 2019

Trade name: Calcium Hardness Buffer

(Cont'd. of page 8)

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

None of the ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com