according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

1 Identification Product identifier · Trade name: Acetate Buffer Solution, pH 4 · Product code: AR-1040-500 Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com Distributor: Dubois Chemicals Inc. 3630 East Kemper Rd Cincinnati, OH 45241 (800) 438-2647 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Met. Corr.1 H290 May be corrosive to metals. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. [•] Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS05 · Signal word: Warning · Hazard statements: H290 May be corrosive to metals. H315 Causes skin irritation. H319 Causes serious eye irritation.

· Precautionary statements:

Frecautionary	Statements.
P234	Keep only in original container.
P264	Wash thoroughly after handling.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

	(Cont'd. of page 1)
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P390	Absorb spillage to prevent material damage.
P406	Store in corrosive resistant container with a resistant inner liner.
• Other hazards	There are no other hazards not otherwise classified that have been identified

Other nazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	nts:		
7732-18-5	Water		40-80%
64-19-7	Acetic acid	 Flam. Liq. 3, H226 Met. Corr.1, H290; Skin Corr. 1A, H314 	20-60%
127-09-3	sodium acetate		10-20%
A d d t i a m a l			

• Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed:
- Coughing

Breathing difficulty

Irritant to skin and mucous membranes.

Causes eye irritation.

Gastric or intestinal disorders when ingested.

Danger: No relevant information available.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

(Cont'd. of page 2)

5 Fire-fighting measures

• Extinguishing media • Suitable extinguishing agents: Alcohol resistant foam

- Water fog / haze
- Water spray
- Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

• For safety reasons unsuitable extinguishing agents: No relevant information available.

• Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Use large quantities of foam as it is partially destroyed by the product. Cool endangered product with water spray.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

• Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

[•] Conditions for safe storage, including any incompatibilities

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

(Cont'd. of page 3)

 Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Unsuitable material for receptacle: steel.
 Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

• Further information about storage conditions: Keep containers tightly sealed.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:

64-19-7 Acetic acid	
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm
REL (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
EL (Canada)	Short-term value: 15 ppm Long-term value: 10 ppm
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm Long-term value: 25 mg/m³, 10 ppm
LMPE (Mexico)	Short-term value: 15 ppm Long-term value: 10 ppm

• Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

• Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

For large spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

(Cont'd. of page 4)

Natural rubber, NR Fluorocarbon rubber (Viton) Sensibilization by the components in the glove materials is possible. **Eye protection:**

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Protective work clothing

Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

Flammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsNot determined.Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Not determined.Relative density:Not determined.Vapor density:Not determined.Solubility in / Miscibility with	
Odor:Vinegar-like.Odor threshold:Not determined.pH-value at 20 °C (68 °F):4.0Melting point/Melting range:Not determined.Boiling point/Boiling range:100-118 °C (212-244.Flash point:The product is not flarFlammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not presExplosion limitsNot determined.Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Relative density:Relative density:Not determined.Vapor density:Not determined.Solubility in / Miscibility withVinegar-like.	
Odor threshold:Not determined.pH-value at 20 °C (68 °F):4.0Melting point/Melting range:Not determined.Boiling point/Boiling range:100-118 °C (212-244.Flash point:The product is not flarFlash point:The product is not flarFlammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsNot determined.Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Vapor density:Not determined.Vapor density:Not determined.Vapor density:Not determined.Solubility in / Miscibility withNot determined.	
pH-value at 20 °C (68 °F):4.0Melting point/Melting range:Not determined.Boiling point/Boiling range:100-118 °C (212-244.Flash point:The product is not flarFlash point:The product is not flarFlammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsNot determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Vapor density:Not determined.Vapor density:Not determined.Vapor density:Not determined.Vapor density:Not determined.Vapor density:Not determined.Solubility in / Miscibility withNot determined.	
Melting point/Melting range:Not determined. 100-118 °C (212-244.Flash point:The product is not flarFlash point:The product is not flarFlammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsNot determined.Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Vapor density:Not determined.Vapor density:Not determined.Solubility in / Miscibility withNot determined.	
Boiling point/Boiling range:100-118 °C (212-244.Flash point:The product is not flarFlammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsUpper:Lower:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Vapor density:Not determined.Vapor density:Not determined.Solubility in / Miscibility withNot determined.	
Flash point: The product is not flar Flammability (solid, gaseous): Not applicable. Auto-ignition temperature: >260 °C (>500 °F) Decomposition temperature: Not determined. Danger of explosion: Product does not pressive Explosion limits Lower: Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Vapor density: Not determined. Vapor density: Not determined. Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Not determined.	
Flammability (solid, gaseous):Not applicable.Auto-ignition temperature:>260 °C (>500 °F)Decomposition temperature:Not determined.Danger of explosion:Product does not pressExplosion limitsNot determined.Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Not determined.Relative density:Not determined.Vapor density:Not determined.Solubility in / Miscibility with	4 °F)
Auto-ignition temperature: >260 °C (>500 °F) Decomposition temperature: Not determined. Danger of explosion: Product does not press Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Not determined.	nmable.
Decomposition temperature: Not determined. Danger of explosion: Product does not press Explosion limits Lower: Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Vapor density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Not determined.	
Danger of explosion: Product does not press Explosion limits Not determined. Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Not determined.	
Explosion limits Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Solubility in / Miscibility with Not determined.	
Lower:Not determined.Upper:Not determined.Oxidizing properties:Not determined.Vapor pressure:Not determined.Density:Not determined.Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.Solubility in / Miscibility with	ent an explosion hazard.
Upper: Not determined. Oxidizing properties: Not determined. Vapor pressure: Not determined. Density: Relative density: Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined.	
• Oxidizing properties: Not determined. • Vapor pressure: Not determined. • Density: Not determined. • Relative density: Not determined. • Vapor density: Not determined. • Vapor density: Not determined. • Solubility in / Miscibility with Not determined.	
Vapor pressure: Not determined. Density: Not determined. Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Not determined.	
Density: Not determined. Relative density: Not determined. Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Not determined.	
Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.Solubility in / Miscibility with	
Vapor density: Not determined. Evaporation rate: Not determined. Solubility in / Miscibility with Not determined.	
Evaporation rate: Not determined. Solubility in / Miscibility with Image: Content of the second sec	
Solubility in / Miscibility with	
Water: Fully miscible.	
Partition coefficient (n-octanol/water): Not determined.	
Viscosity	

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

	tion, pH 4
	(Cont'd. of p
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No relevant information available.
Stability and reactivity	
Reactivity: No relevant inform	ation available
	er normal temperatures and pressures.
Thermal decomposition / cond	
	ored according to specifications.
Possibility of hazardous re	actions
Reacts with alkali (lyes).	
Reacts with strong oxidizing age	
I oxic fumes may be released if Reacts with certain metals.	heated above the decomposition point.
Conditions to avoid No relev	ant information available
Incompatible materials Nor	
Hazardous decomposition Under fire conditions only:	products
Carbon monoxide and carbon di	oxide
Toxicological information	1
Information on toxicologica	
Information on toxicologica Acute toxicity:	al effects
Information on toxicologica Acute toxicity: LD/LC50 values that are releva	al effects
Information on toxicologica Acute toxicity: LD/LC50 values that are releva 64-19-7 Acetic acid	al effects ant for classification:
Information on toxicological Acute toxicity: LD/LC50 values that are relevant 64-19-7 Acetic acid Oral LD50 3,310 mg/k	al effects ant for classification: g (rat)
Information on toxicologicaAcute toxicity:LD/LC50 values that are relevation64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (r	al effects ant for classification: g (rat)
Information on toxicologicaAcute toxicity:LD/LC50 values that are relevation64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:	al effects ant for classification: g (rat) at)
Information on toxicologica Acute toxicity: LD/LC50 values that are releva 64-19-7 Acetic acid Oral LD50 3,310 mg/k Inhalative LC50/4h 11.4 mg/l (r Primary irritant effect: On the skin: Irritant to skin and	al effects ant for classification: g (rat) at)
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD50Ja,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin: Irritant to skin andOn the eye: Irritating effect.	al effects ant for classification: g (rat) at) mucous membranes.
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD50InhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin: Irritant to skin andOn the eye: Irritating effect.Sensitization: Based on available	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met.
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD50Ja,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin: Irritant to skin andOn the eye: Irritating effect.	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer):
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin: Irritant to skin andOn the eye: Irritating effect.Sensitization: Based on availableIARC (International Agency for	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d.
Information on toxicologica Acute toxicity: LD/LC50 values that are releva 64-19-7 Acetic acid Oral LD50 3,310 mg/k Inhalative LC50/4h 11.4 mg/l (r Primary irritant effect: On the skin: Irritant to skin and On the eye: Irritating effect. Sensitization: Based on availab IARC (International Agency fo None of the ingredients are liste	al effects ant for classification: g (rat) at) mucous membranes. ole data, the classification criteria are not met. r Research on Cancer): d. gram):
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin: Irritant to skin andOn the eye: Irritating effect.Sensitization: Based on availabIARC (International Agency foNone of the ingredients are listeNTP (National Toxicology Pro	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d.
Information on toxicologicaAcute toxicity:LD/LC50 values that are relevation64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin:Irritant to skin andOn the eye:Irritating effect.Sensitization:Based on availabIARC (International Agency foNone of the ingredients are listeNTP (National Toxicology ProNone of the ingredients are listeOSHA-Ca (Occupational SafetNone of the ingredients are liste	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d. y & Health Administration): d.
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin:Irritating effect.Sensitization:Based on availabIARC (International Agency foNone of the ingredients are listeNTP (National Toxicology ProNone of the ingredients are listeOSHA-Ca (Occupational SafetNone of the ingredients are liste	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d. y & Health Administration): d.
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin:Irritating effect.Sensitization:Based on availabIARC (International Agency foNone of the ingredients are listeNTP (National Toxicology ProNone of the ingredients are listeOSHA-Ca (Occupational SafetNone of the ingredients are listeProbable route(s) of exposureIngestion.	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d. y & Health Administration): d.
Information on toxicologica Acute toxicity: LD/LC50 values that are releval 64-19-7 Acetic acid Oral LD50 Inhalative LC50/4h 11.4 mg/l (r Primary irritant effect: On the skin: Irritating effect. Sensitization: Based on availab IARC (International Agency fo None of the ingredients are liste NTP (National Toxicology Pro None of the ingredients are liste OSHA-Ca (Occupational Safet None of the ingredients are liste Probable route(s) of exposure Ingestion. Inhalation.	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d. y & Health Administration): d.
Information on toxicologicaAcute toxicity:LD/LC50 values that are releval64-19-7 Acetic acidOralLD503,310 mg/kInhalativeLC50/4h11.4 mg/l (rPrimary irritant effect:On the skin:Irritating effect.Sensitization:Based on availabIARC (International Agency foNone of the ingredients are listeNTP (National Toxicology ProNone of the ingredients are listeOSHA-Ca (Occupational SafetNone of the ingredients are listeProbable route(s) of exposureIngestion.	al effects ant for classification: g (rat) at) mucous membranes. ble data, the classification criteria are not met. r Research on Cancer): d. gram): d. y & Health Administration): d.

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

(Cont'd. of page 6)

- Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.
- Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

- Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

[·] Toxicity

· Aquatic toxicity No relevant information available.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Due to available data on eliminability/decomposition and bioaccumulation potential, a prolonged damage of the environment is unlikely.

Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

Recommended cleansing agent	: Water, il	f necessary v	with cleansing	g agents.
-----------------------------	-------------	---------------	----------------	-----------

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	UN2790	
UN proper shipping name		
DOT	Acetic acid solution	
ADR/RID/ADN, IMDG, IATA	ACETIC ACID SOLUTION	
Transport hazard class(es)		

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

ide name: Acetate Buffer Solution, pH 4	
	(Cont'd. of page
·DOT	
P S Construction of the second	
· Class · Label	8 8
· ADR/RID/ADN	
· Class · Label	8 (C3) 8
· IMDG, IATA	·····
· Class · Label	8 8
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	III
· Environmental hazards	Not applicable.
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups 	Warning: Corrosive substances 80 F-A,S-B Acids
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	Il of Not applicable.
5 Regulatory information	
 Safety, health and environmental reg mixture United States (USA) SARA 	gulations/legislation specific for the substance
Section 302 (extremely hazardous substan	nces):
None of the ingredients are listed.	

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

ade name:	Acetate Buffer Solution, pH 4
	(Cont'd. of pag
•	xic Substances Control Act)
64-19-7	Acetic acid
	sodium acetate
7732-18-5	Water
· Propositio	on 65 (California)
· Chemical	s known to cause cancer:
None of th	e ingredients are listed.
	s known to cause developmental toxicity for females:
None of th	e ingredients are listed.
· Chemical	s known to cause developmental toxicity for males:
None of th	e ingredients are listed.
· Chemical	s known to cause developmental toxicity:
None of th	e ingredients are listed.
•	ironmental Protection Agency):
None of th	e ingredients are listed.
•	ernational Agency for Research on Cancer):
None of th	e ingredients are listed.
· Canadian	Domestic Substances List (DSL):
None of th	e ingredients are listed.
6 Other in	formation
	nation is based on our present knowledge. However, this shall not constitute a guarantee for a oduct features and shall not establish a legally valid contractual relationship.
ADR: Europe IMDG: Intern DOT: US De IATA: Interna CAS: Chemi LC50: Lethal D50: Lethal OSHA: Occu Flam. Liq. 3: Met. Corr. 1: Skin Corr. 1: Skin Irrit. 2: 5	tions and acronyms: ean Agreement concerning the International Carriage of Dangerous Goods by Road lational Maritime Code for Dangerous Goods partment of Transportation ational Air Transport Association cal Abstracts Service (division of the American Chemical Society) concentration, 50 percent dose, 50 percent upational Safety & Health Administration Flammable liquids – Category 3 Corrosive to metals – Category 1 A: Skin corrosion/irritation – Category 1A Skin corrosion/irritation – Category 2 Serious eye damage/eye irritation – Category 2A
	European Chemicals Agency (echa.europa.eu)

Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

(Cont'd. on page 10)

Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: July 22, 2019

Trade name: Acetate Buffer Solution, pH 4

(Cont'd. of page 9)

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com