# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

1 Identification
· Product identifier
<ul> <li>Trade name: <u>Sulfuric Acid, 1.38N</u></li> <li>Product code: SA1627SS</li> </ul>
· Other means of identification: No other identifiers
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Laboratory chemicals</li> <li>Restrictions on use: No relevant information available.</li> </ul>
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: AquaPhoenix Scientific, Inc.</li> <li>860 Gitts Run Road Hanover, PA 17331</li> <li>Phone: (717)632-1291</li> <li>Toll-Free: (866)632-1291</li> <li>info@aquaphoenixsci.com</li> <li>Distributor: AquaPhoenix Scientific, Inc.</li> <li>860 Gitts Run Road Hanover, PA 17331</li> <li>(717) 632-1314</li> </ul>
<ul> <li>Emergency telephone number: ChemTel Inc.</li> <li>(800)255-3924 (North America)</li> <li>+1 (813)248-0585 (International)</li> </ul>
2 Hazard(s) identification
· Classification of the substance or mixture
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classified and labeled according to the Globally Harmonized System (GHS).</li> <li>Hazard pictograms:</li> </ul>
GHS07
<ul> <li>Signal word: Warning</li> <li>Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation.</li> <li>Precautionary statements: P264 Wash thoroughly after handling. P280 Wear protective gloves and eye protection. P302+P352 If on skin: Wash with plenty of water.</li> </ul>

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

(Cont'd. of page 1)

>90%

5-9.8%

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

 P332+P313
 If skin irritation occurs: Get medical advice/attention.

 P362+P364
 Take off contaminated clothing and wash it before reuse.

 P337+P313
 If eye irritation persists: Get medical advice/attention.

• Other hazards There are no other hazards not otherwise classified that have been identified.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Components:

7732-18-5 Water

7664-93-9 Sulfuric acid

📀 Met. Corr.1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

<sup>•</sup> Description of first aid measures

· After inhalation: Supply fresh air; consult doctor in case of complaints.

#### · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact:
 Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes. Causes eye irritation.

Gastric or intestinal disorders when ingested.

Acidosis

· Indication of any immediate medical attention and special treatment needed:

No relevant information available.

#### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

The product is not flammable.

Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: No relevant information available.

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

(Cont'd. of page 2)

• Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

• Advice for firefighters • Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
   Ensure adequate ventilation.
   Use personal protective equipment as required.
   For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
   Environmental precautions
   Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
   Methods and material for containment and cleaning up
- Use limestone to neutralize and/or absorb spill. Clean the affected area carefully; suitable cleaners are: Warm water Send for recovery or disposal in suitable receptacles. • **Reference to other sections**

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and storage

#### <sup>.</sup> Handling

 Precautions for safe handling: Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Avoid contact with the eyes and skin. Open and handle receptacle with care.
 Conditions for safe storage, including any incompatibilities

 Requirements to be met by storerooms and receptacles: Store in cool, dry conditions in well sealed receptacles. Use only receptacles specifically permitted for this substance/product. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel.
 Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

(Cont'd. on page 4)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

# Trade name: Sulfuric Acid, 1.38N

		(Cont'd. of page 3)			
<sup>.</sup> Control paran	neters				
· Components with limit values that require monitoring at the workplace:					
7664-93-9 Sulfuric acid					
PEL (USA)	Long-term value: 1 mg/m <sup>3</sup>				
REL (USA)	Long-term value: 1 mg/m <sup>3</sup>				
TLV (USA)	Long-term value: 0.2* mg/m <sup>3</sup> *as thoracic fraction				
EL (Canada)	Long-term value: 0.2 mg/m <sup>3</sup> ACGIH A2; IARC 1				
EV (Canada)	Long-term value: 0.2 mg/m <sup>3</sup>				
LMPE (Mexico)	Long-term value: 0.2* mg/m <sup>3</sup> A2;*fracción torácica				
<ul> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.</li> <li>Keep away from foodstuffs, beverages and feed.</li> <li>Immediately remove all soiled and contaminated clothing.</li> <li>Wash hands before breaks and at the end of work.</li> <li>Avoid contact with the eyes and skin.</li> <li>Engineering controls: Provide adequate ventilation.</li> <li>Breathing equipment: Not required under normal conditions of use.</li> <li>Protection of hands:</li> </ul>					
Protecti	ive gloves				
<ul> <li>Material of glov Nitrile rubber, Ni Neoprene glove Butyl rubber, BF Natural rubber, I Fluorocarbon ru</li> <li>Eye protection</li> </ul>	BR s } NR bber (Viton)				
Safety g	glasses				
<ul> <li>Body protectio</li> <li>Limitation and No relevant info</li> </ul>	national guidelines concerning the use of protective eyewear. n: Protective work clothing d supervision of exposure into the environment rmation available. ment measures No relevant information available.				
9 Physical and chemical properties					

(Cont'd. on page 5)

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

		(Cont'd. of page
Information on basic physical a	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Clear to straw color.	
· Odor: · Odor threshold:	Characteristic Not determined.	
	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	>100 °C (>212 °F)	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.04-1.09	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<sup>·</sup> Other information	No relevant information available.	

# 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions
 Reacts with alkali (lyes).
 Reacts with certain metals.
 Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 6)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

(Cont'd. of page 5)

Κ

 Conditions to avoid Excessive heat.
 Incompatible materials Alkalis Metals. Oxidizers
 Hazardous decomposition products

Under fire conditions only: Sulfur oxides (SOx)

#### **11 Toxicological information**

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Irritant to skin and mucous membranes.
- · On the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.

#### · NTP (National Toxicology Program):

7664-93-9 Sulfuric acid

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

- <sup>.</sup> Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

(Cont'd. on page 7)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

(Cont'd. of page 6)

system.

#### <sup>.</sup> Results of PBT and vPvB assessment

· **PBT:** Not applicable.

- **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

#### 13 Disposal considerations

#### <sup>·</sup> Waste treatment methods

#### · Recommendation:

Dilute concentrate with water and neutralize afterwards with suitable material (lime or chalk). The formed salts are inert and pose little hazard.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### <sup>·</sup> Uncleaned packagings

· Recommendation: Disposal must be made according to official regulations.

14 Transport information				
<sup>·</sup> Transport in bulk according to Annex II of				
· · ·				

#### **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

(Cont'd. on page 8)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

Trade name: Sulfuric Acid, 1.38N

	(Cont'd. of page 7)
<ul> <li>Section 302 (extremely hazardous substances):</li> </ul>	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
7664-93-9 Sulfuric acid	
· Section 313 (Specific toxic chemical listings):	
7664-93-9 Sulfuric acid	
· TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL) (Substances not listed.):	
All ingredients are listed.	

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 9)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 15, 2018

Revision: November 14, 2018

#### Trade name: Sulfuric Acid, 1.38N

(Cont'd. of page 8)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do)
Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)
Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6
Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
Safety Data Sheets, Individual Manufacturers
SDS Prepared by:
ChemTel Inc.
1305 North Florida Avenue
Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com