### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

#### 1 Identification

· Product identifier

· Trade name: Butylated Hydroxy Toluene

· Product code: S25212A

· **CAS Number:** 128-37-0

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AguaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover. PA 17331

Phone: (717)632-1291

Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

Fisher Science Education 6771 Silver Crest Road Nazareth, PA 18064 (800) 955-1177

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

### 2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · GHS label elements Not regulated.
- · Hazard pictograms: None.
- · Signal word: None
- · Hazard statements: None.
- · Precautionary statements: None.
- Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

- Chemical characterization: Substances
- · CAS No. Description

128-37-0 2,6-di-tert-butyl-p-cresol

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 1)

#### 4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Brush off loose particles from skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

- · Danger: No relevant information available.
- Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

· Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Pick up manually.

Sweep up and place into an appropriate container.

Dispose of the collected material according to regulations.

Reference to other sections

(Cont'd. on page 3)

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

#### Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 2)

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Protect from humidity and water.

Due to photo-sensitivity, store product in brown-glass or stainless steel receptacles.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with alkalis (caustic solutions).

Store away from oxidizing agents.

Store away from reducing agents.

Do not store together with acids.

· Further information about storage conditions:

Keep containers tightly sealed.

Store in dry conditions.

· Specific end use(s) No relevant information available.

# 8 Exposure controls/personal protection

· Control parameters

| · Components with limit values | that requ | iire monitor | ing at t | the workplace: |
|--------------------------------|-----------|--------------|----------|----------------|
|--------------------------------|-----------|--------------|----------|----------------|

# 128-37-0 2,6-di-tert-butyl-p-cresol

| REL (USA)     | Long-term value. To mg/m                                   |
|---------------|--|
| TLV (USA)     | Long-term value: 2* mg/m³ *as inhalable fraction and vapor |
| EL (Canada)   | Long-term value: 2 mg/m³<br>vapour and inhalable aerosol   |
| EV (Canada)   | Long-term value: 2 mg/m³ inhalable, vapour and aerosol     |
| LMPE (Mexico) | Long-term value: 2 mg/m³<br>A4, IFV                        |

- · Exposure controls
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

· Engineering controls: Provide adequate ventilation.

(Cont'd. on page 4)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

(Cont'd. of page 3)

### **Trade name: Butylated Hydroxy Toluene**

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

Material of gloves

Butyl rubber, BR Natural rubber, NR Nitrile rubber, NBR Neoprene gloves

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

| 9 Physical and chemical prope                         | erties  |                    |  |  |
|---|---|--------------------|--|--|
| Information on basic physical and chemical properties |   |                    |  |  |
| · Appearance:   |   |                    |  |  |
| Form:   | Powder  |                    |  |  |
| Color:  | Whitish                                       |                    |  |  |
| Odor:   | Ester-like                                    |                    |  |  |
| · Odor threshold:                                     | Not determined.                               |                    |  |  |
| · pH-value:   | Not applicable.                               |                    |  |  |
| . Melting point/Melting range:                        | 69.9 °C (157.8 °F)                            |                    |  |  |
| · Boiling point/Boiling range:                        | 262.5 °C (504.5 °F)                           |                    |  |  |
| · Flash point:  | 127 °C (260.6 °F)                             |                    |  |  |
|   | The product is not flammable.                 |                    |  |  |
| · Flammability (solid, gaseous):                      | Product is not flammable.                     |                    |  |  |
| · Auto-ignition temperature:                          | 345 °C (653 °F)                               |                    |  |  |
| Decomposition temperature:                            | Not determined.                               |                    |  |  |
| Danger of explosion:                                  | Product does not present an explosion hazard. |                    |  |  |
| · Explosion limits                                    |   |                    |  |  |
| Lower:  | Not determined.                               |                    |  |  |
| Upper:  | Not determined.                               |                    |  |  |
| Oxidizing properties:                                 | Non-oxidizing.                                |                    |  |  |
|   |   | (Cont'd. on page s |  |  |

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

**Trade name: Butylated Hydroxy Toluene** 

(Cont'd. of page 4)

· Vapor pressure at 20 °C (68 °F): 0.02 hPa (0 mm Hg)

Density at 20 °C (68 °F): 1.05 g/cm³ (8.76 lbs/gal)

Relative density: Not determined.
 Vapor density: Not applicable.
 Evaporation rate: Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• Other information No relevant information available.

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong oxidizing agents.

Reacts with strong acids.

Reacts with alkali (lyes).

Reacts with reducing agents.

Conditions to avoid

Excessive heat.

Moisture.

· Incompatible materials

Alkalis.

Acids.

Reducing agents.

Oxidizers

· Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Benzene

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification:

128-37-0 2,6-di-tert-butyl-p-cresol

(Cont'd. on page 6)

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

#### Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 5)

Oral LD50 >6000 mg/kg (rat)

- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

3

· NTP (National Toxicology Program):

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity

Very toxic to aquatic life with long lasting effects.

#### 128-37-0 2,6-di-tert-butyl-p-cresol

LC50 1.1 mg/l (fish)

EC50 0.48 mg/l (daphnia)

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · **Mobility in soil:** No relevant information available.
- Ecotoxical effects:
- · Remark: Very toxic for fish
- Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Very toxic for aquatic organisms

Other adverse effects No relevant information available.

Page: 7/9

# **Safety Data Sheet**

### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

**Trade name: Butylated Hydroxy Toluene** 

(Cont'd. of page 6)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- **Recommendation:** Disposal must be made according to official regulations.

| UN-Number<br>DOT, ADR/RID/ADN, IMDG, IATA     | UN3077  |
|---|---|
| UN proper shipping name                       |   |
| DOT   | Environmentally hazardous substance, solid, n.c (2,6-di-tert-butyl-p-cresol)  |
| ADR/RID/ADN                                   | ENVIRONMENTALLY HAZARDOUS SUBSTANC  |
| IMDG, IATA                                    | SOLID, N.O.S. (2,6-di-tert-Butyl-p-cresol) ENVIRONMENTALLY HAZARDOUS SUBSTANG |
| IMDG, IATA                                    | SOLID, N.O.S. (2,6-di-tert-butyl-p-cresol)                                    |
| Transport hazard class(es)                    |   |
| DOT, IMDG                                     |   |
|   |   |
| Class   | 9   |
| Label   | 9   |
| ADR/RID/ADN, IATA                             |   |
|   |   |
| Class   | 9   |
| Label   | 9   |
| Packing group<br>DOT, ADR/RID/ADN, IMDG, IATA | III   |
| Environmental hazards                         | Not applicable.   |
| Special precautions for user                  | Warning: Miscellaneous dangerous substances a articles                        |

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

Trade name: Butylated Hydroxy Toluene

(Cont'd. of page 7)

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

3

· Canadian Domestic Substances List (DSL): (Substances not listed.)

Substance is listed.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Cont'd. on page 9)

Page: 9/9

# **Safety Data Sheet**

#### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 07, 2019

#### **Trade name: Butylated Hydroxy Toluene**

(Cont'd. of page 8)

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com