According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 1 of 10

# **Potassium Chromate, Reagent Grade**

## **SECTION 1: Identification**

**Product identifier** 

Product name: Potassium Chromate, Reagent Grade

**Product code:** S25486

Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

### Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth
PA 17331 PA 18064
(717) 632-1291 800 955-1177

#### **Emergency telephone number:**

**United States** 

Emergency Telephone No.: 800-255-3924

## **SECTION 2: Hazard identification**

### **GHS** classification:

Combustible dust

Skin irritation, category 2

Eye irritation, category 2A

Carcinogenicity, category 1B

Skin sensitization, category 1

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Germ cell mutagenicity, category 1B

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

#### **Label elements**

### Hazard pictograms:







Signal word: Danger

### **Hazard statements:**

H900 May form combustible dust concentrations in air

H315 Causes skin irritation

H319 Causes serious eye irritation

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 2 of 10

## **Potassium Chromate, Reagent Grade**

H350 May cause cancer

H317 May cause an allergic skin reaction

H335 May cause respiratory irritation

H340 May cause genetic defects

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

#### Precautionary statements:

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P271 Use only outdoors or in a well-ventilated area

P273 Avoid release to the environment

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

P308+P313 If exposed or concerned: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P391 Collect spillage

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

### **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 7789-00-6	Potassium Chromate	100

Additional Information: None

### **SECTION 4: First-aid measures**

#### **Description of first-aid measures**

#### **General notes:**

Not determined or not available.

## After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move exposed individual to fresh air

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 3 of 10

## **Potassium Chromate, Reagent Grade**

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Wash affected area with soap and water

Seek medical attention if symptoms develop or persist

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Seek medical attention if irritation persists or if concerned

## After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

## Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not available.

#### **Delayed symptoms and effects:**

Not determined or not available.

### Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not available.

#### Notes for the doctor:

Not determined or not available.

### **SECTION 5: Fire-fighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### **Unsuitable extinguishing media:**

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

High concentrations of dust may lead to combustible mixtures with air

## **Special protective equipment for firefighters:**

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

## Special precautions:

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

#### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 4 of 10

## **Potassium Chromate, Reagent Grade**

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Wear dust mask or respirator

Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration

#### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Wear dust mask or respirator

Prevent generation of combustible dust in air mixtures

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

## **SECTION 7: Handling and storage**

## Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Prevent generation of combustible dust in air mixtures.

## Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

## **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Potassium Chromate	7789-00-6	ACGIH TLV 0.05 mg/m³, as Cr
United States (OSHA)	Potassium Chromate	7789-00-6	OSHA PEL 0.005 mg/m³, as Cr(VI)

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 5 of 10

## **Potassium Chromate, Reagent Grade**

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen- deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

### Personal protection equipment

## **Eye and face protection:**

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

## **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance (physical state, color):	Yellow solid
Odor:	Odorless
Odor threshold:	Not determined
pH-value:	Not determined
Melting/Freezing point:	975° C
Boiling point/range:	Not determined
Flash point:	Not determined
Evaporation rate:	Not determined
Flammability (solid, gaseous):	Not determined
Explosion limit upper:	Not determined
Explosion limit lower:	Not determined
Vapor pressure:	Not determined
Vapor density:	Not determined
Density:	Not determined
Relative density:	Not determined
Solubilities:	Soluble in water
Partition coefficient (n-octanol/water):	Not determined

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 6 of 10

## **Potassium Chromate, Reagent Grade**

Auto/Self-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Dynamic viscosity:	Not determined
Kinematic viscosity:	Not determined
Explosive properties	Not determined
Oxidizing properties	Not determined

#### Other information

## **SECTION 10: Stability and reactivity**

## Reactivity:

Does not react under normal conditions of use and storage.

#### **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### **Conditions to avoid:**

Prevent generation of combustible dust in air mixtures.

### **Incompatible materials:**

None known.

## **Hazardous decomposition products:**

None known.

## **SECTION 11: Toxicological information**

### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

**Substance data:** 

Name	Route	Result
Potassium Chromate	oral	LD50 Mouse: 180 mg/kg

#### Skin corrosion/irritation

**Assessment:** Causes skin irritation **Product data:** No data available.

**Substance data:** 

Name	Result
Potassium Chromate	Causes skin irritation.

## Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data: No data available.

Substance data:

Name	Result
Potassium Chromate	Causes serious eye irritation.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 7 of 10

## **Potassium Chromate, Reagent Grade**

### Respiratory or skin sensitization

**Assessment:** May cause an allergic skin reaction

Product data: No data available.

**Substance data:** 

Name	Result
Potassium Chromate	May cause an allergic skin reaction.

### Carcinogenicity

**Assessment:** May cause cancer **Product data:** No data available.

Substance data:

Name	Species	Result
Potassium Chromate	Potassium Chromate	May cause cancer.

## International Agency for Research on Cancer (IARC):

Name	Classification
Potassium Chromate	Group 1

## **National Toxicology Program (NTP):**

Name	Classification
Potassium Chromate	Known to be human carcinogens

### Germ cell mutagenicity

**Assessment:** May cause genetic defects

Product data: No data available.

Substance data:

Name	Result
Potassium Chromate	May cause genetic defects.

#### Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation

Product data: No data available.

Substance data:

Name	Result
	Specific Target Organ Toxicity, Single Exposure - May cause respiratory irritation.

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

## **Aspiration toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 8 of 10

## **Potassium Chromate, Reagent Grade**

**Product data:** No data available. **Substance data:** No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

### **SECTION 12: Ecological information**

#### Acute (short-term) toxicity

**Assessment:** Very toxic to aquatic life **Product data:** No data available.

Substance data:

Name	Result
Potassium Chromate	EC50 - Cryptophycophyta (Cryptomonad Division) - 0.230 mg/L - 72 h
	EC50 - Daphnia magna (Water flea) - 0.0192 mg/L - 48 h
	NOEC - Oreochromis niloticus (Nile Tilapia) - 0.050 mg/L - 30 d

### Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

### Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

#### **Bioaccumulative potential**

**Product data:** No data available. **Substance data:** No data available.

## Mobility in soil

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

## **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## **SECTION 14: Transport information**

## **Canadian Transportation of Dangerous Goods (TDG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 9 of 10

## **Potassium Chromate, Reagent Grade**

### **International Maritime Dangerous Goods (IMDG)**

UN number	3822
UN proper shipping name	Toxic solid, inorganic, n.o.s. (Potassium chromate)
UN transport hazard class(es)	6.1
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Limited quantity	5 KG

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	3822
UN proper shipping name	Toxic solid, inorganic, n.o.s. (Potassium chromate)
UN transport hazard class(es)	6.1
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Passenger and cargo	100 KG
Cargo aircraft only	200 KG
Limited quantity	5 KG

## **SECTION 15: Regulatory information**

## **Canada regulations**

Domestic substances list (DSL):

7789-00-6	Potassium Chromate	Listed	
			ı

Non-domestic substances list (NDSL): Not determined.

## **SECTION 16: Other information**

## **Abbreviations and Acronyms: None**

#### Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.10.2018 Page 10 of 10

## Potassium Chromate, Reagent Grade

**NFPA:** 2-0-0 **HMIS:** 2-0-0

Initial preparation date: 01.10.2018

**End of Safety Data Sheet**