According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

### **Petroleum Ether**

#### **SECTION 1: Identification**

### **Product identifier**

Product name: Petroleum Ether Product code: S25461

## Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

#### Manufacturer or supplier details

### Manufacturer: Supplier:

AquaPhoenix Scientific	Fisher Science Education
860 Gitts Run Road	6771 Silver Crest Road
Hanover	Nazareth
PA 17331	PA 18064
(717) 632-1291	800 955-1177

#### Emergency telephone number: United States

Emergency Telephone No.: 800-255-3924

### SECTION 2: Hazard(s) identification

#### **GHS classification:**

Flammable liquids, category 2 Germ cell mutagenicity, category 1B Carcinogenicity, category 1B Aspiration hazard, category 1

## Label elements

#### Hazard pictograms:



#### Signal word: Danger

## Hazard statements:

H225 Highly flammable liquid and vapor

- H340 May cause genetic defects
- H350 May cause cancer

H304 May be fatal if swallowed and enters airways

## Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

- P233 Keep container tightly closed
- P240 Ground/bond container and receiving equipment
- P241 Use explosion-proof electrical/ventilating/light/equipment
- P242 Use only non-sparking tools

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

### Initial preparation date: 01.16.2018

## **Petroleum Ether**

P243 Take precautionary measures against static discharge

- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P308+P313 If exposed or concerned: Get medical advice/attention

P331 Do not induce vomiting

P301+P310 If swallowed: Immediately call a poison center or doctor/physician

P403+P235 Store in a well ventilated place. Keep cool

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

## **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 8032-32-4	Petroleum Ether	100

#### Additional Information: None

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

#### **General notes:**

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

#### After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention

#### After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists

#### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

#### Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not applicable.

## Notes for the doctor:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

## **Petroleum Ether**

Not determined or not applicable.

#### **SECTION 5: Firefighting measures**

#### Extinguishing media

## Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

### Unsuitable extinguishing media:

Not determined or not applicable.

#### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors Vapors can flow to distant ignition sources and flashback Liquid is volatile and may generate an explosive atmosphere

## Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing Refer to Section 8

### **Special precautions:**

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols Avoid contact with skin, eyes and clothing

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Beware of vapors accumulating to form explosive concentrations Vapors can accumulate in low areas

### **Environmental precautions:**

Should not be released into the environment Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

### **Reference to other sections:**

Not determined or not applicable.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only non-sparking tools.

Take precautionary measures against electrostatic discharges.

### Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Keep container tightly sealed.

Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources. Store locked up.

Use appropriate containment to avoid environmental contamination.

Protect from freezing and physical damage.

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

## **Petroleum Ether**

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

## **Occupational Exposure limit values:**

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Petroleum Ether		ACGIH 8 hr Time Weighted Avg (TWA): 300 ppm

### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Not determined or not applicable.

#### Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

## Personal protection equipment

## Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

## Skin and body protection:

Select glove material impermeable and resistant to the substance.

### **Respiratory protection:**

When necessary, use NIOSH-approved breathing equipment.

### General hygienic measures:

Wash hands before breaks and at the end of work. Avoid contact with skin, eyes and clothing.

### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Clear, colorless liquid
Mild gasoline like
Not determined
Not determined
Not determined
38°C / 100.4°F
<17.8°C / < 0°F
Slower than ether
Very flammable
5.9% (V)
1.1% (V)
40 mm Hg @ 20°C
Not determined
Not determined
Not determined
Insoluble in water

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

## **Petroleum Ether**

Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	287.8°C / 550°F
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined
Explosive properties	Not determined
Oxidizing properties	Not determined

## Other information

## **SECTION 10: Stability and reactivity**

## Reactivity:

Vapours may form explosive mixture with air.

## **Chemical stability:**

Stable under normal conditions of use and storage.

## Possibility of hazardous reactions:

None under normal conditions of use and storage.

## **Conditions to avoid:**

Excess heat. Ignition sources. Direct Sunlight.

## Incompatible materials:

Strong oxidizing agents.

## Hazardous decomposition products:

Carbon oxides.

## **SECTION 11: Toxicological information**

## Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

## Product data: No data available.

## Substance data:

Name	Route	Result
Petroleum Ether	inhalation	LC50 Rat: 3,400 ppm/4 hr (estimate)

## Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Carcinogenicity

Assessment: May cause cancer

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

### **Petroleum Ether**

### Substance data:

Name	Species	Result
Petroleum Ether		Suspected of causing cancer

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed. **National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

Assessment: May cause genetic defects

Product data: No data available.

## Substance data:

Name	Result
Petroleum Ether	Suspected of causing genetic defects

### Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

## Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

#### **Aspiration toxicity**

Assessment: May be fatal if swallowed and enters airways

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available. Other information: No data available.

#### **SECTION 12: Ecological information**

## Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

#### Substance data:

Result
LC50 (4 days): 8.2 - 10 mg/

# Chronic (long-term) toxicity

Product data: No data available.

## Substance data:

Name	Result
Petroleum Ether	EL50 (21 days): 10 mg/L

## Persistence and degradability

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

## **Petroleum Ether**

Substance data: No data available. Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

## Mobility in soil

Product data: No data available.

Substance data: No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

## **SECTION 14: Transport information**

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	1268
UN proper shipping name	PETROLEUM DISTILLATES, N.O.S.
UN transport hazard class(es)	3
Packing group	11
Environmental hazards	None
Special precautions for user	None
Excepted quantities	30g/30mL
Passenger air/rail	5 L
Cargo aircraft only	60 L
Stowage category	В

### International Maritime Dangerous Goods (IMDG)

UN number	1268	
UN proper shipping name	PETROLEUM DISTILLATES, N.O.S.	
UN transport hazard class(es)	3	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	
Excepted quantities	30g/30mL	
Limited quantity	1 L	

#### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1268
UN proper shipping name	PETROLEUM DISTILLATES, N.O.S.

## According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

## **Petroleum Ether**

UN transport hazard class(es)	3	Promet care
Packing group	П	
Environmental hazards	None	
Special precautions for user	None	
Excepted quantities	30g/30mL	
Passenger and cargo	5 L	
Cargo aircraft only	60 L	
Limited quantity	1 L	

## **SECTION 15: Regulatory information**

## United States regulations

Inventory listing (TSCA):

8032-32-4 Petroleum Ether

Listed

## Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

## SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

### SARA Section 302 extremely hazardous substances: Not determined.

## SARA Section 313 toxic chemicals:

8032-32-4	Petroleum Ether	Not
		Listed

**CERCLA:** Not determined.

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know: Not determined.

New Jersey Right to Know: Not determined.

New York Right to Know: Not determined.

Pennsylvania Right to Know: Not determined.

California Proposition 65: Not determined.

## **SECTION 16: Other information**

## Abbreviations and Acronyms: None

## Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 1-3-0

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.16.2018

### Petroleum Ether

HMIS: 1-3-0 Initial preparation date: 01.16.2018

## End of Safety Data Sheet

Page 9 of 9