According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 1 of 8

## Calcium Oxide, Lab Grade

## **SECTION 1: Identification**

#### **Product identifier**

Product name: Calcium Oxide, Lab Grade

Product code: S25227A

#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth
PA 17331 PA 18064
(717) 632-1291 800 955-1177

#### **Emergency telephone number:**

**United States** 

Emergency Telephone No.: 800-255-3924

#### SECTION 2: Hazard(s) identification

#### **GHS** classification:

Serious eye damage, category 1

Skin irritation, category 2

Specific target organ toxicity - single exposure, category 3, respiratory irritation

#### **Label elements**

## **Hazard pictograms:**





Signal word: Danger

## **Hazard statements:**

H318 Causes serious eye damage

H315 Causes skin irritation

H335 May cause respiratory irritation

#### **Precautionary statements:**

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash skin thoroughly after handling

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P321 Specific treatment (see supplemental first aid instructions on this label).

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 2 of 8

## Calcium Oxide, Lab Grade

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P332+P313 If skin irritation occurs: Get medical advice/attention

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

# **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 1305-78-8	calcium oxide	>98

Additional Information: None

#### **SECTION 4: First aid measures**

## **Description of first aid measures**

#### **General notes:**

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move exposed individual to fresh air

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Wash affected area with soap and water

Seek medical attention if symptoms develop or persist

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Immediately call a POISON CONTROL CENTER or seek medical attention

#### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

#### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### **Delayed symptoms and effects:**

Not determined or not applicable.

# Immediate medical attention and special treatment

**Specific treatment:** 

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 3 of 8

## Calcium Oxide, Lab Grade

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## **SECTION 5: Firefighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

## Unsuitable extinguishing media:

Not determined or not applicable.

#### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

## Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

## **Special precautions:**

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

#### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

#### SECTION 7: Handling and storage

#### Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

#### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 4 of 8

## Calcium Oxide, Lab Grade

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	calcium oxide	1305-78-8	ACGIH TLV TWA: 2 mg/m3 8 hours.
NIOSH	calcium oxide	1305-78-8	NIOSH REL - TWA: 2 mg/m3 10 hours.
United States (OSHA)	calcium oxide	1305-78-8	OSHA PEL TWA: 5 mg/m3 8 hours.

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

## Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

## Personal protection equipment

#### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

#### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance	White solid
Odor	Odorless
Odor threshold	Not determined
рН	12.5 - 12.8 at 1.65 g/l at 25 °C (77 °F)
Melting point/freezing point	2570° C
Initial boiling point/range	2,850° C (5,162° F)
Flash point (closed cup)	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper flammability/explosive limit	Not determined
Lower flammability/explosive limit	Not determined

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 5 of 8

## Calcium Oxide, Lab Grade

	· · · · · · · · · · · · · · · · · · ·
Vapor pressure	Not determined
Vapor density	Not determined
Density	3.3 g/mL at 25 °C (77 °F)
Relative density	Not determined
Solubilities	Reacts with water
Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	Not determined
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined
Explosive properties	Not determined
Oxidizing properties	Not determined

#### Other information

## SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

#### **Chemical stability:**

Stable under normal conditions of use and storage.

## Possibility of hazardous reactions:

None under normal conditions of use and storage.

# **Conditions to avoid:**

None known.

# Incompatible materials:

Strong acids. Strong bases. Oxidizing agents.

## Hazardous decomposition products:

None known.

## **SECTION 11: Toxicological information**

#### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

# Skin corrosion/irritation

**Assessment:** Causes skin irritation **Product data:** No data available.

**Substance data:** 

Name	Result
calcium oxide	H315: Causes skin irritation

## Serious eye damage/irritation

**Assessment:** Causes serious eye damage

Product data: No data available.

**Substance data:** 

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 6 of 8

## Calcium Oxide, Lab Grade

Name	Result
calcium oxide	H318: Causes serious eye damage

#### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Specific target organ toxicity (single exposure)

**Assessment:** May cause respiratory irritation

Product data: No data available.

Substance data:

Name	Result
	Specific target organ toxicity - Single exposure - H335: May cause respiratory irritation

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

**Aspiration toxicity** 

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

## **SECTION 12: Ecological information**

## Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 7 of 8

## Calcium Oxide, Lab Grade

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

**Bioaccumulative potential** 

**Product data:** No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

## Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# **SECTION 14: Transport information**

## United States Transportation of dangerous goods (49 CFR DOT)

UN number	1910
UN proper shipping name	Calcium oxide
UN transport hazard class(es)	8 COGROSSIVE
Packing group	III
Environmental hazards	None
Special precautions for user	None
Excepted quantities	5KG
Passenger air/rail	25KG
Cargo aircraft only	100KG
Stowage category	A
Additional Information	This Material is only regulated as a hazardous material when transported by aircraft.

## **International Maritime Dangerous Goods (IMDG)**

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1910
UN proper shipping name	Calcium oxide

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.20.2018 Page 8 of 8

## Calcium Oxide, Lab Grade

UN transport hazard class(es)	8	GOTTOSH
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
Excepted quantities	30g/30mL	
Passenger and cargo	25KG	
Cargo aircraft only	100KG	
Limited quantity	5KG	

## **SECTION 15: Regulatory information**

## **United States regulations**

## Inventory listing (TSCA):

1305-78-8	calcium oxide	Listed
-----------	---------------	--------

**Significant New Use Rule (TSCA Section 5):** Not determined.

Export notification under TSCA Section 12(b): Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals: Not determined.

**CERCLA:** Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know: Not determined.

New Jersey Right to Know: Not determined.

New York Right to Know: Not determined.

Pennsylvania Right to Know: Not determined.

California Proposition 65: Not determined.

#### **SECTION 16: Other information**

#### Abbreviations and Acronyms: None

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 3-0-2 **HMIS:** 3-0-2

**Initial preparation date:** 01.20.2018

**End of Safety Data Sheet**