According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

SECTION 1: Identification

Product identifier

Product name: Chromium(III) Potassium Sulfate Product code: S25252A

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific	Fisher Science Education
860 Gitts Run Road	6771 Silver Crest Road
Hanover	Nazareth
PA 17331	PA 18064
(717) 632-1291	800 955-1177

Emergency telephone number: United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Combustible dust Skin irritation, category 2 Eye irritation, category 2A

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H900 May form combustible dust concentrations in air

H315 Causes skin irritation

H319 Causes serious eye irritation

Precautionary statements:

P264 Wash skin thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

present and easy to do. Continue rinsing Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7788-99-0	Chromium (III) Potassium Sulfate	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention Wash affected area with soap and water Seek medical attention if symptoms develop or persist

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes If symptoms develop or persist, seek medical attention Remove contact lens(es) if able to do so during rinsing Seek medical attention if irritation persists or if concerned

After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors High concentrations of dust may lead to combustible mixtures with air

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing Wear dust mask or respirator Dust Deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Wear dust mask or respirator Prevent generation of combustible dust in air mixtures Sweep or scoop up solid material while minimizing dust generation Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Prevent generation of combustible dust in air mixtures.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed. Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Chromium (III) Potassium Sulfate	7788-99-0	OSHA PEL TWA 0.5 mg/m³, as Cr
ACGIH	Chromium (III) Potassium Sulfate	7788-99-0	ACGIH TLV TWA 0.5 mg/m ³ , as Cr
NIOSH	Chromium (III) Potassium Sulfate	7788-99-0	NIOSH IDL 25 mg/m ³ , as Cr

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen- deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Metallic purple solid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
рН	Not determined or not available.
Melting point/freezing point	88.9°C / 192.02°F

Page 4 of 8

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 5 of 8

Chromium(III) Potassium Sulfate

Initial boiling point/range	400°C / 752°F
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Soluble
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

Specific Gravity

1.8

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Prevent generation of combustible dust in air mixtures.

Incompatible Materials. Excess heat.

Incompatible materials:

Oxidizing agents. Chemically active metals.

Hazardous decomposition products:

Oxides of sulfur, chromium fumes.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Causes skin irritation

Product data: No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

Serious eye d	damage/irritation
Assessme	nt: Causes serious eye irritation
Product d	ata: No data available.
Substance	e data: No data available.
Respiratory o	or skin sensitization
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Carcinogenic	ity
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Internatio	nal Agency for Research on Cancer (IARC): None of the ingredients are listed.
National T	Foxicology Program (NTP): None of the ingredients are listed.
Germ cell mu	itagenicity
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Reproductive	e toxicity
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Specific targe	et organ toxicity (single exposure)
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Specific targe	et organ toxicity (repeated exposure)
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Aspiration to	xicity
Assessme	nt: Based on available data, the classification criteria are not met.
Product d	ata: No data available.
Substance	e data: No data available.
Information of	on likely routes of exposure: No data available.
	elated to the physical, chemical and toxicological characteristics: No data available.
	ation: No data available.
CTION 12: EC	ological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Chromium(III) Potassium Sulfate

Product data: No data available. Substance data: No data available.

Bioaccumulative potential

Product data: No data available. Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations Inventory listing (TSCA):

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.23.2018

Page 8 of 8

7788-99-0	Chromium (III)	Chromium (III) Potassium Sulfate		
Significant New U	Jse Rule (TSCA Se	ction 5): Not deter	mined.	
Export notification	on under TSCA Sec	tion 12(b): Not de	termined.	
SARA Section 31	1/312 hazards:			
Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No
SARA Section 302	2 extremely hazar	dous substances	Not determined.	
SARA Section 313	3 toxic chemicals:			
7788-99-0	Chromium (III)) Potassium Sulfate		Liste
CERCLA: Not deter	rmined.			
RCRA: Not determ	ined.			
Section 112(r) of	the Clean Air Act	(CAA): Not determ	ined.	
Massachusetts R	ight to Know:			
7788-99-0	Chromium (III) Potassium Sulfate			
	to Know:			
New Jersey Right	Chromium (III) Potassium Sulfate			Liste
New Jersey Right 7788-99-0	Chromium (III)) Potassium Sulfate		
	. ,) Potassium Sulfate		I
7788-99-0	o Know:) Potassium Sulfate) Potassium Sulfate		Liste
7788-99-0 New York Right t	o Know: Chromium (III)	-		Liste

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-0-0 HMIS: 1-0-0

Initial preparation date: 01.23.2018

End of Safety Data Sheet