According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 1 of 8

Lithium, Metal Rods

SECTION 1: Identification

Product identifier

Product name: Lithium, Metal Rods

Product code: S25391

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth PA 17331 PA 18064 (717) 632-1291 800 955-1177

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Substance and mixture, which in contact with water, emit flammable gas 1 Skin corrosion, category 1B

Label elements

Hazard pictograms:





Signal word: Danger Hazard statements:

H260 In contact with water releases flammable gases which may ignite spontaneously

H314 Causes severe skin burns and eye damage

Precautionary statements:

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire

P280 Wear protective gloves/protective clothing/eye protection/face protection

P231+P232 Handle under inert gas. Protect from moisture

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P321 Specific treatment (see supplemental first aid instructions on this label).

P363 Wash contaminated clothing before reuse

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 2 of 8

Lithium, Metal Rods

P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician

P301+P330+P331+P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353+P310 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.

Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

| Identification | Name | Weight % |
|-----------------------|---------|----------|
| CAS number: 7439-93-2 | Lithium | 100 |

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move exposed individual to fresh air

Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Immediately remove all contaminated clothing

Wash affected area with soap and water

Immediately call a POISON CONTROL CENTER or seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Immediately call a POISON CONTROL CENTER or seek medical attention

Do not induce vomiting

Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed Acute symptoms and effects:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 3 of 8

Lithium, Metal Rods

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 4 of 8

Lithium, Metal Rods

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

| Appearance | Silver-white solid |
|------------------------------------|----------------------------------|
| Odor | Odorless |
| Odor threshold | Not determined or not available. |
| рН | Not determined or not available. |
| Melting point/freezing point | 180.5°C (356.9°F) |
| Initial boiling point/range | 1336.5°C (2437.7°F) |
| Flash point (closed cup) | Not determined or not available. |
| Evaporation rate | Not determined or not available. |
| Flammability (solid, gas) | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Vapor pressure | Not determined or not available. |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 5 of 8

Lithium, Metal Rods

| Not determined or not available. |
|----------------------------------|
| Not determined or not available. |
| 0.534 g/cm³ (Water = 1) |
| Insoluble in water. |
| Not determined or not available. |
| |

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

Reacts violently with water. None under normal processing.

Conditions to avoid:

Exposure to moisture. Incompatible Materials. High temperatures, incompatible materials, light, moisture, water, and ignition sources.

Incompatible materials:

Forms shock - sensitive mixtures with certain other materials., Iron and iron salts., Heavy metals, Phosphorus, Sulphur compounds, Oxygen, Nickel, Do not store near acids., Metals. Strong acids. Strong bases. Oxidizing agents.

Hazardous decomposition products:

Lithium oxides.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Skin corrosion/irritation

Assessment: Causes severe skin burns and eye damage

Product data: No data available.

Substance data:

| Name | Result |
|---------|-----------------------------------|
| Lithium | Causes severe eye and skin burns. |

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 6 of 8

Lithium, Metal Rods

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

| Name | Result |
|---------|----------------------------------|
| Lithium | LC50 (4 days): 18 - 109 mg/ |
| | NOEC (4 days): 4 - 25 mg/L |
| | EC50 (48 h): 10 - 60.1 mg/L |
| | EC50 (72 h): 23.75 - 153.44 mg/L |

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 7 of 8

Lithium, Metal Rods

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

| UN number | UN1415 |
|-------------------------------|-------------------------|
| UN proper shipping name | Lithium, non-pyrophoric |
| UN transport hazard class(es) | 4.3 |
| Packing group | I |
| Environmental hazards | None |
| Special precautions for user | None |

International Maritime Dangerous Goods (IMDG)

| UN number | UN1415 |
|-------------------------------|-------------------------|
| UN proper shipping name | Lithium, non-pyrophoric |
| UN transport hazard class(es) | 4.3 |
| Packing group | |
| Environmental hazards | None |
| Special precautions for user | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| UN number | UN1415 | |
|-------------------------------|-------------------------|-----------|
| UN proper shipping name | Lithium, non-pyrophoric | |
| UN transport hazard class(es) | 4.3 | DOGINOO T |
| Packing group | I | |
| Environmental hazards | None | |
| Special precautions for user | None | |

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.26.2017 Page 8 of 8

Lithium, Metal Rods

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

| 7439-93-2 | Lithium | Listed |
|-----------|---------|--------|
|-----------|---------|--------|

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

| Acute | Chronic | Fire | Pressure | Reactive |
|-------|---------|------|----------|----------|
| No | No | No | No | No |

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

| 7439-93-2 | Lithium | Not |
|-----------|---------|--------|
| | | Listed |

CERCLA: Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

| 7439-93-2 Lithium Listed | |
|--------------------------|--|
|--------------------------|--|

New Jersey Right to Know:

| 7439-93-2 | Lithium | Listed |
|-----------|---------|--------|
|-----------|---------|--------|

New York Right to Know:

| | Lithium | Listed |
|--|---------|--------|
| | | |

Pennsylvania Right to Know:

| 7439-93-2 | Lithium | Listed |
|-----------|---------|--------|
|-----------|---------|--------|

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 12.26.2017

End of Safety Data Sheet