According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 1 of 9

Nickel Metal Shot,

SECTION 1: Identification

Product identifier

Product name: Nickel Metal Shot,

Product code: S25444

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: Supplier:

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth
PA 17331 PA 18064
(717) 632-1291 800 955-1177

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard identification

GHS classification:

Skin sensitization, category 1 Eye irritation, category 2A

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

Precautionary statements:

P272 Contaminated work clothing should not be allowed out of the workplace

P280 Wear protective gloves/protective clothing/eye protection/face protection

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P264 Wash skin thoroughly after handling

P321 Specific treatment (see supplemental first aid instructions on this label).

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 2 of 9

Nickel Metal Shot,

P363 Wash contaminated clothing before reuse

P302+P352 If on skin: Wash with soap and water

P308+P313 If exposed or concerned: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if

present and easy to do. Continue rinsing

P405 Store locked up.

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7440-02-0	Nickel Metal	100

Additional Information: None

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Seek medical attention if irritation persists or if concerned

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 3 of 9

Nickel Metal Shot,

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 4 of 9

Nickel Metal Shot,

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Nickel Metal	7440-02-0	Alberta OELs - 8-Hour TWA Exposure Limit: 1.5 mg/m³
	Nickel Metal	7440-02-0	British Columbia OELs - 8-Hour TWA Exposure Value: 0.05 mg/m³ (as Ni)
	Nickel Metal	7440-02-0	Manitoba OELs - 8-hour Exposure Limit (TLV-TWA): 1.5 mg/m³ (inhalable fraction)
	Nickel Metal	7440-02-0	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 1 mg/m³ (inhalable fraction)
	Nickel Metal	7440-02-0	Quebec OELs - 8-Hour TWA Exposure Value: 1 mg/m³
	Nickel Metal	7440-02-0	Saskatchewan OELs - 8 hour average contamination limit: 1.5 mg/m³ (as Ni, inhalable fraction)
	Nickel Metal	7440-02-0	Saskatchewan OELs - 15 minute average contamination limit: 3 mg/m³ (as Ni, inhalable fraction)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 5 of 9

Nickel Metal Shot,

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Grey solid
Odor:	Odorless
Odor threshold:	Not determined or not available.
pH-value:	9 - 11 at 20°C
Melting/Freezing point:	1455°C
Boiling point/range:	2730°C
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Flammable solid
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	1 mmHg at 1810°C
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	Not determined or not available.
Solubilities:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	87°C
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Incompatible materials. Dust generation. Excessive heat.

Incompatible materials:

Reactive with oxidizing agents, combustible materials, metals, acids.

Hazardous decomposition products:

Nickel oxides.

SECTION 11: Toxicological information

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 6 of 9

Nickel Metal Shot,

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Serious eye damage/irritation

Assessment: Causes serious eye irritation

Product data: No data available. **Substance data:** No data available.

Respiratory or skin sensitization

Assessment: May cause an allergic skin reaction

Product data: No data available.

Substance data:

Name	Result
Nickel Metal	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Nickel Metal	Not applicable	Suspected of causing cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Nickel Metal	Group 2B

National Toxicology Program (NTP):

Name	Classification
Nickel Metal	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 7 of 9

Nickel Metal Shot,

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Nickel Metal	Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available. **Substance data:** No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 8 of 9

Nickel Metal Shot,

UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

	7440-02-0	Nickel Metal	Listed	
--	-----------	--------------	--------	--

Non-domestic substances list (NDSL): Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 1-0-0 **HMIS:** 1-0-0-X

Initial preparation date: 01.15.2018

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 01.15.2018 Page 9 of 9

Nickel Metal Shot,

End of Safety Data Sheet