

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 1 of 8

## Talc Powder

### SECTION 1: Identification

#### Product identifier

**Product name:** Talc Powder

**Product code:** S25799

#### Recommended use of the product and restriction on use

**Relevant identified uses:** Not determined or not applicable.

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

**Manufacturer:**

**Supplier:**

AquaPhoenix Scientific

860 Gitts Run Road

Hanover

PA 17331

(717) 632-1291

Fisher Science Education

6771 Silver Crest Road

Nazareth

PA 18064

800 955-1177

#### Emergency telephone number:

**United States**

Emergency Telephone No.: 800-255-3924

### SECTION 2: Hazard(s) identification

#### GHS classification:

Carcinogenicity, category 1A

#### Label elements

##### Hazard pictograms:



**Signal word:** Danger

#### Hazard statements:

H350 May cause cancer

#### Precautionary statements:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P281 Use personal protective equipment as required

P308+P313 If exposed or concerned: Get medical advice/attention

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

**Hazards not otherwise classified:** None

### SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
----------------	------	----------

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 2 of 8

## Talc Powder

CAS number: 14807-96-6	Hydrous magnesium silicate	>90
---------------------------	----------------------------	-----

**Additional Information:** None

## SECTION 4: First aid measures

### Description of first aid measures

#### General notes:

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position  
Maintain an unobstructed airway

#### After skin contact:

Rinse affected area with soap and water  
If symptoms develop or persist, seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes  
If symptoms develop or persist, seek medical attention

#### After swallowing:

Rinse mouth thoroughly  
Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Not determined or not applicable.

#### Delayed symptoms and effects:

Not determined or not applicable.

### Immediate medical attention and special treatment

#### Specific treatment:

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## SECTION 5: Firefighting measures

### Extinguishing media

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

### Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing  
Refer to Section 8

### Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols  
Avoid contact with skin, eyes and clothing

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 3 of 8

## Talc Powder

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures:

- Ensure adequate ventilation
- Ensure air handling systems are operational
- Wear protective eye wear, gloves and clothing

#### Environmental precautions:

- Should not be released into the environment
- Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

- Wear protective eye wear, gloves and clothing

#### Reference to other sections:

- Not determined or not applicable.

### SECTION 7: Handling and storage

#### Precautions for safe handling:

- Do not eat, drink, smoke or use personal products when handling chemical substances.
- Avoid breathing mist or vapor.

#### Conditions for safe storage, including any incompatibilities:

- Store in a cool, well-ventilated area.

### SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

#### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Hydrous magnesium silicate	14807-96-6	OSHA PEL Ceiling 20 mppcf
ACGIH	Hydrous magnesium silicate	14807-96-6	ACGIH TLV TWA 2 mg/m <sup>3</sup> ; (Inhalable particulate matter containing no asbestos and < 1% crystalline silica)
NIOSH	Hydrous magnesium silicate	14807-96-6	NIOSH REL TWA 2.0 mg/m <sup>3</sup>

#### Biological limit values:

- No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

- Not determined or not applicable.

#### Appropriate engineering controls:

- Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

#### Personal protection equipment

##### Eye and face protection:

- Safety goggles or glasses, or appropriate eye protection.

##### Skin and body protection:

- Select glove material impermeable and resistant to the substance.

##### Respiratory protection:

- When necessary, use NIOSH-approved breathing equipment.

#### General hygienic measures:

- Wash hands before breaks and at the end of work.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 4 of 8

## Talc Powder

Avoid contact with skin, eyes and clothing.

### SECTION 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance	Not determined
Odor	Not determined
Odor threshold	Not determined
pH	Not determined
Melting point/freezing point	Not determined
Initial boiling point/range	Not determined
Flash point (closed cup)	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper flammability/explosive limit	Not determined
Lower flammability/explosive limit	Not determined
Vapor pressure	Not determined
Vapor density	Not determined
Density	Not determined
Relative density	Not determined
Solubilities	None
Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	Not determined
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined
Explosive properties	Not determined
Oxidizing properties	Not determined

#### Other information

### SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

#### Chemical stability:

Stable under normal conditions of use and storage.

#### Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### Conditions to avoid:

None known.

#### Incompatible materials:

None known.

#### Hazardous decomposition products:

None known.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 5 of 8

Talc Powder

## SECTION 11: Toxicological information

### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Carcinogenicity

**Assessment:** May cause cancer

**Product data:** No data available.

**Substance data:** No data available.

### International Agency for Research on Cancer (IARC):

Name	Classification
Hydrous magnesium silicate	Group 3 - Not classifiable as to its carcinogenicity to humans

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 6 of 8

## Talc Powder

**Information on likely routes of exposure:** No data available.

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available.

**Other information:** No data available.

## SECTION 12: Ecological information

### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### Chronic (long-term) toxicity

**Product data:** No data available.

**Substance data:** No data available.

### Persistence and degradability

**Product data:** No data available.

**Substance data:** No data available.

### Bioaccumulative potential

**Product data:** No data available.

**Substance data:** No data available.

### Mobility in soil

**Product data:** No data available.

**Substance data:** No data available.

**Other adverse effects:** No data available.

## SECTION 13: Disposal considerations

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

## SECTION 14: Transport information

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

# Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.14.2018

Page 7 of 8

## Talc Powder

<b>UN number</b>	Not Regulated
<b>UN proper shipping name</b>	Not Regulated
<b>UN transport hazard class(es)</b>	None
<b>Packing group</b>	None
<b>Environmental hazards</b>	None
<b>Special precautions for user</b>	None

## SECTION 15: Regulatory information

### United States regulations

#### Inventory listing (TSCA):

14807-96-6	Hydrous magnesium silicate	Listed
------------	----------------------------	--------

**Significant New Use Rule (TSCA Section 5):** Not determined.

**Export notification under TSCA Section 12(b):** Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	Yes	No	No	No

**SARA Section 302 extremely hazardous substances:** Not determined.

#### SARA Section 313 toxic chemicals:

14807-96-6	Hydrous magnesium silicate	Not Listed
------------	----------------------------	------------

**CERCLA:** Not determined.

**RCRA:** Not determined.

**Section 112(r) of the Clean Air Act (CAA):** Not determined.

#### Massachusetts Right to Know:

14807-96-6	Hydrous magnesium silicate	Listed
------------	----------------------------	--------

#### New Jersey Right to Know:

14807-96-6	Hydrous magnesium silicate	Listed
------------	----------------------------	--------

#### New York Right to Know:

14807-96-6	Hydrous magnesium silicate	Not Listed
------------	----------------------------	------------

#### Pennsylvania Right to Know:

14807-96-6	Hydrous magnesium silicate	Listed
------------	----------------------------	--------

**California Proposition 65:** None of the ingredients are listed.

## SECTION 16: Other information

**Abbreviations and Acronyms:** None

### Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all

## Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

**Initial preparation date:** 02.14.2018

Page 8 of 8

**Talc Powder**

applicable laws and regulations applicable to this material.

**Initial preparation date:** 02.14.2018

**End of Safety Data Sheet**