According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 1 of 9

### **Lead Dioxide**

## **SECTION 1: Identification**

#### **Product identifier**

Product name: Lead Dioxide Product code: LD1000

### Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

### Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

## **Emergency telephone number:**

**United States** 

**ChemTel Inc** 

+1(800)255-3924

+1(813)248-0585

### SECTION 2: Hazard(s) identification

#### **GHS** classification:

Oxidizing solids, category 3

Acute toxicity (oral), category 4

Acute toxicity (inhalation), category 4

Reproductive toxicity, category 1A

Specific target organ toxicity - repeated exposure, category 2

Acute aquatic hazard, category 1

Chronic aquatic hazard, category 1

#### **Label elements**

## **Hazard pictograms:**









Signal word: Danger

# Hazard statements:

H272 May intensify fire; oxidizer

H302 Harmful if swallowed

H332 Harmful if inhaled

H360 May damage fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 2 of 9

### **Lead Dioxide**

#### **Precautionary statements:**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P220 Keep/Store away from clothing/combustible materials

P221 Take any precaution to avoid mixing with combustibles

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P273 Avoid release to the environment

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell

P308+P313 If exposed or concerned: Get medical advice/attention

P391 Collect spillage

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

### **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 1309-60-0	Lead dioxide	100

Additional Information: None

### **SECTION 4: First aid measures**

### **Description of first aid measures**

### **General notes:**

Not determined or not applicable.

#### After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move to fresh air

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

#### **After eye contact:**

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

## After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 3 of 9

### **Lead Dioxide**

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

Do not induce vomiting

Rinse mouth and then drink plenty of water

## Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not applicable.

## **Delayed symptoms and effects:**

Not determined or not applicable.

### Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

### **Suitable extinguishing media:**

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

## Unsuitable extinguishing media:

Not determined or not applicable.

#### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Will release oxygen when heated, intensifying a fire

## Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

## **Special precautions:**

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

## **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

## Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

## **SECTION 7: Handling and storage**

### Precautions for safe handling:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 4 of 9

### **Lead Dioxide**

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

Store away from flammable and combustible materials (paper, wood).

Store away from reducing agents (zinc, alkaline metals, formic acid).

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

## **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

## Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

### **Appropriate engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

#### **Personal protection equipment**

## Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

#### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

## General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

### **SECTION 9: Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance	Dark brown solid
Odor	Odorless
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	290°C

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 5 of 9

## **Lead Dioxide**

Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	Not determined or not available.
Solubilities	Insoluble in water.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	> 290 °C
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	This product is an oxidizing solid.

#### Other information

## **SECTION 10: Stability and reactivity**

### Reactivity:

Does not react under normal conditions of use and storage.

## **Chemical stability:**

Stable under normal conditions of use and storage.

## Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

Incompatible materials. Dust formation.

## **Incompatible materials:**

cing agents, organic materials, active metals, halogens azides, and fulminates.

## Hazardous decomposition products:

Lead oxides. Oxygen gases.

## **SECTION 11: Toxicological information**

## **Acute toxicity**

Assessment: Harmful if swallowed Harmful if inhaled

Product data: No data available.

**Substance data:** 

Name	Route	Result
Lead dioxide	oral	Harmful if swallowed.
	inhalation	Harmful if inhaled.

#### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 6 of 9

### **Lead Dioxide**

**Product data:** No data available. **Substance data:** No data available.

Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

**International Agency for Research on Cancer (IARC):** None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: May damage fertility or the unborn child

Product data: No data available.

Substance data:

Name	Result
Lead dioxide	May damage the unborn child. Suspected of damaging fertility.

#### Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

## Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data: No data available.

Substance data:

Name	Result
Lead dioxide	May cause damage to organs through prolonged or repeated exposure.

## **Aspiration toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

## **SECTION 12: Ecological information**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 7 of 9

### **Lead Dioxide**

## Acute (short-term) toxicity

Assessment: Very toxic to aquatic life Product data: No data available. Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

**Bioaccumulative potential** 

**Product data:** No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

### Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## **SECTION 14: Transport information**

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN1872	
UN proper shipping name	Lead dioxide	
UN transport hazard class(es)	5.1	5.1 <u>************************************</u>
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

#### International Maritime Dangerous Goods (IMDG)

UN number	UN1872
UN proper shipping name	Lead dioxide
UN transport hazard class(es)	5.1
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 8 of 9

### **Lead Dioxide**

UN number	UN1872	
UN proper shipping name	Lead dioxide	
UN transport hazard class(es)	5.1	Outcome St.
Packing group	III	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

## **SECTION 15: Regulatory information**

### **United States regulations**

## **Inventory listing (TSCA):**

1309-60-0	Lead dioxide	Listed
-----------	--------------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

### SARA Section 313 toxic chemicals:

1309-60-0	Lead dioxide	Not
		Listed

**CERCLA:** Not determined. **RCRA:** Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

### Massachusetts Right to Know:

	1309-60-0	Lead dioxide	Listed
--	-----------	--------------	--------

## **New Jersey Right to Know:**

1309-60-0  Lead dioxide  Lis	sted
------------------------------	------

# New York Right to Know:

1309-60-0	Lead dioxide	Listed
	•-	

## Pennsylvania Right to Know:

[:	1309-60-0	Lead dioxide	Listed
----	-----------	--------------	--------

**California Proposition 65:** None of the ingredients are listed.

## **SECTION 16: Other information**

## **Abbreviations and Acronyms: None**

#### Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.22.2017 Page 9 of 9

## **Lead Dioxide**

**NFPA:** 2-0-1-ox **HMIS:** 2-0-1-X

Initial preparation date: 12.22.2017

**End of Safety Data Sheet**