# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Idantificati	an of the substance/mixture and of the company/undertaking	
· Product ide	on of the substance/mixture and of the company/undertaking	
· Trade name:	Silver Nitrate, Lab Grade :: FEDSN1010-H	
·Recommende	ed use and restriction on use ed use: Laboratory chemicals on use: No further relevant information available.	
<ul> <li>Details of th</li> <li>Manufacturer AquaPhoenix</li> <li>860 Gitts Run Hanover, PA</li> <li>Phone: (717)6</li> <li>Toll-Free: (860</li> <li>info@aquapho</li> <li>Distributor:</li> <li>Fisher Science</li> <li>6771 Silver Con Nazareth, PA</li> <li>(800) 955-117</li> </ul>	Scientific, Inc. Road 7331 32-1291 6)632-1291 benixsci.com e Education est Road 18064	
ChemTel Inc. (800)255-3924	elephone number: 4 (North America) 585 (International)	
2 Hazards id	entification	
Ox. Sol. 2 Met. Corr.1 Skin Corr. 1B	<ul> <li>bn of the substance or mixture</li> <li>H272 May intensify fire; oxidiser.</li> <li>H290 May be corrosive to metals.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H318 Causes serious eye damage.</li> </ul>	

# <sup>.</sup> Label elements

#### · GHS label elements

The product is classified and labelled according to the Globally Harmonized System within the United States.

· Hazard pictograms



· Signal word Danger · Hazard statements H272 May intensify fire; oxidiser. H290 May be corrosive to metals.

(Cont'd. on page 2)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

#### Trade name: Silver Nitrate, Lab Grade

	(Cont'd. from page 1)		
H314 Causes seve	ere skin burns and eye damage.		
· Precautionary statements			
P210	Keep away from heat.		
P220	Keep/Store away from clothing/combustible materials.		
P221	Take any precaution to avoid mixing with combustibles.		
P234	Keep only in original container.		
P260	Do not breathe dust.		
P264	Wash thoroughly after handling.		
P280	Wear protective gloves/protective clothing/eye protection.		
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.		
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse		
	skin with water/shower.		
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for		
	breathing.		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if		
	present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor.		
P363	Wash contaminated clothing before reuse.		
P370+P378	In case of fire: Use for extinction: Water spray.		
P390	Absorb spillage to prevent material damage.		
P405	Store locked up.		
P406	Store in corrosive resistant container /container with a corrosion resistant inner liner.		
P501	Dispose of contents/container in accordance with local/regional/national/international		
	regulations.		
· NFPA ratings (sca	ale 0 - 4) This substance possesses oxidizing properties.		
• Other hazards T	here are no other hazards not otherwise classified that have been identified.		

# 3 Composition/information on ingredients

### <sup>•</sup> Chemical characterisation: Substances

- · CAS No. Description
- 7761-88-8 silver nitrate

#### 4 First aid measures

#### <sup>.</sup> Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- · After skin contact:
- Brush off loose particles from skin.
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.
- Seek immediate medical help for blistering or open wounds.

#### After eye contact: Protect unharmed eye. Remove contact lenses if worn. Binse opened eye for several minutes under running water. Then consu

Rinse opened eye for several minutes under running water. Then consult a doctor.

# After swallowing:

Rinse out mouth and then drink plenty of water.

(Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

(Cont'd. from page 2)

Do not induce vomiting; call for medical help immediately.
Most important symptoms and effects, both acute and delayed Strong caustic effect on skin and mucous membranes. Danger of severe eye injury. Gastric or intestinal disorders when ingested. Discoloration of skin.
Hazards: Danger of gastric perforation. Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

### **5 Firefighting measures**

- Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: No further relevant information available.

# • Special hazards arising from the substance or mixture

May intensify fire; oxidiser.

During heating or in case of fire poisonous gases are produced.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

#### Advice for firefighters

#### · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information:

Take any precaution to avoid mixing with combustibles.

Cool endangered receptacles with water spray.

#### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Take any precaution to avoid mixing with combustibles.

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

# Methods and material for containment and cleaning up

Pick up mechanically.

Sweep up and place into an appropriate container.

Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.

(Cont'd. on page 4)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

#### Trade name: Silver Nitrate, Lab Grade

(Cont'd. from page 3)

See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

#### · Precautions for safe handling Thorough dedusting. Any unavoidable deposit of dust must be regularly removed. Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Use only in well ventilated areas. · Information about fire - and explosion protection: May intensify fire; oxidiser. Substance/product can reduce the ignition temperature of flammable substances. <sup>•</sup> Conditions for safe storage, including any incompatibilities · Requirements to be met by storerooms and receptacles: Keep away from heat. Due to photo-sensitivity, store product in brown-glass receptacles. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel. · Information about storage in one common storage facility: Store away from foodstuffs. Do not store together with acids. Store away from flammable substances. Store away from metals. · Further information about storage conditions: Protect from heat and direct sunlight. Store in dry conditions. This product is hygroscopic. Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Control parameters		
· Ingredients wit	th limit values that require monitoring at the workplace:	
7761-88-8 silve	er nitrate	
PEL (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag	
REL (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag	
TLV (USA)	Long-term value: 0.01 mg/m <sup>3</sup> as Ag	
EL (Canada)	Short-term value: 0.03 mg/m <sup>3</sup> Long-term value: 0.01 mg/m <sup>3</sup> as Ag	
LMPE (Mexico)	Long-term value: 0.01 mg/m <sup>3</sup> como Ag	
	(Cont'd. on page	5)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

(Cont'd. from page 4)

## Exposure controls · General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. · Engineering controls: Provide adequate ventilation. • **Respiratory protection:** Use suitable respiratory protective device when high concentrations are present. · Protection of hands: Protective gloves · Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Eve protection: Safety glasses Follow relevant national guidelines concerning the use of protective eyewear. · Body protection: Protective work clothing · Limitation and supervision of exposure into the environment: No further relevant information available. 9 Physical and chemical properties Information on basic physical and chemical properties · Appearance Form: Crystalline powder Colour: White · Odour: Characteristic · Odour threshold: Not determined.

· pH-value:	Not applicable.
· Melting point/freezing point:	210 °C (410 °F)
· Initial boiling point and boiling ran	<b>ge:</b> 444 ℃ (831.2 F)
· Flash point:	The product is not flammable.
· Flammability (solid, gas):	Contact with combustible material may cause fire.
· Auto/Self-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
	(Cont'd on page

(Cont'd. on page 6)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

		(Cont'd. from page 5)
Lower: Upper: · Oxidising properties	Not determined. Not determined. Oxidizer	
· Vapour pressure:	Not determined.	
<ul> <li>Density at 20 ℃ (68 °F):</li> <li>Relative density:</li> <li>Vapour density:</li> <li>Evaporation rate:</li> </ul>	4.35 g/cm <sup>3</sup> (36.3 lbs/gal) Not determined. Not applicable. Not applicable.	
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Soluble.	
· Partition coefficient: n-octanol/wat	er: Not determined.	
<ul> <li>· Viscosity</li> <li>Dynamic:</li> <li>Kinematic:</li> <li>· Other information</li> </ul>	Not applicable. Not applicable. No further relevant information available.	

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

#### Possibility of hazardous reactions

Acts as an oxidising agent on organic materials such as wood, paper and fats.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

Reacts with strong acids.

Corrosive action on metals.

Reacts with reducing agents.

Toxic fumes may be released if heated above the decomposition point.

Contact with acids releases toxic gases.

Conditions to avoid No further relevant information available.

#### <sup>·</sup> Incompatible materials

Acids.

Flammable substances or mixtures.

Metals. Reducing agents.

- · Hazardous decomposition products
- Under fire conditions only:
- Nitrogen oxides

Toxic metal oxide smoke

# 11 Toxicological information

(Cont'd. on page 7)

# Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

#### Trade name: Silver Nitrate, Lab Grade

(Cont'd. from page 7)

## 13 Disposal considerations

#### <sup>.</sup> Waste treatment methods

· Recommendation

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- <sup>•</sup> Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

1 Transport information		
<sup>·</sup> UN-Number <sup>·</sup> DOT, ADR/RID/ADN, IMDG, IATA	UN1493	
<ul> <li>UN proper shipping name</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	SILVER NITRATE	
· Transport hazard class(es)		
· DOT		
· Class	5.1	
·Label	5.1	
· ADR/RID/ADN		
· Class · Label	5.1 (O2) 5.1	
· IMDG, IATA		
· Class	5.1	
·Label	5.1	
<ul> <li>Packing group</li> <li>DOT, ADR/RID/ADN, IMDG, IATA</li> </ul>	II	
· Environmental hazards:	Not applicable.	
<sup>·</sup> Special precautions for user	Warning: Oxidising substances.	
		(Cont'd. on pag

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

	(Cont'd. from page 8
· Danger code (Kemler):	50
· EMS Number:	5.1-06
· Segregation groups	Heavy metals and their salts (including thei organometallic compounds)
· Transport in bulk according to An	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
· ADR/RID/ADN	
· Transport category	2
· Tunnel restriction code	E
5 Regulatory information	
5 negulatory information	
<ul> <li>Safety, health and environmenta mixture</li> </ul>	I regulations/legislation specific for the substance of

· United States (USA)

· SARA

<ul> <li>Section 302 (extremely hazardous substances):</li> </ul>	
Substance is not listed.	
· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is listed.	
· TSCA (Toxic Substances Control Act):	

Substance is listed.

· Proposition 65 (California):

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency)

Substance is not listed.

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed)

Substance is listed.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 19, 2019

Revision: March 19, 2019

Trade name: Silver Nitrate, Lab Grade

(Cont'd. from page 9)

#### **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Ox. Sol. 2: Oxidizing solids – Category 2 Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website. US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com