

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 1 of 9

Beryllium Sulfate

SECTION 1: Identification

Product identifier

Product name: Beryllium Sulfate

Product code: BS4000

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

United States

AquaPhoenix Scientific, Inc.

860 Gitts Run Road

Hanover, PA 17331

1-717-632-1291

Emergency telephone number:

United States

ChemTel

800-255-3924

1-813-248-0585

SECTION 2: Hazard(s) identification

GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

Acute toxicity (oral), category 3

Acute toxicity (inhalation), category 1

Specific target organ toxicity - single exposure, category 3, respiratory irritation

Specific target organ toxicity - repeated exposure, category 1

Carcinogenicity, category 1B

Chronic aquatic hazard, category 2

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H315 Causes skin irritation

H319 Causes serious eye irritation

H317 May cause an allergic skin reaction

H301 Toxic if swallowed

H330 Fatal if inhaled

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 2 of 9

Beryllium Sulfate

H335 May cause respiratory irritation
H372 Causes damage to organs through prolonged or repeated exposure
H350 May cause cancer
H411 Toxic to aquatic life with long lasting effects

Precautionary statements:

P264 Wash skin thoroughly after handling
P280 Wear protective gloves/protective clothing/eye protection/face protection
P272 Contaminated work clothing should not be allowed out of the workplace
P270 Do not eat, drink or smoke when using this product
P260 Do not breathe dust/fume/gas/mist/vapors/spray
P271 Use only outdoors or in a well-ventilated area
P284 Wear respiratory protection
P201 Obtain special instructions before use
P202 Do not handle until all safety precautions have been read and understood
P273 Avoid release to the environment
P362 Take off contaminated clothing and wash before reuse
P302+P352 If on skin: Wash with soap and water
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
P320 Specific treatment is urgent (see ... on this label)
P304+P340+P310 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician
P308+P313 If exposed or concerned: Get medical advice/attention
P391 Collect spillage
P405 Store locked up
P403+P233 Store in a well ventilated place. Keep container tightly closed
P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7787-56-6	Beryllium Sulfate	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Move exposed individual to fresh air
Immediately call a POISON CONTROL CENTER or seek medical attention

After skin contact:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 3 of 9

Beryllium Sulfate

Rinse affected area with soap and water
If symptoms develop or persist, seek medical attention
Wash affected area with soap and water
Seek medical attention if symptoms develop or persist

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
If symptoms develop or persist, seek medical attention
Remove contact lens(es) if able to do so during rinsing
Seek medical attention if irritation persists or if concerned

After swallowing:

Rinse mouth thoroughly
Seek medical attention if irritation, discomfort, or vomiting persists
Immediately call a POISON CONTROL CENTER or seek medical attention
Do not induce vomiting
Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing
Refer to Section 8

Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols
Avoid contact with skin, eyes and clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation
Ensure air handling systems are operational
Wear protective eye wear, gloves and clothing

Environmental precautions:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 4 of 9

Beryllium Sulfate

Should not be released into the environment
Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.
Avoid breathing mist or vapor.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.
Avoid contact with skin, eyes and clothing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White solid
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	550 - 600 °C (1,022 - 1,112 °F)
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 5 of 9

Beryllium Sulfate

Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.713 g/cm ³ at 25 °C (77 °F)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Toxic if swallowed Fatal if inhaled

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Causes skin irritation

Product data: No data available.

Substance data:

Name	Result
Beryllium Sulfate	Causes skin irritation

Serious eye damage/irritation

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 6 of 9

Beryllium Sulfate

Assessment: Causes serious eye irritation

Product data: No data available.

Substance data:

Name	Result
Beryllium Sulfate	Causes eye irritation

Respiratory or skin sensitization

Assessment: May cause an allergic skin reaction

Product data: No data available.

Substance data:

Name	Result
Beryllium Sulfate	Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals

Carcinogenicity

Assessment: May cause cancer

Product data: No data available.

Substance data:

Name	Species	Result
Beryllium Sulfate	May cause cancer	

International Agency for Research on Cancer (IARC):

Name	Classification
Beryllium Sulfate	Group 1 - Carcinogenic to humans

National Toxicology Program (NTP):

Name	Classification
Beryllium Sulfate	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: May cause respiratory irritation

Product data: No data available.

Substance data:

Name	Result
Beryllium Sulfate	Specific target organ toxicity - single exposure. Inhalation - May cause respiratory irritation
	Specific target organ toxicity - repeated exposure. Causes damage to organs through prolonged or repeated exposure

Specific target organ toxicity (repeated exposure)

Assessment: Causes damage to organs through prolonged or repeated exposure

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 7 of 9

Beryllium Sulfate

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1566
UN proper shipping name	Beryllium compounds, n.o.s. (Beryllium sulphate tetrahydrate)
UN transport hazard class(es)	6
Packing group	II
Environmental hazards	None
Special precautions for user	None



International Maritime Dangerous Goods (IMDG)


Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200


Initial preparation date: 02.05.2018

Page 8 of 9

Beryllium Sulfate

UN number	1566
UN proper shipping name	Beryllium compounds, n.o.s. (Beryllium sulphate tetrahydrate)
UN transport hazard class(es)	6 
Packing group	II
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1566
UN proper shipping name	Beryllium compounds, n.o.s. (Beryllium sulphate tetrahydrate)
UN transport hazard class(es)	6 
Packing group	II
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

7787-56-6	Beryllium Sulfate	Not Listed
-----------	-------------------	------------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
Yes	Yes	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

7787-56-6	Beryllium Sulfate	Not Listed
-----------	-------------------	------------

CERCLA: Not determined.

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know: Not determined.

New Jersey Right to Know:

7787-56-6	Beryllium Sulfate	Listed
-----------	-------------------	--------

New York Right to Know:

7787-56-6	Beryllium Sulfate	Not Listed
-----------	-------------------	------------

Pennsylvania Right to Know:

7787-56-6	Beryllium Sulfate	Not Listed
-----------	-------------------	------------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.05.2018

Page 9 of 9

Beryllium Sulfate

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

7787-56-6

Beryllium Sulfate

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 4-0-0

HMIS: 4-0-0

Initial preparation date: 02.05.2018

End of Safety Data Sheet