

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 1 of 10

Poly D-Tac

SECTION 1: Identification

Product identifier

Product name: Poly D-Tac

Product code: DU409035

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

Supplier:

AquaPhoenix Scientific

860 Gitts Run Road

Hanover

PA 17331

(717) 632-1291

Dubois Chemicals Inc.

3630 East Kemper Rd

Cincinnati

OH 45241

(800) 438-2647

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Skin corrosion, category 1

Serious eye damage, category 1

Germ cell mutagenicity, category 2

Carcinogenicity, category 1A

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 2 of 10

Poly D-Tac

P281 Use personal protective equipment as required.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363 Wash contaminated clothing before reuse
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P310 Immediately call a POISON CENTER or doctor/physician.
P321 Specific treatment (see supplemental first aid instruction on this label).
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 If exposed or concerned: Get medical advice/attention
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7647-01-0	Hydrochloric acid	<1
CAS number: 50-00-0	Formaldehyde	<0.6

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water
If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
Remove contact lenses, if present and easy to do
Continue rinsing
Get medical advice/attention
Remove contact lens(es) if able to do so during rinsing
Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth and then drink plenty of water
Do not induce vomiting
Get medical advice/attention if you feel unwell

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 3 of 10

Poly D-Tac

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing

Refer to Section 8

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Heating causes a rise in pressure, risk of bursting and combustion

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only with adequate ventilation.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 4 of 10

Poly D-Tac

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.
Store away from foodstuffs.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Hydrochloric acid	7647-01-0	ACGIH TLV C 2.0 ppm
	Formaldehyde	50-00-0	ACGIH TLV 0.3 ppm (ceiling)
United States (OSHA)	Hydrochloric acid	7647-01-0	OSHA PEL C 5.0 ppm
	Hydrochloric acid	7647-01-0	OSHA PEL C 7.0 mg/m ³
	Formaldehyde	50-00-0	OSHA PEL TWA 0.75 mg/m ³
	Formaldehyde	50-00-0	OSHA STEL 2 ppm
NIOSH	Hydrochloric acid	7647-01-0	NIOSH REL C 5.0 ppm
	Hydrochloric acid	7647-01-0	NIOSH REL C 7.0 mg/m ³
	Formaldehyde	50-00-0	NIOSH REL TWA 0.016 ppm
	Formaldehyde	50-00-0	NIOSH REL C 0.1 ppm

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.
Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.
Avoid contact with skin, eyes and clothing.
Perform routine housekeeping.
Wash contaminated clothing before reusing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Yellow liquid.
Odor	Not determined or not available.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 5 of 10

Poly D-Tac

Odor threshold	Not determined or not available.
pH	1.1-1.9
Melting point/freezing point	-3 °C (Freezing Point)
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.04-1.06
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

Hazardous polymerization does not occur.

Conditions to avoid:

None known.

Incompatible materials:

Oxidizing agents.

Hazardous decomposition products:

Burning of the dried material can produce: hydrogen chloride gas, nitrogen oxides (NOx) and carbon oxides (COx). No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 6 of 10

Poly D-Tac

Name	Route	Result
Hydrochloric acid	inhalation	LC50 - Mouse - 1,108 ppm / 1h
	oral	LD50 Rabbit: 900 mg/kg
Formaldehyde	oral	LD50 - Guinea Pig - 260 mg/kg
	dermal	LD50 - Rabbit - 270 µL/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Hydrochloric acid	Causes severe skin burns and eye damage.
Formaldehyde	Causes skin corrosion.

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Formaldehyde	May cause sensitization by skin contact.

Carcinogenicity

Assessment: May cause cancer

Product data: No data available.

Substance data:

Name	Species	Result
Formaldehyde	Component may cause cancer.	

International Agency for Research on Cancer (IARC):

Name	Classification
Hydrochloric acid	Group 3 - Not classifiable as to its carcinogenicity to humans
Formaldehyde	Group 1 - Carcinogenic to humans

National Toxicology Program (NTP):

Name	Classification
Formaldehyde	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Suspected of causing genetic defects

Product data: No data available.

Substance data:

Name	Result
Formaldehyde	Component may cause genetic defects.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 7 of 10

Poly D-Tac

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Hydrochloric acid	LC50: 282 mg/L (96Hr)

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

Safety Data Sheet


According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018


Page 8 of 10

Poly D-Tac


United States Transportation of dangerous goods (49 CFR DOT)

UN number	3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Hydrochloric acid).
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None
Reportable quantity	5000 Lb
Excepted quantities	30mg/30mL
Passenger air/rail	5L
Cargo aircraft only	60L
Stowage category	A

International Maritime Dangerous Goods (IMDG)

UN number	3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Hydrochloric acid).
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None
Excepted quantities	30mg/30mL
Limited quantity	5L

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	3265
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Hydrochloric acid).
UN transport hazard class(es)	8 
Packing group	III
Environmental hazards	None
Special precautions for user	None
ERG code	1543
Excepted quantities	30mg/30mL
Passenger and cargo	5L
Cargo aircraft only	60L
Limited quantity	5L

SECTION 15: Regulatory information

United States regulations

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 9 of 10

Poly D-Tac

Inventory listing (TSCA):

7647-01-0	Hydrochloric acid	Listed
50-00-0	Formaldehyde	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances:

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

SARA Section 313 toxic chemicals:

7647-01-0	Hydrochloric acid	Listed
50-00-0	Formaldehyde	Not Listed

CERCLA:

7647-01-0	Hydrochloric acid	Listed	5000 lbs.
-----------	-------------------	--------	-----------

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA):

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

Massachusetts Right to Know:

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

New Jersey Right to Know:

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

New York Right to Know:

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

Pennsylvania Right to Know:

7647-01-0	Hydrochloric acid	Listed
-----------	-------------------	--------

California Proposition 65:

WARNING: This product contains a chemical known to the State of California to cause cancer.

50-00-0	Formaldehyde
---------	--------------

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0

HMIS: 3-0-0

Initial preparation date: 02.27.2018

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 02.27.2018

Page 10 of 10

Poly D-Tac

End of Safety Data Sheet