According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 1 of 8

Copper Ribbon, .005 x .250

# **SECTION 1: Identification**

**Product identifier** 

**Product name:** Copper Ribbon, .005 x .250

**Product code:** CU5012

# Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

#### Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

# **Emergency telephone number:**

United States

ChemTel Inc

+1(800)255-3924

+1(813)248-0585

### **SECTION 2: Hazard(s) identification**

GHS classification: Not a hazardous substance or mixture

**Label elements** 

Hazard pictograms: None

Signal word: None

Hazard statements: None

Precautionary statements: None

Hazards not otherwise classified: None

# SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 7440-50-8	Copper	100

Additional Information: None

# **SECTION 4: First aid measures**

### **Description of first aid measures**

**General notes:** 

Not determined or not applicable.

After inhalation:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 2 of 8

# Copper Ribbon, .005 x .250

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

### After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

#### Most important symptoms and effects, both acute and delayed

### Acute symptoms and effects:

Not determined or not applicable.

#### **Delayed symptoms and effects:**

Not determined or not applicable.

# Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not applicable.

#### Notes for the doctor:

Not determined or not applicable.

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

#### Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

#### Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

#### Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

# **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

#### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 3 of 8

# Copper Ribbon, .005 x .250

Wear protective eye wear, gloves and clothing

Sweep or scoop up solid material while minimizing dust generation

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

### **SECTION 7: Handling and storage**

### Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

#### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

### **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
United States (OSHA)	Copper	7440-50-8	OSHA PEL 1 mg/m3, as Cu (dusts and mists)
	Copper	7440-50-8	OSHA PEL 0.1 mg/m3, as Cu (fume)
ACGIH	Copper	7440-50-8	ACGIH TLV 1 mg/m3, as Cu, (dusts and mists)
	Copper	7440-50-8	ACGIH TLV 0.1 mg/m3, as Cu,(fume)
NIOSH	Copper	7440-50-8	NIOSH IDLH 100 mg/m3, as Cu (fume)

#### Biological limit values:

No biological exposure limits noted for the ingredient(s).

#### Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

#### **Appropriate engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

#### Personal protection equipment

### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

### Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 4 of 8

# Copper Ribbon, .005 x .250

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

# General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance	Red to brown solid
Odor	Odorless
Odor threshold	Not determined
рН	Not determined
Melting point/freezing point	1083°C (1981.4°F)
Initial boiling point/range	2595°C (4703°F)
Flash point (closed cup)	Not determined
Evaporation rate	Not determined
Flammability (solid, gas)	Not determined
Upper flammability/explosive limit	Not determined
Lower flammability/explosive limit	Not determined
Vapor pressure	Not determined
Vapor density	Not determined
Density	Not determined
Relative density	8.94 (Water = 1)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined
Auto/Self-ignition temperature	Not determined
Decomposition temperature	Not determined
Dynamic viscosity	Not determined
Kinematic viscosity	Not determined
Explosive properties	Not determined
Oxidizing properties	Not determined

#### Other information

# **SECTION 10: Stability and reactivity**

### Reactivity:

Does not react under normal conditions of use and storage.

### **Chemical stability:**

Stable under normal conditions of use and storage.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

### Conditions to avoid:

None known.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 5 of 8

# Copper Ribbon, .005 x .250

#### Incompatible materials:

None known.

#### **Hazardous decomposition products:**

None known.

### **SECTION 11: Toxicological information**

#### **Acute toxicity**

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

Substance data:

Name	Route	Result
Copper	oral	LD50 Rat: 300 - 2,500 mg/kg
	inhalation	LC50 Rat (4 h): 5.11 mg/L air

#### Skin corrosion/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

#### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

#### Reproductive toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

# Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available. Substance data: No data available.

### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 6 of 8

# Copper Ribbon, .005 x .250

Substance data: No data available.

**Aspiration toxicity** 

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

### **SECTION 12: Ecological information**

### Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Copper	LC50 (48 h): 5.9 - 30.2 μg/L
	EC50 (48 h): 1 - 1,213 μg/L
	EC50 (72 h): 16.5 - 987 μg/L

### Chronic (long-term) toxicity

**Product data:** No data available. **Substance data:** No data available.

### Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

**Bioaccumulative potential** 

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

### **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

# **SECTION 14: Transport information**

### United States Transportation of dangerous goods (49 CFR DOT)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Generated by SDSPublisher (patent-pending) www.GSMSDS.com, 1-813-435-5161

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 7 of 8

# Copper Ribbon, .005 x .250

### International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

# **SECTION 15: Regulatory information**

# **United States regulations**

# Inventory listing (TSCA):

/440-50-8  Copper  Listed	7440-50-8	Copper		Listed
---------------------------	-----------	--------	--	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

#### SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

Listed

SARA Section 302 extremely hazardous substances: Not determined.

#### **SARA Section 313 toxic chemicals:**

		• •		
CEI	RCLA:			
	7440-50-8	Copper	Listed	5,000

RCRA: Not determined.

7440-50-8

Section 112(r) of the Clean Air Act (CAA): Not determined.

Copper

# Massachusetts Right to Know:

	7440-50-8	Copper	Listed	
-				

### **New Jersey Right to Know:**

7440-50-8 Copper Listed	1/770 30 0		Listed
-------------------------	------------	--	--------

# **New York Right to Know:**

7440-50-8	Copper	Listed
	•	

# Pennsylvania Right to Know:

	7440-50-8	Copper	Listed
--	-----------	--------	--------

California Proposition 65: Not determined.

# **SECTION 16: Other information**

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.17.2018 Page 8 of 8

Copper Ribbon, .005 x .250

# **Abbreviations and Acronyms:** None **Disclaimer:**

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 01.17.2018

**End of Safety Data Sheet**