According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 1 of 8

Ethylene Glycol, Lab Grade

SECTION 1: Identification

Product identifier

Product name: Ethylene Glycol, Lab Grade

Product code: ET5000

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

United States

AquaPhoenix Scientific

Emergency Telephone No.: (800) 255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Acute toxicity (oral), category 4

Specific target organ toxicity - repeated exposure, category 2

Label elements

Hazard pictograms:





Signal word: Warning

Hazard statements:

H302 Harmful if swallowed

H373 May cause damage to organs through prolonged or repeated exposure

Precautionary statements:

P264 Wash skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P314 Get medical advice/attention if you feel unwell

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 2 of 8

Ethylene Glycol, Lab Grade

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 107-21-1	Ethylene Glycol	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

Remove contact lenses, if present and easy to do

Continue rinsing

Get medical advice/attention

After swallowing:

Rinse mouth and then drink plenty of water

Do not induce vomiting

Get medical advice/attention if you feel unwell

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 3 of 8

Ethylene Glycol, Lab Grade

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing

Refer to Section 8

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Heating causes a rise in pressure, risk of bursting and combustion

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Store away from foodstuffs.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Ethylene Glycol	107-21-1	ACGIH TLV C: 100.0 mg/m³ (Aerosol)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 4 of 8

Ethylene Glycol, Lab Grade

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

Perform routine housekeeping.

Wash contaminated clothing before reusing.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Colorless, oily liquid
Odor	Odorless
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	-13 °C
Initial boiling point/range	197 °C
Flash point (closed cup)	111°C
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	15.30 vol %
Lower flammability/explosive limit	3.20 vol %
Vapor pressure	0.06 mm at 20 °C
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.113 g/ml
Solubilities	Infinite
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	362.8 °C
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 5 of 8

Ethylene Glycol, Lab Grade

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, Incompatible Materials, Ignition source, or Flame.

Incompatible materials:

Strong acids, aliphatic amines, caustics, strong oxidizers such as Potassium Permanganate, Chromium Trioxide, Sodium Peroxide, Nitrates, Chlorates, and Perchlorates.

Hazardous decomposition products:

Oxides of carbon, acrid and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Harmful if swallowed **Product data:** No data available.

Substance data:

Name	Route	Result
Ethylene Glycol	oral	LD50 - Cat - 1,650 mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 6 of 8

Ethylene Glycol, Lab Grade

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
'	May cause damage to the kidneys through prolonged or repeated oral
	exposure.

Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Product data: No data available. **Substance data:** No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 7 of 8

Ethylene Glycol, Lab Grade

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name	None	
Ship type	None	
Pollution category	None	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

107-21-1	Ethylene Glycol	Listed
		4

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
Yes	Yes	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

107-21-1	Ethylene Glycol	Not
		Listed

CERCLA: Not determined. **RCRA:** Not determined.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 01.18.2018 Page 8 of 8

Ethylene Glycol, Lab Grade

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

107-21-1 Ethylene Glycol Listed

New Jersey Right to Know: NJ RTK Substance Number: 0878 NJ Assigned DOT Number: 3082 NJ Reporting Threshold is: 500 lbs

New York Right to Know: Threshold Reporting Quantity: 0 pounds. Substance is reportable under 313 SARA Tiltle III. Reportable Quantity: 1 pounds.

Pennsylvania Right to Know: PA Environmental Hazard (subject to release reporting): E

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

107-21-1 Ethylene Glycol

SECTION 16: Other information

Abbreviations and Acronyms: None

California Proposition 65:

Disclaimer:

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-0-0 **HMIS:** 2-0-0

Initial preparation date: 01.18.2018

End of Safety Data Sheet