According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 1 of 9

## **IsoPentyl Alcohol**

## **SECTION 1: Identification**

Product identifier

**Product name:** IsoPentyl Alcohol

**Product code: IP4000** 

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals

**Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

#### Manufacturer or supplier details

Manufacturer: **United States** 

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

## **Emergency telephone number:**

**United States** 

ChemTel Inc

+1(800)255-3924

+1(813)248-0585

## **SECTION 2: Hazard identification**

#### GHS classification:

Flammable liquids, category 3 Acute toxicity (inhalation), category 4 Skin irritation, category 2 Eye irritation, category 2A

Specific target organ toxicity - single exposure, category 3, respiratory irritation

### **Label elements**

# **Hazard pictograms:**





Signal word: Warning

#### **Hazard statements:**

H226 Flammable liquid and vapor

H332 Harmful if inhaled

H315 Causes skin irritation

H319 Causes serious eye irritation

H335 May cause respiratory irritation

### **Precautionary statements:**

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 2 of 9

# **IsoPentyl Alcohol**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P233 Keep container tightly closed

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/light/equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P271 Use only outdoors or in a well-ventilated area

P264 Wash skin thoroughly after handling

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse

P302+P352 If on skin: Wash with soap and water

P332+P313 If skin irritation occurs: Get medical advice/attention

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing

P405 Store locked up

P403+P233 Store in a well ventilated place. Keep container tightly closed

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

### **SECTION 3: Composition/information on ingredients**

Identification	Name	Weight %
CAS number: 123-51-3	3-Methylbutan-1-ol	100

Additional Information: None

## **SECTION 4: First-aid measures**

#### **Description of first-aid measures**

# **General notes:**

Not determined or not available.

#### **After inhalation:**

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

Move to fresh air

Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

#### After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Wash affected area with soap and water

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 3 of 9

### **IsoPentyl Alcohol**

Seek medical attention if symptoms develop or persist

#### After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Remove contact lens(es) if able to do so during rinsing

Seek medical attention if irritation persists or if concerned

### After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

### Most important symptoms and effects, both acute and delayed

## Acute symptoms and effects:

Not determined or not available.

#### **Delayed symptoms and effects:**

Not determined or not available.

## Immediate medical attention and special treatment

#### **Specific treatment:**

Not determined or not available.

#### Notes for the doctor:

Not determined or not available.

# **SECTION 5: Fire-fighting measures**

#### **Extinguishing media**

#### Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

#### Unsuitable extinguishing media:

Not determined or not applicable.

### Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

## Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

### **Special precautions:**

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

#### **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 4 of 9

### **IsoPentyl Alcohol**

### **Environmental precautions:**

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

#### Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

#### Reference to other sections:

Not determined or not applicable.

## **SECTION 7: Handling and storage**

## Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

### Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

## **SECTION 8: Exposure controls/personal protection**

Only those substances with limit values have been included below.

### Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	3-Methylbutan-1-ol	123-51-3	ACGIH TLV TWA 100 ppm
	3-Methylbutan-1-ol	123-51-3	ACGIH TLV STEL 125 ppm
United States (OSHA)	3-Methylbutan-1-ol	123-51-3	OSHA PEL TWA 100 ppm
	3-Methylbutan-1-ol	123-51-3	OSHA PEL TWA 360.0 mg/m <sup>3</sup>

#### **Biological limit values:**

No biological exposure limits noted for the ingredient(s).

# Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

### **Appropriate engineering controls:**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 5 of 9

## **IsoPentyl Alcohol**

Use explosion-proof ventilation equipment.

## **Personal protection equipment**

### Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

## Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

#### **Respiratory protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

# **General hygienic measures:**

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid
Odor:	Characteristic
Odor threshold:	Not determined or not available.
pH-value:	7 at 25g/L
Melting/Freezing point:	-117°C
Boiling point/range:	130°C
Flash point:	43°C
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Flammable liquid
Explosion limit upper:	8 vol.%
Explosion limit lower:	1.2 vol. %
Vapor pressure:	3 - 4hPa (2 - 3 mmHg) at 20°C
Vapor density:	3.04 (Air =1)
Density:	Not determined or not available.
Relative density:	0.809 g/cm³ at 25°C
Solubilities:	Soluble in water.
Partition coefficient (n-octanol/water):	log Pow= 1.28
Auto/Self-ignition temperature:	365°C
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

#### Other information

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 6 of 9

## **IsoPentyl Alcohol**

## SECTION 10: Stability and reactivity

#### Reactivity:

Does not react under normal conditions of use and storage.

#### Chemical stability:

Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year. Stable under recommended storage conditions.

### Possibility of hazardous reactions:

None under normal conditions of use and storage.

#### **Conditions to avoid:**

Incompatible materials. Heat, flames, and sparks.

### **Incompatible materials:**

Strong oxidizing agents, Acid chlorides, Acid anhydrides, Reducing agents. Fluorine. Oxygen.

### Hazardous decomposition products:

Carbon oxides.

## **SECTION 11: Toxicological information**

### **Acute toxicity**

**Assessment:** Harmful if inhaled **Product data:** No data available.

Substance data:

Name	Route	Result
3-Methylbutan-1-ol	inhalation	LC50 - Rat - > 14.0 mg/L - 6 h

#### Skin corrosion/irritation

**Assessment:** Causes skin irritation **Product data:** No data available.

Substance data:

Name	Result
3-Methylbutan-1-ol	Irritating to the skin.

### Serious eye damage/irritation

**Assessment:** Causes serious eye irritation

Product data: No data available.

**Substance data:** 

Name	Result
3-Methylbutan-1-ol	Corrosive effect on the eyes.

# Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

### Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 7 of 9

# **IsoPentyl Alcohol**

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

**National Toxicology Program (NTP):** None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

**Assessment:** May cause respiratory irritation

**Product data:** No data available.

**Substance data:** 

Name	Result
3-Methylbutan-1-ol	May cause respiratory tract irritation.

## Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

### **SECTION 12: Ecological information**

# Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

**Product data:** No data available. **Substance data:** No data available.

Chronic (long-term) toxicity

**Product data:** No data available. **Substance data:** No data available.

# Persistence and degradability

**Product data:** No data available. **Substance data:** No data available.

## **Bioaccumulative potential**

**Product data:** No data available. **Substance data:** No data available.

Mobility in soil

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 8 of 9

## **IsoPentyl Alcohol**

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

## **SECTION 13: Disposal considerations**

### **Disposal methods:**

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

## **SECTION 14: Transport information**

### **Canadian Transportation of Dangerous Goods (TDG)**

UN number	UN1105	
UN proper shipping name	Pentanols	
UN transport hazard class(es)	3	N. T.
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	

## **International Maritime Dangerous Goods (IMDG)**

UN number	UN1105
UN proper shipping name	Pentanols
UN transport hazard class(es)	3
Packing group	III
Environmental hazards	None
Special precautions for user	None

## International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1105
UN proper shipping name	Pentanols
UN transport hazard class(es)	3
Packing group	III
Environmental hazards	None
Special precautions for user	None

## **SECTION 15: Regulatory information**

### Canada regulations

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 12.12.2017 Page 9 of 9

**IsoPentyl Alcohol** 

### **Domestic substances list (DSL):**

123-51-3	3-Methylbutan-1-ol	Listed
----------	--------------------	--------

Non-domestic substances list (NDSL): Not determined.

#### **SECTION 16: Other information**

### **Abbreviations and Acronyms: None**

#### Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

**NFPA:** 2-2-0 **HMIS:** 2-2-0-X

Initial preparation date: 12.12.2017

**End of Safety Data Sheet**