According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

SECTION 1: Identification

Product identifier

Product name: Lead nitrate Product code: LN4000

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory Chemicals Uses advised against: Not determined or not applicable. Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: United States AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number: United States ChemTel Inc +1(800)255-3924 +1(813)248-0585

SECTION 2: Hazard(s) identification

GHS classification:

Oxidizing solids, category 2 Acute toxicity (oral), category 4 Acute toxicity (inhalation), category 4 Serious eye damage, category 1 Reproductive toxicity, category 1A Specific target organ toxicity - repeated exposure, category 2 Acute aquatic hazard, category 1 Chronic aquatic hazard, category 1

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H272 May intensify fire; oxidizer

- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H318 Causes serious eye damage
- H360 May damage fertility or the unborn child

H373 May cause damage to organs through prolonged or repeated exposure

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking

P220 Keep/Store away from clothing/combustible materials

P221 Take any precaution to avoid mixing with combustibles

P280 Wear protective gloves/protective clothing/eye protection/face protection

P264 Wash skin thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P260 Do not breathe dust/fume/gas/mist/vapors/spray

P273 Avoid release to the environment

P370+P378 In case of fire: Use agents recommended in section 5 for extinction

P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. P308+P313 If exposed or concerned: Get medical advice/attention

P391 Collect spillage

P405 Store locked up

P501 Dispose of contents and container as instructed in Section 13

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 10099-74-8	Lead nitrate	100

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway Get medical advice/attention if you feel unwell Move to fresh air Call a POISON CONTROL CENTER or seek medical attention if you feel unwell

After skin contact:

Rinse affected area with soap and water If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

If symptoms develop or persist, seek medical attention Remove contact lens(es) if able to do so during rinsing Immediately call a POISON CONTROL CENTER or seek medical attention

After swallowing:

Rinse mouth thoroughly Seek medical attention if irritation, discomfort, or vomiting persists Call a POISON CONTROL CENTER or seek medical attention if you feel unwell Do not induce vomiting Rinse mouth and then drink plenty of water

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors Will release oxygen when heated, intensifying a fire

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Sweep or scoop up solid material while minimizing dust generation Dispose of contents / container in accordance with local regulations

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation. Avoid breathing dust. Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

Store away from flammable and combustible materials (paper, wood).

Store away from reducing agents (zinc, alkaline metals, formic acid).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Lead nitrate	10099-74-8	ACGIH TLV: 0.05 mg/m3 as Pb
United States (OSHA)	Lead nitrate		OSHA PEL TWA value 0.05 mg/m3 as Pb

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

A	
Appearance	White solid
Odor	Odorless
Odor threshold	Not determined or not available.
рН	3 - 4 (20% aq. sol.)
Melting point/freezing point	470°C
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	4.53 g/cm³
Solubilities	Soluble in water: 500 g/l; Soluble in methanol: 13.3 g/l; Soluble in ethanol: 0.4 g/l
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	470°C
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Material is an oxidizer.

Other information

Molecular weight	331.20 g/mol

SECTION 10: Stability and reactivity

Reactivity:

Oxidizer. Contact with combustible or organic material may cause fire.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Dust generation. Excessive heat. Incompatible materials.

Incompatible materials:

Strong reducing agents. Organic materials. Powdered metals.

Hazardous decomposition products:

Carbon oxides (CO, CO2). Nitrogen oxides (NO, NO2). Lead oxides. Lead fumes.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

SECTION 11: Toxicological information

Acute toxicity

Assessment: Harmful if swallowed Harmful if inhaled

Product data: No data available.

Substance data:

Name	Route	Result
Lead nitrate	oral	LDLo guinea pig 500mg/kg

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Causes serious eye damage

Product data: No data available.

Substance data:

Name	Result
Lead nitrate	Causes serious eye damage

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Lead nitrate	Sensitization possible through skin contact

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: May damage fertility or the unborn child

Product data: No data available.

Substance data:

Name	Result
Lead nitrate	Suspected of damaging fertility or the unborn child

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

Name	Result	
Lead nitrate	Specific target organ toxicity - repeated exposure. Causes damage to	
	organs through prolonged or repeated exposure	

Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data: No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available. Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Very toxic to aquatic life

Product data: No data available.

Substance data:

Name	Result
Lead nitrate	EC50 - Daphnia magna - 1815 ug/L - 48 h
	LC50 - Pimephales promelas - 283 mg/L 48hr

Chronic (long-term) toxicity

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available. Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available. Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	UN1469
UN proper shipping name	Lead nitrate

Page 7 of 9

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

UN transport hazard class(es)	5.1 (6.1)	
Packing group	II	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

International Maritime Dangerous Goods (IMDG)

UN number	UN1469	
UN proper shipping name	Lead nitrate	
UN transport hazard class(es)	5.1 (6.1)	DOCERN 51 6
Packing group	II	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN1469	
UN proper shipping name	Lead nitrate	
UN transport hazard class(es)	5.1 (6.1)	
Packing group	11	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

10099-74-8	Lead nitrate	Listed
------------	--------------	--------

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

	10099-74-8	Lead nitrate		Listed
CEF	RCLA:			
	10099-74-8	Lead nitrate	Listed	10

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Page 8 of 9

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 12.27.2017

Lead nitrate

10099-74-8	Lead nitrate	Listed
ew Jersey Right	o Know:	
10099-74-8	Lead nitrate	Listed
ew York Right to	Know:	
10099-74-8	Lead nitrate	Listed
ennsylvania Righ	t to Know:	· · · · · ·
10099-74-8	Lead nitrate	Listed

California Proposition 65: None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 3-0-3-ox

HMIS: 3-0-3-X Initial preparation date: 12.27.2017

End of Safety Data Sheet