

# SAFETY DATA SHEET

Be Right<sup>™</sup>

Issue Date 07-Jul-2016 Revision Date 20-Dec-2017 Version 3.3 Page 1/18 **1. IDENTIFICATION** Product identifier **Product Name** STABLCAL® FORMAZIN STANDARD 1000 NTU Other means of identification Product Code(s) 2660601 M03449 Safety data sheet number Recommended use of the chemical and restrictions on use **Recommended Use** Laboratory Use. Standard solution. Uses advised against None. **Restrictions on use** None. Details of the supplier of the safety data sheet Manufacturer Address Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

### Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

#### 2. HAZARDS IDENTIFICATION

#### Classification

#### **Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation		
Serious eye damage/eye irritation		
Respiratory sensitization	Category 1	
Skin sensitization	Category 1	
Mutagenicity		
Carcinogenicity		
Reproductive toxicity		
Specific target organ toxicity (single exposure)		
Specific target organ toxicity (repeated exposure)		

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Label elements

Signal word - Danger

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 2/18



Hazard statements

H317 - May cause an allergic skin reaction H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

#### Precautionary statements

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other Information

Not applicable

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable

#### <u>Mixture</u>

#### Percent ranges are used where confidential product information is applicable.

Chemical name		CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3	.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfa	te	7757-82-6	<1%	-
Ammonium sul	fate	7783-20-2	<1%	-
Formaldehyd	le	50-00-0	<0.1%	-
Chemical name	CAS No.	Weight-%		
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	100-97-0	7.18603		
Sodium sulfate 7757-82-6	7757-82-6	0.394797		
Ammonium sulfate 7783-20-2	7783-20-2	0.129336		
Formaldehyde 50-00-0	50-00-0	0.0880511		

Issue Date 07-Jul-2016 Version 3.3

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 3/18

# **4. FIRST AID MEASURES**

Description of first aid measures	
General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	May cause allergic respiratory reaction. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical advice/attention.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	May produce an allergic reaction. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/ or wheezing. Itching. Rashes. Hives.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	Caution: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact. May cause sensitization by skin contact.
Hazardous combustion products	This material will not burn.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
	6. ACCIDENTAL RELEASE MEASURES

**U.S. Notice** 

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 4/18

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
Reference to other sections	See section 8 for more information. See section 13 for more information.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid contact with<br/>skin, eyes or clothing. Ensure adequate ventilation. Provide extract ventilation to points<br/>where emissions occur. In case of insufficient ventilation, wear suitable respiratory<br/>equipment. Do not eat, drink or smoke when using this product. Remove contaminated<br/>clothing and shoes. Take off contaminated clothing and wash before reuse.Conditions for safe storage, including any incompatibilitiesKeep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.<br/>Keep out of the reach of children.Flammability classNot applicable

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
CAS#: 50-00-0	TWA: 0.1 ppm	(vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm

# Appropriate engineering controls

**Engineering Controls** 

Showers Eyewash stations Ventilation systems.

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 5 / 18

Individual protection measures, such as personal protective equipment					
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.				
Hand Protection	Wear suitable gloves.				
Eye/face protection	Wear safety glasses with side shields (or goggles).				
Skin and body protection	Wear suitable protective clothing.				
General Hygiene Considerations	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use.				
Environmental exposure controls	Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water.				
Thermal hazards	None under normal processing.				

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance	Turbid solution	Liquid		Color	Milky white
Odor	aqueous solution Odorless			Odor threshold	No data available
Property_			Values		Remarks • Method
Molecular weight			No data availal	ble	
рН			No data availal	ble	
Melting point/free	zing point		~ 0 °C / 32 °	°F	
Boiling point / bo	iling range		~ 100 °C / 2	12 °F	
Evaporation rate			No data availal	ble	
Vapor pressure			No data availal	ole /	
Vapor density (ai	r = 1)		No data availal	ble	
Specific gravity (	water = 1 / air = 1)		1.02		
Partition Coefficie	ent (n-octanol/wate	er)	Not applicable		
Soil Organic Carl Coefficient	oon-Water Partition	า	Not applicable		
Autoignition tem	perature		No data availal	ble	
Decomposition te	emperature		No data availal	ble	
Dynamic viscosit	У		No data availal	ble	
Kinematic viscos	ity		No data availal	ble	
Solubility(ies)					

Issue Date 07-Jul-2016 Version 3.3

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

#### **Other Information**

# Metal Corrosivity

Steel Corrosion Rate Aluminum Corrosion Rate No data available No data available

#### Volatile Organic Compounds (VOC) Content No information available

NO	into	orma	tion	avai	labi	е

Chemical name	CAS No.	CAA (Clean Air Act)
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	Х
Sodium sulfate	7757-82-6	-
Ammonium sulfate	7783-20-2	-
Formaldehyde	50-00-0	Х

#### **Explosive properties**

Upper explosion limit Lower explosion limit		No data available No data available
Flammable properties		
Flash point		No data available
Flammability Limit in Air Upper flammability limit: Lower flammability limit:		No data available No data available
Oxidizing properties		No data available.
Bulk density		Not applicable
Particle Size	No information available	
Particle Size Distribution	No information available	

# **10. STABILITY AND REACTIVITY**

Read	tiv	ity	_		
Not a	app	lica	bl	e.	
~.					

Chemical stability Stability

Stable under normal conditions.

Explosion data Sensitivity to Mechanical Impact None

Issue Date 07-Jul-2016 Version 3.3

Sensitivity to Static Discharge None.

#### Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

# Hazardous polymerization

None under normal processing.

<u>Conditions to avoid</u> Conditions to avoid

None known based on information supplied.

Incompatible materials Incompatible materials

Strong oxidizing agents, strong acids, and strong bases.

#### Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

### **11. TOXICOLOGICAL INFORMATION**

#### Information on Likely Routes of Exposure

**Product Information** 

Inhalation	Specific test data for the substance or mixture is not available. May cause sensitization in susceptible persons. (based on components).
Eye contact	No known effect based on information supplied.
Skin contact	Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitization by skin contact.
Ingestion	Specific test data for the substance or mixture is not available. May cause additional affects as listed under "Inhalation".
Symptoms	Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives.
Aggravated Medical Conditions Toxicologically synergistic products	Respiratory disorders. Skin disorders. Allergies. None known.
•	See ingredients information below.

Chemical name	Toxicokinetics, metabolism and distribution
-	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.

Product Acute Toxicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

### Unknown Acute Toxicity

Issue Date 07-Jul-2016 Version 3.3

0.0003482% of the mixture consists of ingredient(s) of unknown toxicity.

#### Acute Toxicity Estimations (ATE)

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,918.00 mg/kg
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

#### **Ingredient Acute Toxicity Data**

Oral Exposure Route				If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Mouse LD <sub>50</sub>	569 mg/kg	None reported	None reported	Vendor SDS NIOSH (National Institute for Occupational Safety and Health)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Rat LD₅o	2840 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD <sub>50</sub>	100 mg/kg	None reported	None reported	No information available
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	Mouse LD <sub>50</sub>	5989 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Dermal Exposure Ro	ute			If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Inhalation (Dust/Mist) Inhalation (Vapor) Ex				If available, see data below If available, see data below	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LC <sub>50</sub>	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Inhalation (Gas) Expo	osure Route			If available, see data below	

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route	No data available
Dermal Exposure Route	No data available
Inhalation (Dust/Mist) Exposure Route	No data available
Inhalation (Vapor) Exposure Route	No data available
Inhalation (Gas) Exposure Route	No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

<b>Oral Exposure Route</b>	•			If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 9/18

	type	dose	time		sources for data
Ammonium sulfate	Man	1500 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<1%)	TDLo		reported	Gas	Effects of Chemical
CAS#: 7783-20-2					Substances)
Formaldehyde	Human	70 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	LDLo		reported	Kidney, Ureter, or Bladder	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
				Other changes	
				Ulcerated stomach	
				Other changes	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Ammonium sulfate	Domestic	3500 mg/kg	None	Lungs, Thorax, or	RTECS (Registry of Toxic
(<1%)	mammal -		reported	Respiration	Effects of Chemical
CAS#: 7783-20-2	Not specified			Respiratory stimulation	Substances)
	LDLo				
Formaldehyde	Human	643 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	TDLo		reported	Lungs, Thorax, or	Effects of Chemical
CAS#: 50-00-0				Respiration	Substances)
				Nausea or vomiting	
				Respiratory obstruction	
				Ulcerated stomach	
Dermal Exposure Ro	oute			If available, see data below	
halation (Dust/Mis	t) Exposure Ro	oute		If available, see data below	

Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below If available, see data below

Aspiration toxicity No data available

Product Skin Corrosion/Irritation Data No data available.

# Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

#### Product Serious Eye Damage/Eye Irritation Data

No data available.

#### Ingredient Eye Damage/Eye Irritation Data

#### If available, see data below

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 10 / 18

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

#### **Sensitization Information**

#### <u>Product Sensitization Data</u> Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route

No data available. No data available.

Ingredient Sensitizat Skin Sensitization Ex			If available, see data below	
Chemical name	Test method	Species	Results	Key literature references and sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)
<b>Respiratory Sensitiza</b>	ation Exposure Ro	ute	If available, see data below	•
Chemical name	Test method	Species	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Based on human experience	Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

#### **Chronic Toxicity Information**

Product Specific Target Organ Toxicity Repeat Dose Data	
Oral Exposure Route	No da

Dermal Exposure Route	
Inhalation (Dust/Mist) Exposure Route	
Inhalation (Vapor) Exposure Route	
Inhalation (Gas) Exposure Route	

No data available. No data available. No data available. No data available. No data available.

# Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route	If available, see data below
Dermal Exposure Route	If available, see data below

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 11 / 18

#### Inhalation (Dust/Mist) Exposure Route If available, see data below Inhalation (Vapor) Exposure Route If available, see data below **Chemical name Toxicological effects** Endpoint Exposure Key literature references and Reported time sources for data type dose **RTECS** (Registry of Toxic Formaldehyde Human 0.017 mg/L 0.5 days Eye Lungs, Thorax, or Effects of Chemical (<0.1%) TCLO CAS#: 50-00-0 Respiration Substances) Lacrimation Other changes **Chemical name** Endpoint Reported Exposure **Toxicological effects** Key literature references and dose time sources for data type Formaldehyde Human 2 mg/L 40 minutes **RTECS** (Registry of Toxic Lungs, Thorax, or Effects of Chemical (<0.1%) TCLO Respiration CAS#: 50-00-0 Other changes Substances) Respiratory depression

Inhalation (Gas) Exposure Route

Product Carcinogenicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	-
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Ammonium sulfate	7783-20-2	-	-	-	-
Formaldehyde	50-00-0	A1	Group 1	Known	Х

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Oral Exposure Route Dermal Exposure Ro Inhalation (Dust/Mist) Inhalation (Vapor) Ex					
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

# Product Germ Cell Mutagenicity invitro Data

No data available.

#### Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical name Test Cell Strain	Reported dose	Exposure time	Results	Key literature references and
--------------------------------	---------------	------------------	---------	----------------------------------

EN / AGHS

Page 11/18

If available, see data below

No data available No data available No data available No data available No data available

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 12 / 18

						sources for data
1,3,5,7-Tetraazatricyc	Cytogenetic	Human HeLa Cell	1 mmol/L	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	analysis			reported	mutagenicity	of Toxic Effects of
е						Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						
Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
1,3,5,7-Tetraazatricyc	Morphological	Hamster kidney	10 mg/L	None	Positive test result for	RTECS (Registry
lo[3.3.1.1(3,7)]decan	transformation			reported	mutagenicity	of Toxic Effects of
e				-		Chemical
(5 - 10%)						Substances)
CAS#: 100-97-0						, í

Product Germ Cell Mutagenicity invivo Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route

No data available No data available No data available No data available No data available

Ingredient Germ Cell Mutagenicity invivo Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below If available, see data below

nhalation (Vapor) E	xposure Route	ure Route If available, see data below					
Chemical name	Test	Species	Reported	Exposure	Results	Key literature	
			dose	time		references and	
						sources for data	
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry	
(<0.1%)			-		mutagenicity	of Toxic Effects of	
CAS#: 50-00-0						Chemical	
						Substances)	
Chemical name	Test	Species	Reported	Exposure	Results	Key literature	
			dose	time		references and	
						sources for data	
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry	
(<0.1%)					mutagenicity	of Toxic Effects of	
CAS#: 50-00-0						Chemical	
						Substances)	

Inhalation (Gas) Exposure Route

Product Reproductive Toxicity Data Oral Exposure Route Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below

No data available No data available No data available No data available No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route				If available, see data below			
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time	_	sources for data		
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic		
(<1%)	TDLo			Other neonatal measures or	Effects of Chemical		
CAS#: 7757-82-6				effects	Substances)		
Inhalation (Dust/Mist) Exposure Route If available, see data below							
Inhalation (Vapor) Ex	posure Route	е		If available, see data below			

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 13 / 18

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC∟₀	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)		
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC∟₀	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)		
Inhalation (Gas) Exp	nhalation (Gas) Exposure Route						

# **12. ECOLOGICAL INFORMATION**

No data available

No data available

No data available

Ecotoxicity

Product Ecological Data

Aquatic toxicity

Fish Crustacea Algae

#### Ingredient Ecological Data

#### Aquatic toxicity

#### Fish

Key literature references and **Chemical name** Exposure Species Endpoint Reported time type dose sources for data 1,3,5,7-Tetraazatricyc 96 hours Alburnus alburnus LC50 > 10000 mg/LVendor SDS lo[3.3.1.1(3,7)]decan е (5 - 10%)CAS#: 100-97-0 Sodium sulfate 96 hours None reported LC50 56 ma/L **IUCLID** (The International Uniform Chemical Information (<1%) CAS#: 7757-82-6 Database) 96 hours Oncorhynchus mykiss LC50 36.7 mg/L GESTIS (Information System on Ammonium sulfate Hazardous Substances of the (<1%) CAS#: 7783-20-2 German Social Accident Insurance) 96 hours Morone saxatilis LC50 6.7 mg/L PEEN (Pan European Ecological Formaldehyde Network) (<0.1%) CAS#: 50-00-0 If available, see ingredient data below Crustacea Key literature references and Endpoint Reported **Chemical name** Exposure Species time dose sources for data type 1,3,5,7-Tetraazatricyc 48 Hours Daphnia magna EC50 > 36000 mg/L **EPA** (United States lo[3.3.1.1(3,7)]decan **Environmental Protection** Agency) е (5 - 10%)CAS#: 100-97-0 Sodium sulfate 48 Hours EC50 3150 mg/L IUCLID (The International Daphnia magna **Uniform Chemical Information** (<1%) CAS#: 7757-82-6 Database) Ammonium sulfate 48 Hours None reported LC50 14 mg/L GESTIS (Information System on Hazardous Substances of the (<1%)

EN / AGHS

Page 13/18

#### If available, see ingredient data below

Issue Date 07-Jul-2016 Version 3.3

#### Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 14/18

CAS#: 7783-20-2					German Social Accident Insurance)	
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC <sub>50</sub>	5.8 mg/L	PEEN (Pan European Ecological Network)	
Algae	If available, see ingredient data below					

Algae

#### **Other Information**

#### Persistence and degradability

#### **Product Biodegradability Data**

If available, see ingredient data below.

### Ingredient Biodegradability Data

#### Test data reported below

Chemical name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	None reported	70%	28 days	Readily biodegradable Not readily biodegradable

#### **Bioaccumulation**

#### **Product Bioaccumulation Data**

If available, see ingredient data below.

#### Partition Coefficient (n-octanol/water)

Not applicable

#### **Ingredient Bioaccumulation Data**

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumula te

#### Mobility

#### Soil Organic Carbon-Water Partition Coefficient

Not applicable

#### Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

#### Other adverse effects

Contains a substance with an endocrine-disrupting potential.

# **13. DISPOSAL CONSIDERATIONS**

Issue Date 07-Jul-2016 Version 3.3 Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 15 / 18

#### Waste treatment methods

**US EPA Waste Number** 

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

#### Special instructions for disposal

Dilute material with excess water making a weaker than 5% solution. If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Flush system with plenty of water. Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

#### **14. TRANSPORT INFORMATION**

<u>U.S. DOT</u>	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated
Note:	No special precautions necessary.

#### Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

#### **15. REGULATORY INFORMATION**

National Inventories	
TSCA	Complies
DSL/NDSL	Complies

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

#### International Inventories

EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
TCSI	Complies
AICS	Complies
NZIoC	Complies

Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU Revision Date 20-Dec-2017 Page 16 / 18

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Ammonium sulfate (CAS #: 7783-20-2)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde 50-00-0	100 lb	-	-	Х

#### **CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

#### U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

#### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen

Issue Date 07-Jul-2016 Version 3.3

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1( 3,7)]decane 100-97-0	X	-	-
Sodium sulfate 7757-82-6	-	X	Х
Ammonium sulfate 7783-20-2	-	X	Х
Formaldehyde 50-00-0	Х	X	Х

#### U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Ammonium sulfate	180.0910	21 CFR 184.1143

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

# Special Comments

None

#### Additional information

#### Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %
Formaldehyde	Declarable Substance (FI)	0.0 %
50-00-0	Prohibited Substance (LR) Declarable Substance (LR)	0.1 %

#### **NFPA and HMIS Classifications**

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X - See section 8 for more information

# Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH	Immediately Dangerous to Life or Health
ACGIH	ACGIH (American Conference of Governmental Industrial Hygienists)
NDF	no data

# Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	
	TWA (lime-weighted average)	OILL	•

STEL (Short Term Exposure Limit)

Product Code(s) 2660601		Product Name STABLCAL® FORMAZIN STANDARD 1000 NTU		
Issue Date 07-Jul-2016 Version 3.3		Revision Date 20-Dec-2017 Page 18 / 18		
MAC	Maximum Allowable Concentration		Ceiling	Ceiling Limit Value
Х	Listed		Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation		SKN+	Skin sensitization
RSP+ C	Respiratory sensi Carcinogen	tization	** R	Hazard Designation Reproductive toxicant
Μ	mutagen			
Prepared By		Hach Product Complian	ce Department	
Issue Date		07-Jul-2016		
<b>Revision Date</b>		20-Dec-2017		
<b>Revision Note</b>		None		
Disclaimer				

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet