

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
2429700	2084769	Hach Company	ROWGHS	English	1
2429700	2106069	Hach Company	ROWGHS	English	1

Total Enclosures: 2

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00039

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Potassium Persulfate

Catalog Number: 2084769

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00039

Chemical Name: Peroxydisulfuric Acid, Dipotassium Salt

CAS Number: 7727-21-1

Additional CAS No. (for hydrated forms): Not applicable

Chemical Formula: K₂S₂O₈

Chemical Family: Oxidizing Agents

Intended Use: Laboratory Use

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Oxidizing Solids: Ox. Sol. 3 Acute Toxicity: Acute Tox. 4-Orl Skin Corrosion/Irritation: Skin Irrit. 2 Respiratory or Skin Sensitization: Skin Sens.1 Serious Eye Damage/Eye Irritation: Eye Irrit. 2 Respiratory or Skin Sensitization: Resp. Sens.1 Specific Target Organ Toxicity - Single Exposure: STOT SE 3

GHS Label Elements:

DANGER



Hazard statements: May intensify fire; oxidiser. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.

Precautionary statements: Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

HMIS:

Health: 2

Flammability: 1

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 1

Reactivity: 1

Symbol: oxy

WHMIS Hazard Classification: Class C - Oxidizing materials Class D, Division 2, Subdivision A - Very toxic materials (other toxic effects) Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Oxidizing Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Potassium Persulfate

CAS Number: 7727-21-1

Chemical Formula: K₂S₂O₈

GHS Classification: Ox. Sol. 3, H272; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; Eye Irrit. 2, H319; Resp. Sens. 1 H334; STOT SE 3, H335

Percent Range (Trade Secret): 100.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 5 mg/m³

WHMIS Symbols: Oxidizing Other Toxic Effects

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician immediately.

Skin Contact (First Aid): Wash skin with plenty of water. Call physician if irritation develops.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Strong oxidizer. Contact with combustible materials may cause a fire. During a fire, this product decomposes to form toxic gases. Material is not classified as flammable according to GHS criteria.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Water.

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong reducers combustible materials

Hazardous Combustion Products: Toxic fumes of: sulfur oxides. potassium oxides

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Clean-up Technique: Remove all combustible materials from the spill area. If permitted by regulation, Cover with an inert material, such as sand. Sweep up material. Incinerate material at a government approved hazardous waste facility. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 140

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: reducers oxidizable materials Protect from: moisture heat
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use a fume hood to avoid exposure to dust, mist or vapor.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: lab coat disposable latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin Do not breathe: dust Wash thoroughly after handling. Keep away from: oxidizable materials reducers

TLV: 5 mg/m³

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to light yellow crystals

Physical State: Solid

Molecular Weight: 270.32

Odor: None

Odor Threshold: Odorless

pH: of 5% solution = 4.1

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: 0.704 in/yr

Aluminum: 0.137 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 2.477

Viscosity: Not applicable

Solubility:

Water: Soluble

Acid: Not determined

Other: Not determined

Partition Coefficient (n-octanol / water): Not determined

Coefficient of Water / Oil: Not determined

Melting Point: Decomposes @ > 100 °C (> 212 °F)

Decomposition Temperature: > 100 °C (> 212 °F)

Boiling Point: Not applicable

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Strong oxidizer. Contact with combustible materials may cause a fire. During a fire, this product decomposes to form toxic gases. Material is not classified as flammable according to GHS criteria.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Classified as oxidizer according to GHS.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: oxidizable material reducers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

Conditions to Avoid: Excess moisture Exposure to air. Heating to decomposition.

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available

Toxicologically Synergistic Products: None reported

Acute Toxicity: Toxicological Testing Route Data Given Below

Oral Rat LD50 = 802-1162 mg/kg

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Target Organs Respiratory Tract

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Eye Damage: Irritating to eyes.

Sensitization: Respiratory Sensitizer Skin Sensitizer

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

IARC Listed: No

NTP Listed: No

O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: Harmful May cause: gastrointestinal tract irritation

Inhalation: Causes: irritation of nose and throat May cause: allergic respiratory reaction

Skin Absorption: None Reported

Chronic Effects: Chronic overexposure may cause allergic skin reactions allergic respiratory reactions

Medical Conditions Aggravated: Pre-existing: Allergies or sensitivity to potassium persulfate. Eye conditions Skin conditions Respiratory conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: 48 hr Daphnia magna EC50 = 92 mg/L

Mobility in soil: No data available Based on classification principles, not classified as hazardous to the environment.

CEPA Categorization: Persistent, not bioaccumulative or inherently toxic to aquatic organisms.

Ingredient Ecological Information: Not applicable

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D001

Special Instructions (Disposal): Incinerate material at an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Potassium Persulfate

--

Hazard Class: 5.1
Subsidiary Risk: NA
ID Number: UN1492
Packing Group: III

T.D.G.:

Proper Shipping Name: Potassium Persulphate

--

Hazard Class: 5.1
Subsidiary Risk: NA
UN Number/PIN: 1492
Packing Group: III

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Potassium Persulphate

--

Hazard Class: 5.1
Subsidiary Risk: NA
ID Number: UN1492
Packing Group: III

I.M.O.:

Proper Shipping Name: Potassium Persulphate

--

Hazard Class: 5.1
Subsidiary Risk: NA
ID Number: UN1492
Packing Group: III

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard Fire Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

CAS Number: 7727-21-1

Canadian Inventory Status: DSL Listed: Yes

EEC Inventory Status: EINECS Listed: Yes

Australian Inventory (AICS) Status: Listed

New Zealand Inventory (NZIoC) Status: Listed

Korean Inventory (KECI) Status: Listed

Japan (ENCS) Inventory Status: Listed

China (PRC) Inventory (MEP) Status: Listed

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. In-house information. Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor).

Complete Text of H phrases referred to in Section 3: H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 08

Month: July

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00035

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: PhosVer ® 3 Phosphate Reagent
Catalog Number: 2106069

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00035
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Mixture
Intended Use: Laboratory Use Phosphate determination

2. HAZARDS IDENTIFICATION

GHS Classification:
Hazard categories: Serious Eye Damage/Eye Irritation:Eye Irrit. 2 .
GHS Label Elements:
WARNING



Hazard statements: . Causes serious eye irritation.
Precautionary statements: Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

HMIS:
Health: 1
Flammability: 1
Reactivity: 0
Protective Equipment: X - See protective equipment, Section 8.

NFPA:
Health: 3
Flammability: 1
Reactivity: 0
Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)
WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:
Potassium Pyrosulfate

CAS Number: 7790-62-7
Chemical Formula: $K_2S_2O_7$
GHS Classification: Acute Tox. 5 -Orl, H303; Eye Irrit. 2A, H319;
Percent Range (Trade Secret): 75.0 - 85.0
Percent Range Units: weight / weight
PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Sodium Molybdate

CAS Number: 7631-95-0
Chemical Formula: $Na_2MoO_4 \cdot 2H_2O$
GHS Classification: Acute Tox. Inh. 4, H332; Acute Tox. Or. 4, H302; Eye Irrit. 2, H319; Acute Tox. 5-Derm., H313
Percent Range (Trade Secret): <2
Percent Range Units: weight / weight
PEL: 5 mg/m³ (as Mo)
TLV: 5 mg/m³ (as Mo)

WHMIS Symbols: Acute Poison Other Toxic Effects

EDTA Tetrasodium Salt

CAS Number: 64-02-8
Chemical Formula: $C_{10}H_{12}N_2Na_4O_8 \cdot 2H_2O$
GHS Classification: Acute Tox. 4-Orl, H302; Eye Dam. 1, H318
Percent Range (Trade Secret): <0.5
Percent Range Units: weight / weight
PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects

Potassium Antimonyl Tartrate

CAS Number: 11071-15-1
Chemical Formula: $C_8H_4K_2O_{12}Sb_2 \cdot 3H_2O$
GHS Classification: Acute Tox. 3-Orl, H301; Muta 2, H341; Carc. 2, H351; STOT SE 1, H370; STOT RE 1, H372; Aq. Chron. 3, H412
Percent Range (Trade Secret): <0.2
Percent Range Units: weight / weight
PEL: 0.5 mg/m³ (as Sb)
TLV: 0.5 mg/m³ (as Sb)

WHMIS Symbols: Acute Poison

Hazardous Components according to GHS: No

Ascorbic Acid

CAS Number: 50-81-7
Chemical Formula: $C_6H_8O_6$
GHS Classification: Not applicable
Percent Range (Trade Secret): 15 - 20
Percent Range Units: weight / weight
PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust
TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician if irritation develops.
Skin Contact (First Aid): Remove contaminated clothing. Wash skin with plenty of water. Call physician if irritation develops.
Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.
Ingestion (First Aid): Never give anything by mouth to an unconscious person. Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Can burn in fire, releasing toxic vapors. Material is not classified as flammable according to GHS criteria.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable
Fire / Explosion Hazards: None reported
Hazardous Combustion Products: Toxic fumes of: sulfur oxides. carbon monoxide, carbon dioxide. sodium monoxide potassium oxides

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:
Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
Containment Technique: Stop spilled material from being released to the environment.
Clean-up Technique: Sweep up material. Dispose of in accordance with local, state and federal regulations or laws. Decontaminate the area of the spill with a soap solution.
Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled.
DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.
Storage: Store between 10° and 25°C.
Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Maintain general industrial hygiene practices when using this product.
Personal Protective Equipment:
Eye Protection: safety glasses with top and side shields
Skin Protection: nitrile gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat
Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes Do not breathe: dust Wash thoroughly after handling.
TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White to off-white powder
Physical State: Solid
Molecular Weight: Not applicable
Odor: Odorless
Odor Threshold: Not applicable

pH: of a 5% solution = 1.5

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: Not Applicable

Aluminum: Not Applicable

Specific Gravity/ Relative Density (water = 1; air =1): 2.22

Viscosity: Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: 105 °C (221 °F)

Decomposition Temperature: Not available

Boiling Point: Not determined

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Can burn in fire, releasing toxic vapors. Material is not classified as flammable according to GHS criteria.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not determined

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity/ Incompatibility: Incompatible with: oxidizers dyes alkalies iron copper

Hazardous Decomposition: Heating to decomposition releases: carbon dioxide carbon monoxide sulfur oxides potassium oxide sodium oxides

Conditions to Avoid: Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Route Data Given Below

Oral Rato LD50 = 2367 mg / kg

Inhalation Rat LC50 = 87 mg/L/4 hr

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met.

Hach Company testing data: 80% mixture of potassium pyrosulfate - NOT corrosive to to skin.

Eye Damage: Irritating to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met.

This product does NOT contain any IARC listed chemicals.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May be harmful if swallowed May cause: copper deficiency anemia gout loss of appetite loss of coordination listlessness diarrhea liver damage May effect enzyme activity.

Inhalation: Large doses may cause: Effects similar to those of ingestion.

Skin Absorption: None Reported

Chronic Effects: Chronic overexposure may cause copper deficiency enzyme activity effects liver damage Molybdenum poisoning signs include loss of appetite, listlessness and reduced growth rate. Excessive exposure to molybdenum compounds may cause gout and anemia.

Medical Conditions Aggravated: Pre-existing: Eye conditions Respiratory conditions Gout

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. No bioaccumulation potential Mobility in soil: Highly mobile Based on classification principles, not classified as hazardous to the environment.

Ingredient Ecological Information: Potassium Antimonyl Tartrate: 96 hr Fish LC50 = 12.5 mg/L; 48 hr Daphnia magna EC50 = 5 mg/L

CEPA categorization for ingredients are as follows:

Potássio antimonial tartarato: Persistente e inerentemente tóxico para os organismos aquáticos.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Dispose of empty container as normal trash.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product is an "Article" as defined in the Hazard Communication Standard (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Delayed (Chronic) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: Not listed - exempt. Quantity < 100 kg per annum.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. In-house information. Technical Judgment. Outside Testing. NIOSH/OSHA Occupational Health Guidelines for Chemical Hazards. Cincinnati: Department of Health and Human Services, 1981. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Vendor Information. Patty, Frank A. Industrial Hygiene and Toxicology, 3rd Revised Edition. Volume 2. New York: A Wiley-Interscience Publication, 1981.

Complete Text of H phrases referred to in Section 3: H319 Causes serious eye irritation. H332 Harmful if inhaled. H302 Harmful if swallowed.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 11

Month: April

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015