Page 1 Date Printed 10/24/15 MSDS No: M00064

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: MolyVer[®] 2 Molybdenum Reagent Catalog Number: 1414869

Hach Company P.O.Box 389 Loveland, CO USA 80539 (970) 669-3050 Emergency Telephone Numbers: (Medical and Transportation) (303) 623-5716 24 Hour Service (515)232-2533 8am - 4pm CST

MSDS Number: M00064 Chemical Name: Not applicable CAS Number: Not applicable Additional CAS No. (for hydrated forms): Not applicable Chemical Formula: Not applicable Chemical Family: Not applicable Intended Use: Determination of molybdenum

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: . Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Irrit. 2 Respiratory or Skin Sensitization: Skin Sens.1 Respiratory or Skin Sensitization: Resp. Sens.1 Specific Target Organ Toxicity - Single Exposure: STOT SE 3 .

GHS Label Elements:



Hazard statements: Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.
May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation.
Precautionary statements: Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves / protective clothing / eye protection / face protection. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

HMIS: Health: 2 Flammability: 0 Reactivity: 0 Protective Equipment: X - See protective equipment, Section 8.
NFPA: Health: 2 Flammability: 0 Reactivity: 0 Symbol: Not applicable
WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)
WHMIS Symbols: Other Toxic Effects

Page 2 Date Printed 10/24/15 MSDS No: M00064

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS: <u>Potassium Persulfate</u>

> CAS Number: 7727-21-1 Chemical Formula: $K_2S_2O_8$ GHS Classification: Percent Range (Trade Secret): 30.0 - 40.0 Percent Range Units: weight / weight PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust TLV: 5 mg/m³

WHMIS Symbols: OxidizingOther Toxic Effects Hazardous Components according to GHS: Yes- Aquatic Acute 2 or Aquatic Acute 3 Sodium Sulfate

CAS Number: 7757-82-6 *Chemical Formula:* Na₂SO₄ *GHS Classification:* Aquatic Acute 3, H402 *Percent Range (Trade Secret):* 60.0 - 70.0 *Percent Range Units:* weight / weight *PEL:* 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust *TLV:* 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Remove contaminated clothing. Call physician immediately.

Inhalation: Remove to fresh air. If you feel unwell, contact a physician

Ingestion (First Aid): Do not induce vomiting. Give 1-2 glasses of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: During a fire, corrosive and toxic gases may be generated by thermal decomposition.
Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.
Extinguishing Media: Use media appropriate to surrounding fire conditions
Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: Toxic fumes of: sodium oxides sulfur oxides.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment. Cover spilled solid material with sand or other inert material.

Page 3 Date Printed 10/24/15 MSDS No: M00064

Clean-up Technique: If permitted by regulation, Remove all combustible materials from the spill area. Cover with an inert material, such as sand. Sweep up material. Work in an approved fume hood. Working in small batches, dilute with excess water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Filter to remove solids. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Dispose of in accordance with local, state and federal regulations or laws. *Evacuation Procedure:* Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: any quantity is spilled. If conditions warrant, increase the size of the evacuation. *DOT Emergency Response Guide Number:* Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe dust. Wash thoroughly after handling. Use with adequate ventilation. Maintain general industrial hygiene practices when using this product. *Storage:* Store away from: combustible materials Protect from: heat moisture *Flammability Class:* Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Use general ventilation to minimize exposure to mist, vapor or dust. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment: Eye Protection: safety glasses with top and side shields
Skin Protection: disposable latex gloves lab coat In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. Inhalation Protection: adequate ventilation
Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: dust Wash thoroughly after handling. Protect from: heat moisture
TLV: Not established
PEL: Not established
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder Physical State: Solid Molecular Weight: Not applicable Odor: None Odor Threshold: Odorless *pH*: of a 5% solution = 4.9 Metal Corrosivity: Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria. Steel: Not Applicable Aluminum: Not Applicable Specific Gravity/ Relative Density (water = 1; air =1): 2.51 Viscosity: Not determined Solubility: Water: Soluble Acid: Soluble Other: Not determined Partition Coefficient (n-octanol / water): Not applicable Coefficient of Water / Oil: Not applicable Melting Point: The product decomposes at 100 °C (212 °F) Decomposition Temperature: Not determined **Boiling Point:** Not applicable Vapor Pressure: Not applicable *Vapor Density (air = 1):* Not applicable *Evaporation Rate (water = 1):* Not applicable

Page 4 Date Printed 10/24/15 MSDS No: M00064

Volatile Organic Compounds Content: Not applicable *Flammable Properties:* During a fire, corrosive and toxic gases may be generated by thermal decomposition. Flash Point: Not applicable Method: Not applicable Flammability Limits: Lower Explosion Limits: Not applicable Upper Explosion Limits: Not applicable Autoignition Temperature: Not applicable **Explosive Properties:** Not classified according to GHS criteria. **Oxidizing Properties:** Not classified according to GHS criteria. **Reactivity Properties:** Not classifed as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria. Gas under Pressure: Not classified according to GHS criteria. Not applicable **10. STABILITY AND REACTIVITY**

Chemical Stability: Stable when stored under proper conditions.
 Mechanical Impact: None reported
 Static Discharge: None reported.
 Reactivity / Incompatibility: Incompatible with: aluminum reducers
 Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides sodium monoxide
 Conditions to Avoid: Heating to decomposition. Excess moisture

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture. Toxicologically Synergistic Products: None reported Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Oral rat LD50 = 1899 mg/kg. Specific Target Organ Toxicity - Single Exposure (STOT-SE): Target Organs Respiratory Tract Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met. Skin Corrosion/Irritation: Irritating to skin. Eye Damage: Irritating to eyes. Contains a sensitizing compound. Respiratory Sensitizer Skin Sensitizer Sensitization: Potassum persulfate CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found. This product does NOT contain any IARC listed chemicals. This product does NOT contain any NTP listed chemicals. This product does NOT contain any OSHA listed carcinogens. Symptoms/Effects: Ingestion: May cause: gastrointestinal tract irritation Inhalation: May cause: irritation of nose and throat allergic respiratory reaction Skin Absorption: No effects anticipated Chronic Effects: Chronic overexposure may cause allergic respiratory reactions allergic skin reactions Medical Conditions Aggravated: Pre-existing: Eye conditions Skin conditions Respiratory conditions Allergies or sensitivity to potassium persulfate.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product.

Ingredient Ecological Information: Potassium Persulfate: Daphnia magna 48 hr LC50 = 92 mg/L; Sodium Sulfate: TLm 13500 mg/L bluegill sunfish / 96 hours, TLm 16500 mg/L mosquito fish / 96 hours; Gambusia affinis 96 hr LC50 = 120 mg/l; Daphnia magna 48 hr EC50 = 2564 mg/l.

CEPA statement: Potassium Persulfate: Persistent, not bioaccumulative or inherently toxic to aquatic organisms. CEPA Statement: Sodium Sulfate: Not persistent, bioaccumulative or inherently toxic to aquatic organis

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): If permitted by regulation, Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

```
D.O.T.:
  D.O.T. Proper Shipping Name: Not Currently Regulated
  Hazard Class: NA
  Subsidiary Risk: NA
  ID Number: NA
  Packing Group: NA
T.D.G.:
  Proper Shipping Name: Not Currently Regulated
  Hazard Class: NA
  Subsidiary Risk: NA
  UN Number/PIN: NA
  Packing Group: NA
I.C.A.O.:
  I.C.A.O. Proper Shipping Name: Not Currently Regulated
  Hazard Class: NA
  Subsidiary Risk: NA
  ID Number: NA
  Packing Group: NA
I.M.O.:
  Proper Shipping Name: Not Currently Regulated
  Hazard Class: NA
  Subsidiary Risk: NA
  ID Number: NA
  Packing Group: NA
  Marine Pollutant:
```

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item

Page 6 Date Printed 10/24/15 MSDS No: M00064

IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard *S.A.R.A. Title III Section 313 (40 CFR 372):* This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

302 (EHS) TPQ (40 CFR 355): Not applicable *304 CERCLA RQ (40 CFR 302.4):* Not applicable *304 EHS RQ (40 CFR 355):* Not applicable *Clean Water Act (40 CFR 116.4):* Not applicable *RCRA:* Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710). CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: NIOSH Registry of Toxic Effects of Chemical Substances, 1985-86. Cincinnati: U.S. Department of Health and Human Services, April, 1987. Vendor Information. Sax, N. Irving and Richard J. Lewis, Sr., revised by. Hawley's Condensed Chemical Dictionary, Eleventh Ed. New York: Van Nostrand Reinhold Co., 1987. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. In-house information. Technical Judgment. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

Complete Text of H phrases referred to in Section 3: H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. . *Revision Summary:* . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 28 *Month:* August *Year:* 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and

Page 7 Date Printed 10/24/15 MSDS No: M00064

labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable
ND - Not Determined
NV - Not Available

w/w - weight/weight w/v - weight/volume v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015