

SAFETY DATA SHEET

Issue Date 02-Sep-2016 Revision Date Version 5.1 Page 1/20

10-May-2017

1. IDENTIFICATION

Product identifier

Product Name Buffer Solution pH 4.01 ± 0.02

Other means of identification

Product Code(s) 2283449

Safety data sheet number M00368

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory reagent. Buffer.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA (970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not Hazardous Not a dangerous substance or mixture according to the Globally Harmonized System

(GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

EUH208 - May produce an allergic reaction

EUH210 - Safety data sheet available on request

The product contains no substances which at their given concentration, are considered to be hazardous to health

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 2/20

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
Formaldehyde	50-00-0	<0.1%	-
Methyl alcohol	67-56-1	<0.1%	-

4. FIRST AID MEASURES

Description of first aid measures

General advice IF IN EYES: Flush eyes for at least 15 minutes.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. If symptoms persist, call a physician.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms

persist, call a physician.

Ingestion IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

Substance does not burn.

Specific hazards arising from the chemical

None reported.

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 3/20

Hazardous combustion products

This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

EC NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice Only persons properly qualified to respond to an emergency involving hazardous

substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly

labeled containers.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 4/20

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	Ceiling: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
<0.1%		(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
<0.1%	TWA: 200 ppm	TWA: 260 mg/m ³	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m ³
		(vacated) TWA: 260 mg/m ³	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m ³
		(vacated) STEL: 325 mg/m ³	
		(vacated) SKN*	

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Formaldehyde	Ceiling: 1 ppm	TWA: 0.3 ppm	Ceiling: 0.3 ppm	TWA: 0.5 ppm	RSP+
<0.1%	Ceiling: 1.3 mg/m ³	Ceiling: 1 ppm		STEL: 1.5 ppm	Ceiling: 0.3 ppm
	TWA: 0.75 ppm	SKN+			SKN+
	TWA: 0.9 mg/m ³				
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 200 ppm
<0.1%	TWA: 262 mg/m ³	STEL: 250 ppm	STEL: 250 ppm	TWA: 262 mg/m ³	STEL: 250 ppm
	STEL: 250 ppm	SKN*	SKN*	STEL: 250 ppm	SKN*
	STEL: 328 mg/m ³			STEL: 328 mg/m ³	
	SKN*			SKN*	

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm
Methyl alcohol <0.1%	TWA: 200 ppm STEL: 250 ppm SKN*	STEL: 250 ppm TWA: 200 ppm SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	STEL: 250 ppm TWA: 200 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
<0.1%	Ceiling: 3 mg/m ³	SKN+	Ceiling: 3 mg/m ³
Methyl alcohol	TWA: 200 ppm	TWA: 200 ppm	STEL: 250 ppm
<0.1%	TWA: 262 mg/m ³	STEL: 250 ppm	STEL: 310 mg/m ³
	STEL: 250 ppm	SKN*	TWA: 200 ppm
	STEL: 328 mg/m ³		TWA: 260 mg/m ³
	SKN*		SKN*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Eyewash stations

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 5/20

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Avoid breathing (dust, vapor, mist, gas). Avoid contact with skin, eyes or clothing. Use

personal protective equipment as required. Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated

contact with skin. Take off all contaminated clothing and wash it before reuse.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance aqueous solution Color red

Odor None Odor threshold No data available

Property Values Remarks • Method

Molecular weight No data available

pH 4.01

Melting point/freezing point ~ 0 °C / 32 °F Estimation based on theoretical

calculation

Boiling point / boiling range ~ 100 °C / 212 °F Estimation based on theoretical

calculation

Evaporation rate 0.99 (water = 1)

Vapor pressure 17.027 mm Hg / 2.27 kPa at 20 °C / 68 °F

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 1.002

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature

No data available

Decomposition temperature

No data available

Dynamic viscosity ~ 1 cP (mPa s) at 20 °C / 68 °F

Kinematic viscosity $\sim 0.998 \text{ cSt (mm}^2\text{/s)}$ at 20 °C / 68 °F

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 6/20

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	Solubility	Solubility Temperature
None reported	No information available	No data available	No information available

Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate No data available

Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) ContentNot applicable. See ingredients information below.

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

Explosion data No data available

Upper explosion limit No data available

Lower explosion limit No data available

Flammable properties Not classified as flammable according to GHS criteria.

Flammability Limit in Air

Upper flammability limit: No data available

Lower flammability limit: No data available

Flash point No data available

Method No information available

Oxidizing properties Not classified according to GHS criteria.

Reactivity propeties Not classified as self-reactive, pyrophoric, self-heating or emitting

flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 7/20

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

None known based on information supplied.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

NIOSH (RTECS) Number None reported

Information on Likely Routes of Exposure

Product Information	Product does not present an acute toxicity hazard based on
	known or supplied information.
Inhalation	No known effect based on information supplied.
Eye contact	No known effect based on information supplied.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	None known.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to
(<0.1%)	formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
CAS#: 50-00-0	
Methyl alcohol	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to
(<0.1%)	formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.
CAS#: 67-56-1	

Product Acute Toxicity Data

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 8/20

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Acute Toxicity Data

Oral Exposure Route If available, see data below

Oral Exposure Route	•			ii availabio, ooo aata bolow	
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD50	100 mg/kg	None reported	None reported	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD50	300 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat LD ₅₀	5628 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD₅₀	1000 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rabbit LD50	15800 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and sources for data
	type	dose	time		
Formaldehyde	Rat	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic
(<0.1%)	LC ₅₀				Effects of Chemical
CAS#: 50-00-0					Substances)
Methyl alcohol	Human	10 mg/L	4 hours	None reported	IUCLID (The International
(<0.1%)	LC50				Uniform Chemical Information
CAS#: 67-56-1					Database)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Methyl alcohol	Rat	64000 mg/L	6 hours	None reported	RTECS (Registry of Toxic
(<0.1%)	LC ₅₀			·	Effects of Chemical
CAS#: 67-56-1					Substances)

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 9/20

Inhalation (Gas) Exposure Route No data available

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route No data available

Dermal Exposure RouteNo data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route

If available, see data below

oral Exposure Route					
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDLo	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1 Chemical Name	Human LDLo	143 mg/kg Reported	None reported Exposure	Lungs, Thorax, or Respiration Dyspnea Toxicological effects	RTECS (Registry of Toxic Effects of Chemical Substances) Key literature references and
Formaldehyde (<0.1%) CAS#: 50-00-0	type Human TD∟₀	dose 643 mg/kg	time None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	sources for data RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Man LD∟₀	3.571 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route If available, see data below

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route

If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and		
	type	dose	time		sources for data		
Methyl alcohol	Human	300 mg/L	None	Lungs, Thorax, or	RTECS (Registry of Toxic		
(<0.1%)	TCLo		reported	Respiration	Effects of Chemical		
CAS#: 67-56-1				Other changes	Substances)		

Inhalation (Gas) Exposure Route No data available

Aspiration toxicity
If available, see data below

Kinematic viscosity ~ 0.998 cSt (mm²/s)

Product Skin Corrosion/Irritation Data

No data available.

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 10 / 20

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde	Standard Draize	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of
(<0.1%)	Test					Toxic Effects of
CAS#: 50-00-0						Chemical Substances)
Methyl alcohol	Standard Draize	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of
(<0.1%)	Test					Toxic Effects of
CAS#: 67-56-1						Chemical Substances)
Chemical Name	Test method	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Standard Draize	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of
(<0.1%)	Test					Toxic Effects of
CAS#: 50-00-0						Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

If available,	see data	below.
---------------	----------	--------

OKIII CONDICIZATION EXPOSATO ROCATO				ii avaliabio, oce data belevi	•
Chemical Name Test method S		Species	Results	Key literature references and	
					sources for data
	Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental
	(<0.1%)				Risk Management Authority)
	CAS#: 50-00-0				

Respiratory Sensitiza	<u>ation Exposure Ro</u>	ute	If available, see data below.	
Chemical Name	Test method	Species	Results	Key literature references and

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 11 / 20

					sources for data
Ī	Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International
1	(<0.1%)	Immune Response		sensitizer	Chemical Assessment Documents)
-	CAS#: 50-00-0	Test			, i

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route No data available.

Dermal Exposure RouteNo data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure

Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC⊾₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)		
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data		
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)		

Inhalation (Gas) Exposure Route No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Formaldehyde	50-00-0	A2	Group 1	Known	X
Methyl alcohol	67-56-1	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Product Carcinogenicity Data

No data available

Product Code(s) 2283449 Issue Date 02-Sep-2016

Version 5.1

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 12/20

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route If available, see data below

Initialiation (Vapor) Exposure Route					ii avaliable, eee aata belew	
Chemical Name Endpoint Re		Reported	Exposure	Toxicological effects	Key literature references and	
		type	dose	time		sources for data
	Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
	(<0.1%)				Tumors	Effects of Chemical
	CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and
Mathud alaahal	DNIA imbibition	I I uma a m	200	Nama		sources for data
Methyl alcohol	DNA inhibition	Human	300 mmol/L	None	Positive test result for	\ 0 /
(<0.1%)		lymphocyte		reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route If available, see data below

in available, see data below						
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Methyl alcohol	DNA damage	Rat	0.405 mg/kg	None	Positive test result for	RTECS (Registry
(<0.1%)				reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1				-		Chemical
						Substances)
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 13 / 20

			dose	time		references and
						sources for data
Methyl alcohol	Cytogenetic	Mouse	1000 mg/kg	None	Positive test result for	RTECS (Registry
(<0.1%)	analysis			reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist	Exposure Route		If available	e, see data bele	OW	
Chemical Name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	DNA damage	Rat	0.000035	8 weeks	Positive test result for	RTECS (Registry
(<0.1%)	-		mg/L		mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Vapor) Exposure Route If available, see data below Key literature **Chemical Name** Test **Species** Reported Exposure Results references and dose time sources for data .000985 mg/L Positive test result for Formaldehyde Micronucleus test Human 8.5 years RTECS (Registry (<0.1%) mutagenicity of Toxic Effects of CAS#: 50-00-0 Chemical Substances) **Key literature Chemical Name** Test **Species** Reported **Exposure** Results dose time references and sources for data Formaldehyde Micronucleus test Human 2 mg/L 15 minutes Positive test result for RTECS (Registry (<0.1%)mutagenicity of Toxic Effects of CAS#: 50-00-0 Chemical Substances)

Inhalation (Gas) Exposure Route

Oral Exposure Route

No data available

No data available

No data available

No data available

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methyl alcohol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TDLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 67-56-1				stunted fetus)	Substances)
				Specific Developmental	
				Abnormalities	
				Ear	
				Eye	
				Urogenital System	

Dermal Exposure Route

No data available

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 14/20

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methyl alcohol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 67-56-1				stunted fetus)	Substances)

Inhalation (Vapor) Exposure Route If available, see data below

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	40 mg/L	14 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 50-00-0				stunted fetus)	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	.001 mg/L	24 weeks	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo			Cytological changes (including	Effects of Chemical
CAS#: 50-00-0				somatic cell genetic material)	Substances)
Methyl alcohol	Mouse	1500 mg/L	7-9 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)	TCLo			Abnormalities	Effects of Chemical
CAS#: 67-56-1				Central Nervous System	Substances)
Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Formaldehyde	Rat TC _{Lo}	.0005 mg/L	19 days	Specific Developmental	RTECS (Registry of Toxic
(<0.1%)				Abnormalities Musculoskeletal	Effects of Chemical
CAS#: 50-00-0				system	Substances)

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity Based on the classification principles, not classified as hazardous

to the environment.

Product Ecological Data

Aquatic toxicity

Fish No data available

Crustacea No data available

Algae No data available

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Ingredient Ecological Data

Aquatic toxicity

rish If available, see ingredient data below						
	Chemical Name	Species	Endpoint	Reported	Key literature references and	
		time		type	dose	sources for data
	Formaldehyde	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 15 / 20

(<0.1%)					Network)
CAS#: 50-00-0					
Methyl alcohol	96 hours	Pimephales promelas	LC ₅₀	15000 mg/L	IUCLID (The International
(<0.1%)					Uniform Chemical Information
CAS#: 67-56-1					Database)
Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Chemical Name Formaldehyde	• •	Species None reported		dose	
	time	·	type	dose	sources for data

Crustacea If available, see ingredient data below

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)
Methyl alcohol (<0.1%) CAS#: 67-56-1	48 Hours	Daphnia magna	EC50 LC50	2500 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Exposure	Species	Endpoint	Reported	Key literature references and
	time		type	dose	sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	48 hours	Daphnia magna	EC50	29 mg/L	PEEN (Pan European Ecological Network)

Algae If available, see ingredient data below

Terrestrial toxicity

Soil No data available

Vertebrates No data available

Invertebrates No data available

Other Information

Persistence and degradability

None known.

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical Name	Test method	Biodegradation	Exposure time	Results
1,2-Benzenedicarbox ylic acid, monopotassium salt (1 - 5%) CAS#: 877-24-7	OECD Test No. 303: Simulation Test - Aerobic Sewage Treatment A: Activated Sludge Units; B: Biofilms	None reported	None reported	Readily biodegradable

Bioaccumulation

If available, see ingredient data below.

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 16 / 20

Product Bioaccumulation Data

If available, see ingredient data below.

Ingredient Bioaccumulation Data

No data available

Chemical Name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumula te

Additional information

Product Information

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
Formaldehyde (<0.1%) CAS#: 50-00-0	$log K_{ow} = 0.35$	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	$log K_{ow} = -0.7$	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
Formaldehyde (<0.1%) CAS#: 50-00-0	$\log K_{oc} = 0.89$	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	$log K_{oc} = 0.44$	No information available

Additional information

Water solubility

Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 17 / 20

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
· · · · · · · · · · · · · · · · · · ·	Completely soluble	> 40000 mg/L	20 °C	68 °F
CAS#: 50-00-0				
Methyl alcohol	Soluble	> 1000 mg/L	25 °C	77 °F
CAS#: 67-56-1				

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging Working in a well-ventilated area. Rinse three times with an appropriate solvent. Collect

rinsate and dispose of according to local, state, or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P.A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste in countries other than the US. Improper disposal or reuse of this container may be dangerous and illegal. Disposal should be in accordance with applicable regional, national, and local

laws and regulations.

US EPA Waste Number U122 U154

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

Special instructions for disposal

Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation. Open cold water tap completely, slowly pour the reacted material to the drain. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

U.S. DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 18 / 20

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies

ENCS Does not comply

IECSCCompliesKECLCompliesPICCSCompliesTCSICompliesAICSCompliesNZIOCComplies

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	-	-	X
50-00-0				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 19/20

pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%)	Release - Toxic (solution)
CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
Formaldehyde (CAS #: 50-00-0)	Carcinogen	
Methyl alcohol (CAS #: 67-56-1)	Developmental	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Formaldehyde 50-00-0	X	X	X
Methyl alcohol 67-56-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical Name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde	Declarable Substance (FI)	0.1 %
50-00-0	Prohibited Substance (LR)	0.0 %
	Declarable Substance (LR)	
Methyl alcohol 67-56-1	Declarable Substance (FI)	0.1 %

NFPA and HMIS Classifications

Product Name Buffer Solution pH 4.01 ± 0.02

Revision Date 10-May-2017

Page 20 / 20

NFP	4	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	6	Health hazards - 0	Flammability - 0	Physical Hazards - 0	Personal protection - X
					- See section 8 for more
					information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 02-Sep-2016

Revision Date 10-May-2017

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet