

SAFETY DATA SHEET

Issue Date 08-Jan-2018 **Revision Date** 08-Jan-2018 **Version** 1.2 **Page** 1 / 18

1. IDENTIFICATION

Product identifier

Product Name Chlorine Dioxide Reagent 2

Other means of identification

Product Code(s) 2070142

Safety data sheet number M00367

Recommended use of the chemical and restrictions on use

Recommended Use Determination of chlorine dioxide.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

The product contains no substances which at their given concentration, are considered to be hazardous to health

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

EN / AGHS Page 1/18

Product Name Chlorine Dioxide Reagent 2

0.012

0.01

Revision Date 08-Jan-2018

Page 2/18

Substance Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

	Chemical name	CAS No.	Percent Range	HMRIC #
	Phenol, 2,4,6-trinitro-	88-89-1	<0.1%	-
	Formaldehyde	50-00-0	<0.1%	-
	Sodium hydroxide	1310-73-2	<0.1%	-
	Methyl alcohol	67-56-1	<0.1%	-
P	oly(oxy-1,2-ethanediyl),	9002-93-1	<0.1%	-
.alpha[4-(1,1,3,3-te	etramethylbutyl)phenyl]omegahydroxy-			
Chemical name	CAS No.	Weight-%		
Phenol, 2,4,6-trinitro-	88-89-1	0.082		
88-89-1				
Formaldehyde 50-00-0	50-00-0	0.04		
Sodium hydroxide 1310-73-2	1310-73-2	0.02		

Poly(oxy-1,2-ethanediyl), 9002-93-1 .alpha.-[4-(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydrox

v- '

9002-93-1

67-56-1

Methyl alcohol

4. FIRST AID MEASURES

Description of first aid measures

General advice No hazards which require special first aid measures. Use first aid treatment according to

the nature of the injury.

67-56-1

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for additional Toxicological Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

EN / AGHS Page 2/18

Product Name Chlorine Dioxide Reagent 2

Revision Date 08-Jan-2018

Page 3/18

Specific hazards arising from the

chemical

No information available.

Hazardous combustion products

This material will not burn.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR

1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations

should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Reference to other sections See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phenol, 2,4,6-trinitro-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	IDLH: 75 mg/m ³

EN / AGHS Page 3/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 4/18

CAS#: 88-89-1		(vacated) TWA: 0.1 mg/m³ (vacated) SKN*	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³
Formaldehyde CAS#: 50-00-0	STEL: 0.3 ppm TWA: 0.1 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Sodium hydroxide CAS#: 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Methyl alcohol CAS#: 67-56-1	STEL: 250 ppm TWA: 200 ppm S*	TWA: 200 ppm TWA: 260 mg/m³ (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m³ (vacated) SKN*	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³

Appropriate engineering controls

Engineering Controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

exceeded or irritation is experienced, ventilation and evacuation may be required.

Hand Protection Wear suitable gloves.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protectionNo special protective equipment required.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained. Do not

allow into any sewer, on the ground or into any body of water.

Thermal hazards None under normal processing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearanceaqueous solutionColordark violetOdorMild hydrocarbonOdor thresholdNo data available

Property Values Remarks • Method

Molecular weight No data available

pH 9.0

Melting point/freezing point ~ 0 °C / 32 °F Estimation based on theoretical

calculation

Boiling point / boiling range ~ 100 °C / 212 °F Estimation based on theoretical

calculation

EN / AGHS Page 4/18

Product Name Chlorine Dioxide Reagent 2

Revision Date 08-Jan-2018

Page 5/18

Evaporation rate 0.62 (water = 1)

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 0.99

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Decomposition temperature

Coefficient

Not applicable

No data available

Autoignition temperature No data available

Dynamic viscosity $\sim 1 \text{ cP (mPa s)}$ at 20 °C / 68 °F

Kinematic viscosity ~ 1.01 cSt (mm²/s) at 20 °C / 68 °F

Solubility(ies)

Water solubility

Water solubility classification	Water solubility_	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

Chemical Name	Solubility classification	<u>Solubility</u>	Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F
Most Polar Organic Solvents	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Steel Corrosion RateNo data availableAluminum Corrosion RateNo data available

Volatile Organic Compounds (VOC) Content

See ingredients information below

Chemical name	CAS No.	Volatile organic compounds (VOC) content	CAA (Clean Air Act)
Phenol, 2,4,6-trinitro-	88-89-1	No data available	-
Formaldehyde	50-00-0	No data available	X
Sodium hydroxide	1310-73-2	No data available	-
Methyl alcohol	67-56-1	No data available	X
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)ph	9002-93-1	No data available	-
enyl]omegahydroxy-			

Explosive properties

Upper explosion limitNo data availableLower explosion limitNo data available

EN / AGHS Page 5/18

Product Code(s) 2070142 Issue Date 08-Jan-2018

Version 1.2

Product Name Chlorine Dioxide Reagent 2

Revision Date 08-Jan-2018

Page 6/18

Flammable properties

Flash point

No data available

Method

No information available

Flammability Limit in Air

Upper flammability limit:No data availableLower flammability limit:No data available

Oxidizing properties No data available.

Bulk density Not applicable

Particle Size No information available

Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None.

Possibility of Hazardous Reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization

None under normal processing.

Conditions to avoid

Conditions to avoid None known based on information supplied.

Incompatible materials

Incompatible materials Strong oxidizing agents, strong acids, and strong bases.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation No known effect based on information supplied.

Eye contact No known effect based on information supplied.

Skin contact No known effect based on information supplied.

Ingestion No known effect based on information supplied.

Symptoms No information available.

EN / AGHS Page 6/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 7 / 18

Aggravated Medical Conditions None known. Toxicologically synergistic None known.

products

Toxicokinetics, metabolism and See ingredients information below.

distribution

Chemical name	Toxicokinetics, metabolism and distribution
Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to
(<0.1%)	formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
CAS#: 50-00-0	
Methyl alcohol	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to
(<0.1%)	formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.
CAS#: 67-56-1	

Product Acute Toxicity Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Unknown Acute Toxicity

0.001% of the mixture consists of ingredient(s) of unknown toxicity.

Acute Toxicity Estimations (ATE)

ATEmix (oral)	No information available
ATEmix (dermal)	No information available
ATEmix (inhalation-dust/mist)	No information available
ATEmix (inhalation-vapor)	No information available
ATEmix (inhalation-gas)	No information available

Ingredient Acute Toxicity Data

EN / AGHS

Oral Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Poly(oxy-1,2-ethaned iyl), .alpha[4-(1,1,3,3-tetr amethylbutyl)phenyl]omegahydroxy- (<0.1%) CAS#: 9002-93-1	LD50	1800 mg/kg	None reported	None reported	ERMA (New Zealands Environmental Risk Management Authority)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	Rabbit LD ₅₀	500 mg/kg	None reported	None reported	No information available
Methyl alcohol (<0.1%) CAS#: 67-56-1	Rat LD ₅₀	5628 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Dermal Exposure Ro	ute			If available, see data below	

Chemical name | Endpoint | Reported | Exposure | Toxicological effects | Key literature references and

Page 7/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 8/18

	type	dose	time		sources for data
Formaldehyde (<0.1%)	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of
CAS#: 50-00-0	LD30		reported		the German Social Accident
0,10,1,00,00,0					Insurance)
Poly(oxy-1,2-ethaned	Rabbit	> 3000 mg/kg	None	None reported	No information available
iyl),	LD50		reported		
.alpha[4-(1,1,3,3-tetr					
amethylbutyl)phenyl]-					
.omegahydroxy-					
(<0.1%) CAS#: 9002-93-1					
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
Cileillicai Ilaille	type	dose	time	Toxicological effects	sources for data
Sodium hydroxide	Rabbit	1350 mg/kg	None	None reported	IUCLID (The International
(<0.1%)	LD ₅₀	l	reported		Uniform Chemical Information
CAS#: 1310-73-2			•		Database)
Methyl alcohol	Rabbit	15800 mg/kg	None	None reported	IUCLID (The International
(<0.1%)	LD50		reported		Uniform Chemical Information
CAS#: 67-56-1					Database)
Inhalation (Dust/Mist)				If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	0.578 mg/L	4 hours	None reported	LOLI
(<0.1%)	LC50				
CAS#: 50-00-0					
Inhalation (Vapor) Ex	posure Route	e		If available, see data below	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Poly(oxy-1,2-ethaned	Rat	> 21.5 mg/L	None	None reported	No information available
iyl),	LC50		reported		
alpha[4-(1,1,3,3-tetr]					

CAS#: 67-56-1 Inhalation (Gas) Exposure Route

amethylbutyl)phenyl]-.omega.-hydroxy-(<0.1%) CAS#: 9002-93-1 Chemical name

Methyl alcohol

(<0.1%)

If available, see data below

Toxicological effects

None reported

Key literature references and

sources for data

RTECS (Registry of Toxic Effects of Chemical

Substances)

Product Specific Target Organ Toxicity Single Exposure Data

Endpoint

type

Rat

LC50

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available

No data available

No data available

No data available

Reported

dose

64000 mg/L

Exposure

time

6 hours

<u>Ingredient Specific Target Organ Toxicity Single Exposure Data</u> Oral Exposure Route If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	70 mg/kg	None	Gastrointestinal	RTECS (Registry of Toxic
(<0.1%)	LD_Lo		reported	Kidney, Ureter, or Bladder	Effects of Chemical
CAS#: 50-00-0				Liver	Substances)
				Other changes	·
				Ulcerated stomach	
				Other changes	

EN / AGHS Page 8/18

Product Name Chlorine Dioxide Reagent 2

Revision Date 08-Jan-2018

Page 9/18

Methyl alcohol (<0.1%) CAS#: 67-56-1	Human LD∟₀	143 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD∟₀	643 mg/kg	None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Man LD⊾∘	3.571 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route

If available, see data below If available, see data below If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol	Human	300 mg/L	None	Lungs, Thorax, or	RTECS (Registry of Toxic
(<0.1%)	TCLo		reported	Respiration	Effects of Chemical
CAS#: 67-56-1				Other changes	Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Aspiration toxicity If available, see data below Kinematic viscosity

~ 1.01 cSt (mm²/s)

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	Patch test	Human	20 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

r avallable, see data b						
Chemical name	nemical name Test method		Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	Standard Draize Test	Rabbit	0.05 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

EN / AGHS Page 9/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 10 / 18

Methyl alcohol	Standard Draize	Rabbit	40 mg	None	Eye irritant	RTECS (Registry of
(<0.1%)	Test			reported		Toxic Effects of
CAS#: 67-56-1						Chemical Substances)
Poly(oxy-1,2-ethaned	Standard Draize	Rabbit	None	None	Corrosive to eyes	RTECS (Registry of
iyl),	Test		reported	reported		Toxic Effects of
.alpha[4-(1,1,3,3-tetr						Chemical Substances)
amethylbutyl)phenyl]-						
.omegahydroxy-						
(<0.1%)						
CAS#: 9002-93-1						

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route

Respiratory Sensitization Exposure Route

No data available.

No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below.

Citati Concinentation Exposure results					•
Chemical name Test method		Species	Results	Key literature references and	
					sources for data
	Formaldehyde	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental
	(<0.1%)				Risk Management Authority)
	CAS#: 50-00-0				

Respiratory Sensitization Exposure Route If available, see data below.

Chemical name Test method		Species	Results	Key literature references and			
				sources for data			
Formaldehyde	IgE Specific	Guinea pig	Confirmed to be a respiratory	CICAD (Concise International			
(<0.1%)	Immune Response		sensitizer	Chemical Assessment Documents)			
CAS#: 50-00-0	Test						

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available.

No data available.

No data available.

No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route

Dermal Exposure Route
In available, see data below
Inhalation (Dust/Mist) Exposure Route
Inhalation (Vapor) Exposure Route
If available, see data below
Inhalation (Vapor) Exposure Route
If available, see data below
If available, see data below

maiation (vapor) Exposure Route				ii availabio, ooo aala bolow	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Human	0.017 mg/L	0.5 days	Eye	RTECS (Registry of Toxic
(<0.1%)	TCLo		-	Lungs, Thorax, or	Effects of Chemical
CAS#: 50-00-0				Respiration	Substances)
				Lacrimation	
				Other changes	
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	_	sources for data
Formaldehyde	Human	2 mg/L	40 minutes	Lungs, Thorax, or	RTECS (Registry of Toxic
(<0.1%)	TCLo			Respiration	Effects of Chemical
CAS#: 50-00-0				Other changes	Substances)
				Respiratory depression	ĺ

Inhalation (Gas) Exposure Route

If available, see data below

EN / AGHS Page 10/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 11 / 18

Product Carcinogenicity Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available

No data available

No data available

No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
Phenol, 2,4,6-trinitro-	88-89-1	-	-	=	-
Formaldehyde	50-00-0	A1	Group 1	Known	X
Sodium hydroxide	1310-73-2	-	-	=	-
Methyl alcohol	67-56-1	-	-	-	-
Poly(oxy-1,2-ethanediyl),	9002-93-1	-	-	-	-
.alpha[4-(1,1,3,3-tetramet					
hylbutyl)phenyl]omegah					
ydroxy-					

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	Does not apply
IARC (International Agency for Research on Cancer)	Does not apply
NTP (National Toxicology Program)	Does not apply
OSHA (Occupational Safety and Health Administration of the US Department of	Does not apply
Labor)	

Oral Exposure Route

Dermal Exposure Route

If available, see data below

Chemical name	Chemical name Endpoint		Chemical name Endpoint Reported Exposure Toxicologic		Toxicological effects Key literature references	
	type	dose	time		sources for data	
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic	
(<0.1%)				Tumors	Effects of Chemical	
CAS#: 50-00-0					Substances)	

Inhalation (Gas) Exposure Route

If available, see data below

If available, see data below

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Oral Exposure Poute

			1		·	,
Chemical name	Test	Cell Strain	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Methyl alcohol	DNA inhibition	Human	300 mmol/L	None	Positive test result for	RTECS (Registry
(<0.1%)		lymphocyte		reported	mutagenicity	of Toxic Effects of
CAS#: 67-56-1						Chemical
						Substances)

Product Germ Cell Mutagenicity invivo Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

Inhalation (Vapor) Exposure Route

Inhalation (Gas) Exposure Route

No data available

No data available

No data available

No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Noute	;		ii available, see data below					
Chemical name	Test	Species	Reported	Exposure	Results	Key literature		

EN / AGHS Page 11/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 12 / 18

			dose	time		references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1%) CAS#: 67-56-1	Cytogenetic analysis	Mouse	1000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route If available, see data below If available, see data below If available, see data below

initialiation (Vapor) =	10000.0.1100.00	ii available, eee aala belev				
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
		-	dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol	Rat	4118 mg/kg	10 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TDLo		-	Specific Developmental	Effects of Chemical
CAS#: 67-56-1				Abnormalities	Substances)
				Ear	,
				Eye	
				Fetotoxicity (except death e.g.	
				stunted fetus)	
				Urogenital System	

Inhalation (Dust/Mist) Exposure Route If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Methyl alcohol	Rat	0.0026 mg/L	22 days	Effects on Embryo or Fetus	RTECS (Registry of Toxic
(<0.1%)	TCLo		-	Fetotoxicity (except death e.g.	Effects of Chemical
CAS#: 67-56-1				stunted fetus)	Substances)

Inhalation (Vapor) Exposure Route If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time	-	sources for data

EN / AGHS Page 12 / 18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 13 / 18

Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TC∟₀	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Rat TCLo	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1%) CAS#: 67-56-1	Mouse TCL₀	1500 mg/L	7-9 days	Specific Developmental Abnormalities Central Nervous System	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

Aquatic toxicity

FishNo data availableCrustaceaNo data availableAlgaeNo data available

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Phenol, 2,4,6-trinitro- (<0.1%) CAS#: 88-89-1	96 hours	Oncorhynchus mykiss	LC50	109.6 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC50	6.7 mg/L	PEEN (Pan European Ecological Network)
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	96 hours	Oncorhynchus mykiss	LC50	45.4 mg/L	IUCLID (The International Uniform Chemical Information Database)
Poly(oxy-1,2-ethaned iyl), .alpha[4-(1,1,3,3-tetr amethylbutyl)phenyl]omegahydroxy- (<0.1%) CAS#: 9002-93-1	96 hours	Pimephales promelas	LC50	4.5 mg/L	ERMA (New Zealands Environmental Risk Management Authority)

Crustacea		If available, see ingredient data below				
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data	
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)	
Sodium hydroxide (<0.1%) CAS#: 1310-73-2	48 Hours	Daphnia sp.	EC50	40.4 mg/L	IUCLID (The International Uniform Chemical Information Database)	

Algae		If available, see ingredient data below				
Chemical name	Exposure	Species	Endpoint	Reported	Key literature references and	

EN / AGHS Page 13/18

Product Name Chlorine Dioxide Reagent 2 Revision Date 08-Jan-2018 Page 14 / 18

	time		type	dose	sources for data
Poly(oxy-1,2-ethaned iyl), .alpha[4-(1,1,3,3-tetr amethylbutyl)phenyl]omegahydroxy- (<0.1%) CAS#: 9002-93-1		None reported	EC50	0.21 mg/L	ERMA (New Zealands Environmental Risk Management Authority)

Other Information

Persistence and degradability

Product Biodegradability Data No data available.

Ingredient Biodegradability Data

Bioaccumulation

Product Bioaccumulation Data

No data available.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

Chemical name	Test method	Exposure time	Species	Bioconcentrat ion factor (BCF)	Results
Formaldehyde (<0.1%) CAS#: 50-00-0	Estimation through BCFBAF v3.01 part of the Estimation Programs Interface (EPI) Suite™	None reported	None reported	BCF = 3.16228	Does not have the potential to bioaccumula te
Methyl alcohol (<0.1%) CAS#: 67-56-1	OECD Test 305: Bioaccumulation in Fish	None reported	None reported	BCF < 10	Does not have the potential to bioaccumula te

Mobility

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

Water solubility classification	<u>Water solubility</u>	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Poly(oxy-1,2-ethanediyl), .alpha[4-(1,1,3,3-tetramethylbutyl)ph enyl]omegahydroxy- (<0.1%)	Group III Chemical	-	-

EN / AGHS Page 14/18

Product Name Chlorine Dioxide Reagent 2 **Revision Date** 08-Jan-2018

Page 15 / 18

CAS#: 9002-93-1

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number U122 U154

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

Special instructions for disposal

If permitted by regulation. Open cold water tap completely, slowly pour the material to the drain. Check with local municipal and state authorities and waste contractors for pertinent local information regarding the proper disposal of chemicals.

14. TRANSPORT INFORMATION

<u>U.S. DOT</u> Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS

ENCS
Does not comply
Does not comply
Complies

KECL
PICCS
Does not comply
Complies

EN / AGHS Page 15/18

Product Name Chlorine Dioxide Reagent 2
Revision Date 08-Jan-2018

Page 16 / 18

TCSI Complies
AICS Complies
NZIOC Does not comply

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Phenol, 2,4,6-trinitro- (CAS #: 88-89-1)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority	CWA - Hazardous
	Quantities		Pollutants	Substances
Formaldehyde 50-00-0	100 lb	-	-	Х
Sodium hydroxide 1310-73-2	1000 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ
Sodium hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ
Methyl alcohol	5000 lb	-	RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility

EN / AGHS Page 16 / 18

Product Name Chlorine Dioxide Reagent 2 Revision Date 08-Jan-2018 Page 17 / 18

	Anti-Terrorism Standards (CFATS) - Security Issues
Phenol, 2,4,6-trinitro-	Release - Explosive (listed under Trinitrophenol); Theft -
(<0.1%)	Explosives/Improvised Explosive Device Precursors (listed under
CAS#: 88-89-1	Trinitrophenol)
Formaldehyde	Release - Toxic (solution)
(<0.1%)	
CAS#: 50-00-0	

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Phenol, 2,4,6-trinitro- 88-89-1	X	X	Х
Formaldehyde 50-00-0	X	X	X
Sodium hydroxide 1310-73-2	X	X	Х
Methyl alcohol 67-56-1	X	X	X

U.S. EPA Label Information

Chemical name	FIFRA	FDA
Sodium hydroxide	180.0910	21 CFR 184.1763
Methyl alcohol	180.0910	-
Poly(oxy-1,2-ethanediyl),	180.0910	-
alpha[4-(1,1,3,3-tetramethylbutyl)phenyl]ome		
gahydroxy-		

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable Substance List Classifications	Global Automotive Declarable Substance List Thersholds
Formaldehyde	Declarable Substance (FI)	0.0 %
50-00-0	Prohibited Substance (LR)	0.1 %
	Declarable Substance (LR)	
Methyl alcohol 67-56-1	Declarable Substance (FI)	0.1 %

EN / AGHS Page 17 / 18

Product Name Chlorine Dioxide Reagent 2

Revision Date 08-Jan-2018

Page 18 / 18

NFPA and HMIS Classifications

	NFPA	Health hazards - 0	Flammability - 0	Instability - 0	Physical and Chemical
-					Properties -
Ī	HMIS	Health hazards - 0	Flammability - 0	Physical Hazards - 0	Personal protection - X
-					- See section 8 for more
					information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 08-Jan-2018

Revision Date 08-Jan-2018

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet

EN / AGHS Page 18/18