

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00631

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: FerroMo[®] Iron Reagent 1 Powder Pillows
Catalog Number: 2543768

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00631
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Not applicable
Intended Use: Iron determination

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: . Skin Corrosion/Irritation: Skin Irrit. 2 Serious Eye Damage/Eye Irritation: Eye Dam. 1
Respiratory or Skin Sensitization: Resp. Sens.1

GHS Label Elements:

DANGER



Hazard statements: . Causes skin irritation. Causes serious eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Contact with acids liberates toxic gas.

Precautionary statements: Avoid breathing dust/fume/gas/mist/vapours/spray. Wear eye protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

HMIS:

Health: 2

Flammability: 0

Reactivity: 0

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 2

Flammability: 0

Reactivity: 0

Symbol: Not applicable

WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)

WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Sodium Thiosulfate

CAS Number: 7772-98-7

Chemical Formula: Na₂S₂O₃ · 5H₂O

GHS Classification: Skin Irrit 2, H315; Eye Irrit 2, H319, STOT SE 3, H335

Percent Range: 5.0 - 15.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as total dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust

WHMIS Symbols: Not applicable

Sodium Hydrosulfite

CAS Number: 7775-14-6

Chemical Formula: Na₂S₂O₄

GHS Classification: Self-Heating 1, H251; Acute Tox. 4 -Orl, H302; Skin Irrit. 3, H316; Eye Irrit. 2A, H319; STOT Single 3, H335; Aquatic Chronic 3, H412

Percent Range: 5.0 - 15.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Other Toxic Effects Flammable / Combustible

Sodium Metabisulfite

CAS Number: 7681-57-4

Chemical Formula: Na₂S₂O₅

GHS Classification: Acute Tox. OrL 4, H302; Acute Tox. Derm 5, H313; Acute Tox. Inh. 4, H332; Skin Irrit. 2, H315; Eye Dam. 1, H318; Resp. Sens. 1, H334; Aquatic Chronic 3, H412

Percent Range: 5.0 - 15.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 5 mg/m³

WHMIS Symbols: Other Toxic Effects

Hazardous Components according to GHS: No

Glucose

CAS Number: 50-99-7

Chemical Formula: C₆H₁₂O₆

GHS Classification: Not a dangerous substance according to GHS.

Percent Range: 65.0 - 75.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

Sodium Citrate

CAS Number: 68-04-2

Chemical Formula: C₆H₅O₇Na₃ · 2H₂O

GHS Classification: Not applicable

Percent Range: < 1.0

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust; 3 mg/m³ as respirable dust

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician immediately.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give large quantities of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Combustion generates toxic fumes. Material is not classified as flammable according to GHS criteria.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: May react violently with: strong oxidizers strong acids

Hazardous Combustion Products: Toxic fumes of: sulfur oxides. sodium monoxide carbon monoxide, carbon dioxide.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Stop spilled material from being released to the environment.

Clean-up Technique: If permitted by regulation, Scoop up spilled material into a large beaker and dissolve with water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate as needed to perform spill clean-up. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes. Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Protect from: heat moisture. Keep away from: oxidizers. Store between 10° and 25°C.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: disposable latex gloves. In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: adequate ventilation

Precautionary Measures: Avoid contact with: eyes. Do not breathe: dust. Wash thoroughly after handling. Protect from: heat moisture. Keep away from: oxidizers

TLV: Not established

PEL: Not established

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder

Physical State: Solid

Molecular Weight: Not applicable

Odor: Sulfidic

Odor Threshold: Not determined

pH: 5% soln. = 5.65

Metal Corrosivity:

Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.

Steel: 0.043 in/yr

Aluminum: 0.012 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.75

Viscosity: Not applicable

Solubility:

Water: Soluble

Acid: Soluble

Other: Not determined

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: 145-148 °C (293-298 °F)

Decomposition Temperature: Not determined

Boiling Point: Not applicable

Vapor Pressure: Not applicable

Vapor Density (air = 1): Not applicable

Evaporation Rate (water = 1): Not applicable

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Combustion generates toxic fumes. Material is not classified as flammable according to GHS criteria.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not available

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: Incompatible with: oxidizers

Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides carbon monoxide carbon dioxide

Conditions to Avoid: Heat Excess moisture

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available for mixture.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data Based on classification principles, the classification criteria are not met. Route Data Given Below

Oral rat LD50 = 3459 mg/kg.

Inhalation Rat LD50 = 16 mg/L/4 hr

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Irritating to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Contains a sensitizing compound. Respiratory Sensitizer

Sodium Metabisulfite (12.6%) - Pulmonary dysfunction similar to asthma has been reported after inhalation of sodium metabisulfite. In experiments on mice, sensory irritation to the upper

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

This product does NOT contain any NTP listed chemicals.

This product does NOT contain any OSHA listed carcinogens.

Symptoms/Effects:

Ingestion: May cause: allergic respiratory reaction gastrointestinal tract irritation diarrhea circulatory disturbances central nervous system depression Very large doses may cause: colic depression death

Inhalation: May cause: respiratory tract irritation allergic respiratory reaction difficult breathing sweating rapid pulse and respirations blood pressure changes coughing flushing hives

Skin Absorption: No effects anticipated

Chronic Effects: Chronic overexposure may cause allergic respiratory reactions

Medical Conditions Aggravated: Sulfites are strong sensitizers. Inhalation and ingestion may cause allergic respiratory reactions in asthmatics. Persons with respiratory conditions should take special care when working with products that contain sulfites.

12. ECOLOGICAL INFORMATION

Product Ecological Information: --

No ecological data available for this product. Based on classification principles, not classified as hazardous to the environment.

Method Used for Estimation of Aquatic Toxicity of Mixture M-factor (Multiplier) for highly toxic ingredients: 1
Summation Method

Ingredient Ecological Information: Sodium Metabisulfite: 120 ppm/24, 48 & 96 hours / mosquito fish / TLm / fresh water (converting bisulfite to metabisulfite)

CEPA Statement: Water, Sodium Thiosulfate, Sodium Metabisulfite, Sodium Hydrosulfite: Persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

CEPA Statement: Glucose, Sodium Citrate: Not persistent. Not bioaccumulative. Not inherently toxic to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): If permitted by regulation, Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Dispose of material in an E.P.A. approved hazardous waste facility.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: All ingredients of this product are DSL Listed.

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: Listed

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. In-house information. Technical Judgment.

Complete Text of H phrases referred to in Section 3: H251 Self-heating: may catch fire. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.

Revision Summary: Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 28

Month: July

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable

ND - Not Determined

NV - Not Available

w/w - weight/weight

w/v - weight/volume

v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015