

SAFETY DATA SHEET

Issue Date 21-Jun-2016 Revision Date 20-Oct-2017 Version 4.1 Page 1 / 19

1. IDENTIFICATION

Product identifier

Product Name StablCal® Standard, 800 NTU

Other means of identification

Product Code(s) 2660542

Safety data sheet number M01361

Recommended use of the chemical and restrictions on use

Recommended Use Laboratory Use. Standard solution.

Uses advised against None. Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company P.O.Box 389 Loveland, CO 80539 USA +1(970) 669-3050

Emergency telephone number

+1(303) 623-5716 - 24 Hour Service +1(515)232-2533 - 8am - 4pm CST

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	
Serious eye damage/eye irritation	
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Mutagenicity	
Carcinogenicity	
Reproductive toxicity	
Specific target organ toxicity (single exposure)	
Specific target organ toxicity (repeated exposure)	

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

ENG / AGHS Page 1/19

Product Name StablCal® Standard, 800 NTU **Revision Date** 20-Oct-2017

Page 2/19



Hazard statements

H317 - May cause an allergic skin reaction

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statements

P285 - In case of inadequate ventilation wear respiratory protection

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Chemical Family

Mixture.

Percent ranges are used where confidential product information is applicable.

Chemical name	CAS No.	Percent Range	HMRIC #
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	100-97-0	5 - 10%	-
Sodium sulfate	7757-82-6	<1%	-
Ammonium sulfate	7783-20-2	<1%	-
Formaldehyde	50-00-0	<0.1%	-

ENG / AGHS Page 2/19

Product Name StablCal® Standard, 800 NTU **Revision Date** 20-Oct-2017

Page 3/19

4. FIRST AID MEASURES

Description of first aid measures

General advice IF IN EYES: Flush eyes for at least 15 minutes. May cause allergic skin reaction. Repeated

contact may cause allergic reactions in very susceptible persons.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact For minor skin contact, avoid spreading material on unaffected skin. IF ON SKIN (or hair):

Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Remove and isolate contaminated clothing and shoes. Call a POISON CENTER or doctor if you feel unwell. If skin irritation persists, call a

physician. May cause an allergic skin reaction. Consult a physician if necessary.

Inhalation May cause allergic respiratory reaction. If experiencing respiratory symptoms: Call a

POISON CENTER or doctor/physician.

Ingestion IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.

Self-protection of the first aiderUse personal protective equipment as required. Ensure that medical personnel are aware

of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Causes sensitization.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

Flammable properties

During a fire, this product decomposes to form toxic gases.

Specific hazards arising from the chemical

May react violently with. Strong acids. Strong oxidizers. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

Hazardous combustion products

This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. NoticeOnly persons properly qualified to respond to an emergency involving hazardous

substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

ENG / AGHS Page 3/19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 4/19

Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate

affected area. Use personal protective equipment as required.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. See Section 12 for additional ecological

information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later

disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically,

placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number

Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep container tightly closed. Keep containers tightly

closed in a cool, well-ventilated place.

Flammability class Not applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Formaldehyde	STEL: 0.3 ppm	TWA: 0.75 ppm	IDLH: 20 ppm
<0.1%	TWA: 0.1 ppm	(vacated) TWA: 3 ppm	Ceiling: 0.1 ppm 15 min
		(vacated) STEL: 10 ppm	TWA: 0.016 ppm
		(vacated) Ceiling: 5 ppm	
		STEL: 2 ppm	

Chemical name	Alberta OEL	British Columbia	Manitoba OEL	New Brunswick	New Foundland &
		OEL		OEL	Labrador OEL
Formaldehyde	Ceiling: 1 ppm	RSP+	TWA: 0.1 ppm	TWA: 0.5 ppm	RSP+
<0.1%	Ceiling: 1.3 mg/m ³	TWA: 0.3 ppm	STEL: 0.3 ppm	STEL: 1.5 ppm	TWA: 0.1 ppm
	TWA: 0.75 ppm	Ceiling: 1 ppm			STEL: 0.3 ppm
	TWA: 0.9 mg/m ³	SKN+			SKN+

ENG / AGHS Page 4/19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 5/19

Chemical name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
1,3,5,7-Tetraazatricyclo[3. 3.1.1(3,7)]decane 5 - 10%	NDF	NDF	NDF	STEL: 0.35 ppm STEL: 2 mg/m ³	NDF
Formaldehyde <0.1%	Ceiling: 0.3 ppm SKN+	RSP+ STEL: 0.3 ppm TWA: 0.1 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	STEL: 0.3 ppm TWA: 0.1 ppm

Chemical name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Formaldehyde	Ceiling: 2 ppm	Ceiling: 0.3 ppm	Ceiling: 2 ppm
<0.1%	Ceiling: 3 mg/m ³	SKN+	Ceiling: 3 mg/m ³

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield. Avoid contact with eyes.

Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General Hygiene Considerations Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear suitable gloves and eye/face protection. Wash face, hands and any exposed skin thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended. Handle in accordance with good industrial hygiene and safety practice. Avoid prolonged or repeated contact with skin. Take off all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Keep away from food,

drink and animal feeding stuffs.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Gas Under Pressure Not classified according to GHS criteria

Appearance Turbid solution Color Milky white

aqueous solution

Odor Odorless Odor threshold No data available

ENG / AGHS Page 5/19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 6/19

Property Values Remarks • Method

Molecular weight No data available

pH 7.47

Melting point/freezing point 0 °C / 32 °F

Boiling point / boiling range 100 °C / 212 °F

Evaporation rate 1 (water = 1) Estimation based on theoretical Estimation based on theoretical

calculation calculation

Vapor pressure 17.477 mm Hg / 2.33 kPa at 20 °C / 68 °F Estimation based on theoretical

calculation

Vapor density (air = 1) 0.62

Specific gravity (water = 1 / air = 1) 1.02

Partition Coefficient (n-octanol/water) Not applicable

Soil Organic Carbon-Water Partition

Coefficient

Not applicable

Autoignition temperature No data available

Decomposition temperature No data available

Dynamic viscosity

No data available

Kinematic viscosity No data available

Solubility(ies)

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature	
Soluble	> 1000 mg/L	25 °C / 77 °F	

Solubility in other solvents

Chemical Name	Name Solubility classification Solubility		Solubility Temperature
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity

Not classified as corrosive to metal according to GHS criteria

Steel Corrosion Rate No data available

Aluminum Corrosion Rate No data available

Volatile Organic Compounds (VOC) Content No information available.

Bulk density Not applicable

Explosive properties Not classified according to GHS criteria.

ENG / AGHS Page 6/19

Product Name StablCal® Standard, 800 NTU Product Code(s) 2660542

Issue Date 21-Jun-2016 Revision Date 20-Oct-2017 Version 4.1

Page 7/19

No data available **Explosion data**

No data available Upper explosion limit

Lower explosion limit No data available

Flammable properties During a fire, this product decomposes to form toxic gases.

Flammability Limit in Air

No data available **Upper flammability limit:**

Lower flammability limit: No data available

No data available Flash point

Oxidizing properties Not classified according to GHS criteria.

Not classified as self-reactive, pyrophoric, self-heating or emitting Reactivity propeties

flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity propeties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

No information available

Possibility of Hazardous Reactions

No information available.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extremes of temperature and direct sunlight. Incompatible materials.

Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Ammonia. Carbon monoxide. Formaldehyde. Nitrogen oxides. Sodium oxides. Sulfur oxides.

Explosive properties

Not classified according to GHS criteria.

No data available Upper explosion limit

Lower explosion limit No data available

Autoignition temperature

No data available

ENG / AGHS Page 7/19

Product Name StablCal® Standard, 800 NTU **Revision Date** 20-Oct-2017

Page 8 / 19

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

IIII CI III GUI CII CII CII	y Itoutes of Exposure			
Product Information		Respiratory sensitizer. Skin sensitizer.		
Inhalation		May cause sensitization by inhalation.		
Eye contact		No known effect based on information supplied.		
Skin contact		May cause sensitization by skin contact.		
Ingestion		No known effect based on information supplied.		
Aggravated Medical	Conditions	Respiratory disorders. Skin disorders.		
Toxicologically syne	ergistic products	None known.		
Toxicokinetics, meta	abolism and distribution	See ingredients information below.		
Chemical name	Toxicokinetics, metabolism and distribution			
Formaldehyde	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized			
(<0.1%)	formate and carbon dioxide. Half-life of	formaldehyde is 1 min in rat plasma.		
CAS#: 50-00-0				

Product Acute Toxicity Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Acute Toxicity Estimations (ATE)

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	7,925.00 mg/kg

Ingredient Acute Toxicity Data

Chemical name

Endpoint

Oral Exposure Route				If available, see data below		
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
1,3,5,7-Tetraazatricyc	Mouse	569 mg/kg	None	None reported	Vendor SDS	
lo[3.3.1.1(3,7)]decan	LD50		reported		NIOSH (National Institute for	
е					Occupational Safety and	
(5 - 10%)					Health)	
CAS#: 100-97-0						
Ammonium sulfate	Rat	2840 mg/kg	None	None reported	GESTIS (Information System	
(<1%)	LD50		reported		on Hazardous Substances of	
CAS#: 7783-20-2					the German Social Accident	
					Insurance)	
Formaldehyde	Rat	100 mg/kg	None	None reported	No information available	
(<0.1%)	LD ₅₀		reported			
CAS#: 50-00-0						
Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and	
	type	dose	time		sources for data	
Sodium sulfate	Mouse	5989 mg/kg	None	None reported	IUCLID (The International	
(<1%)	LD ₅₀		reported		Uniform Chemical Information	
CAS#: 7757-82-6					Database)	
Dermal Exposure Ro	ute			If available, see data below		

ENG / AGHS Page 8/19

Toxicological effects

Key literature references and

Reported Exposure

Product Name StablCal® Standard, 800 NTU

Substances)

Revision Date 20-Oct-2017

Page 9/19

type	dose	time		sources for data
Rabbit	270 mg/kg	None	None reported	GESTIS (Information System
LD50		reported	·	on Hazardous Substances of
		·		the German Social Accident
				Insurance)
) Exposure Re	oute		If available, see data below	
Inhalation (Vapor) Exposure Route				
Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
type	dose	time	-	sources for data
Rat	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic
LC50				Effects of Chemical
	Rabbit LD50 Exposure Route Endpoint type Rat	Rabbit LD50 270 mg/kg LD50 270 mg/kg DEXPOSURE ROUTE POSURE ROUTE Endpoint Reported type dose Rat 250 mg/L	Rabbit LD ₅₀ 270 mg/kg None reported Exposure Route Endpoint type Rat 250 mg/L 4 hours	Rabbit LD50

Inhalation (Gas) Exposure Route

CAS#: 50-00-0

If available, see data below

Product Specific Target Organ Toxicity Single Exposure Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Ingredient Specific Target Organ Toxicity Single Exposure Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
Chemical name	type	dose	time	Toxicological effects	sources for data
Ammonium sulfate (<1%)	Man TDLo	1500 mg/kg	None reported	Gastrointestinal Gas	RTECS (Registry of Toxic Effects of Chemical
CAS#: 7783-20-2 Formaldehyde (<0.1%) CAS#: 50-00-0	Human LDLo	70 mg/kg	None reported	Gastrointestinal Kidney, Ureter, or Bladder Liver Other changes Ulcerated stomach Other changes	Substances) RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Ammonium sulfate (<1%) CAS#: 7783-20-2	Domestic mammal - Not specified LDLo	3500 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory stimulation	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TD∟₀	643 mg/kg	None reported	Gastrointestinal Lungs, Thorax, or Respiration Nausea or vomiting Respiratory obstruction Ulcerated stomach	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route Inhalation (Dust/Mist) Exposure Route Inhalation (Vapor) Exposure Route Inhalation (Gas) Exposure Route If available, see data below If available, see data below If available, see data below If available, see data below

Aspiration toxicity

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

If available, see data below

	Chemical name	Test method	Species	Reported	Exposure	Results	Key literature
--	---------------	-------------	---------	----------	----------	---------	----------------

ENG / AGHS Page 9/19

Product Name StablCal® Standard, 800 NTU **Revision Date** 20-Oct-2017

Page 10 / 19

			dose	time		references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Organization for Economic Co-operation and Development (OECD) - Test 404: Acute Dermal Corrosion/Irritation	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	500 mg	4 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	800 mg	20 hours	Not corrosive or irritating to skin	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

If available, see data below

ii avallable, see data b	EIOW					
Chemical name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Standard Draize Test	Rabbit	100 mg	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Sodium sulfate (<1%) CAS#: 7757-82-6	Standard Draize Test	Rabbit	90 mg	24 hours	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Ammonium sulfate (<1%) CAS#: 7783-20-2	Standard Draize Test	Rabbit	0.050 mL	None reported	Not corrosive or irritating to eyes	ECHA (The European Chemicals Agency)
Formaldehyde (<0.1%) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route Respiratory Sensitization Exposure Route No data available. No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route If available, see data below.

Chemical name	Test method	Species	Results	Key literature references and
				sources for data
Sodium sulfate (<1%) CAS#: 7757-82-6	OECD Test No. 406: Skin Sensitization	Guinea pig	Not confirmed to be a skin sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealands Environmental Risk Management Authority)

Chamical name	Toot mothod	Species	Doculto	V۵
Respiratory Sensitiza	ation Exposure Ro	ute	If available, see data below.	
O/10π. 30-00-0				

Chemical name	Test method	Species	Results	Ke	y literature references and
---------------	-------------	---------	---------	----	-----------------------------

ENG / AGHS Page 10/19

Product Name StablCal® Standard, 800 NTU Revision Date 20-Oct-2017

Page 11 / 19

				sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0		Human	Confirmed to be a respiratory sensitizer	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1%) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

Chronic Toxicity Information

Product Specific Target Organ Toxicity Repeat Dose Data

Oral Exposure Route No data available. **Dermal Exposure Route** No data available. Inhalation (Dust/Mist) Exposure Route No data available. Inhalation (Vapor) Exposure Route No data available. Inhalation (Gas) Exposure Route No data available.

Ingredient Specific Target Organ Toxicity Repeat Exposure Data

Oral Exposure Route If available, see data below If available, see data below **Dermal Exposure Route** Inhalation (Dust/Mist) Exposure Route If available, see data below Inhalation (Vapor) Exposure Route If available, see data below

ilialation (Vapor) L	tposure itout	<u> </u>		ii available, see data belew	
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC⊾₀	0.017 mg/L	0.5 days	Eye Lungs, Thorax, or Respiration Lacrimation Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1%) CAS#: 50-00-0	Human TC∟₀	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Carcinogenicity Data

Oral Exposure Route No data available No data available **Dermal Exposure Route** Inhalation (Dust/Mist) Exposure Route No data available Inhalation (Vapor) Exposure Route No data available Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Chemical name	CAS No.	ACGIH	IARC	NTP	OSHA
1,3,5,7-Tetraazatricyclo[3.	100-97-0	-	-	-	=
3.1.1(3,7)]decane					
Sodium sulfate	7757-82-6	-	-	-	-
Ammonium sulfate	7783-20-2	•	-	-	•
Formaldehyde	50-00-0	A1	Group 1	Known	Χ

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen A1 - Known Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen

ENG / AGHS Page 11 / 19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 12 / 19

OSHA (Occupational Safety and Health Administration of the US Department of	X - Present
Labor)	

Oral Exposure RouteIf available, see data belowDermal Exposure RouteIf available, see data belowInhalation (Dust/Mist) Exposure RouteIf available, see data belowInhalation (Vapor) Exposure RouteIf available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Formaldehyde	Rat	15 mg/L	78 weeks	Olfaction	RTECS (Registry of Toxic
(<0.1%)				Tumors	Effects of Chemical
CAS#: 50-00-0					Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Germ Cell Mutagenicity invitro Data

No data available.

Ingredient Germ Cell Mutagenicity invitro Data

If available, see data below

Chemical name	Test	Cell Strain	Reported	Exposure time	Results	Key literature references and
			dose	ume		sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Cytogenetic analysis	Human HeLa Cell	1 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	Morphological transformation	Hamster kidney	10 mg/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Germ Cell Mutagenicity invivo Data

Oral Exposure Route

Dermal Exposure Route

Inhalation (Dust/Mist) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity invivo Data

Oral Exposure Route

Dermal Exposure Route

If available, see data below

minaration (vapor) =		ii avallabic				
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of
CAS#: 50-00-0						Chemical
						Substances)
Chemical name	Test	Species	Reported	Exposure	Results	Key literature
			dose	time		references and
						sources for data
Formaldehyde	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for	RTECS (Registry
(<0.1%)					mutagenicity	of Toxic Effects of

ENG / AGHS Page 12 / 19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 13 / 19

CAS#: 50-00-0 Chemical Substances)

Inhalation (Gas) Exposure Route

If available, see data below

Product Reproductive Toxicity Data

Oral Exposure RouteNo data availableDermal Exposure RouteNo data availableInhalation (Dust/Mist) Exposure RouteNo data availableInhalation (Vapor) Exposure RouteNo data availableInhalation (Gas) Exposure RouteNo data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route If available, see data below

Chemical name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
	type	dose	time		sources for data
Sodium sulfate	Mouse	14000 mg/kg	4 days	Effects on Newborn	RTECS (Registry of Toxic
(<1%)	TDLo			Other neonatal measures or	Effects of Chemical
CAS#: 7757-82-6				effects	Substances)

Inhalation (Dust/Mist) Exposure RouteIf available, see data belowInhalation (Vapor) Exposure RouteIf available, see data below

Chemical name **Endpoint** Reported Exposure **Toxicological effects** Key literature references and type dose time sources for data Formaldehyde Rat 14 days Effects on Embryo or Fetus RTECS (Registry of Toxic 40 mg/L Effects of Chemical (<0.1%)TC_{Lo} Fetotoxicity (except death e.g. CAS#: 50-00-0 stunted fetus) Substances) Chemical name **Toxicological effects** Key literature references and **Endpoint** Reported **Exposure** time dose sources for data type 24 weeks Effects on Embryo or Fetus RTECS (Registry of Toxic Formaldehyde Rat .001 mg/L TC_{Lo} Cytological changes (including Effects of Chemical (<0.1%)

Inhalation (Gas) Exposure Route

If available, see data below

somatic cell genetic material)

Substances)

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product Ecological Data

CAS#: 50-00-0

Aquatic toxicity

FishNo data availableCrustaceaNo data availableAlgaeNo data available

Ingredient Ecological Data

Aquatic toxicity

Fish If available, see ingredient data below

in an amater, out might and it are in					
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	96 hours	Alburnus alburnus	LC50	> 10000 mg/L	Vendor SDS
Sodium sulfate (<1%) CAS#: 7757-82-6	96 hours	None reported	LC50	56 mg/L	IUCLID (The International Uniform Chemical Information Database)
Ammonium sulfate	96 hours	Oncorhynchus mykiss	LC ₅₀	36.7 mg/L	GESTIS (Information System on

ENG / AGHS Page 13/19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 14 / 19

(<1%) CAS#: 7783-20-2					Hazardous Substances of the German Social Accident Insurance)
Formaldehyde (<0.1%) CAS#: 50-00-0	96 hours	Morone saxatilis	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)

Crustacea	Crustacea If available, see ingredient data below							
Chemical name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data			
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	48 Hours	Daphnia magna	EC50	> 36000 mg/L	EPA (United States Environmental Protection Agency)			
Sodium sulfate (<1%) CAS#: 7757-82-6	48 Hours	Daphnia magna	EC50	3150 mg/L	IUCLID (The International Uniform Chemical Information Database)			
Ammonium sulfate (<1%) CAS#: 7783-20-2	48 Hours	None reported	LC ₅₀	14 mg/L	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)			
Formaldehyde (<0.1%) CAS#: 50-00-0	48 Hours	Daphnia pulex	EC50	5.8 mg/L	PEEN (Pan European Ecological Network)			

Algae

If available, see ingredient data below

Other Information

Canadian Environmental Protection Act (CEPA) - Domestic Substances List (DSL):	
Environmentally Hazardous Substances Categorizations	

Chemical name	Category	Persistent	Bioaccumulation	Inherently Toxic to Aquatic Organisms
Ammonium sulfate (<1%) CAS#: 7783-20-2	Inorganics	Yes	No	Yes

Persistence and degradability

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Chemical name	Test method	Biodegradation	Exposure time	Results
1,3,5,7-Tetraazatricyc lo[3.3.1.1(3,7)]decan e (5 - 10%) CAS#: 100-97-0	•	70%	28 days	Readily biodegradable Not readily biodegradable

Bioaccumulation

Product Bioaccumulation Data If available, see ingredient data below.

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Bioaccumulation Data

No data available

	Chemical name	Test method	Exposure	Species	Bioconcentrat	Results
--	---------------	-------------	----------	---------	---------------	---------

ENG / AGHS Page 14/19

Product Name StablCal® Standard, 800 NTU **Revision Date** 20-Oct-2017

Page 15 / 19

		time		ion factor (BCF)	
Formaldehyde (<0.1%) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumula te

Chemical name	Partition Coefficient (n-octanol/water)	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	$log K_{ow} = -2.1$	No information available
Sodium sulfate (<1%) CAS#: 7757-82-6	log K _{ow} = -3	No information available
Formaldehyde (<0.1%) CAS#: 50-00-0	$log K_{ow} = 0.35$	No information available

Mobility

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Water solubility

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical name	Soil Organic Carbon-Water Partition Coefficient	Method
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane (5 - 10%) CAS#: 100-97-0	No data available	No information available
Sodium sulfate (<1%) CAS#: 7757-82-6	log K _{oc} = -1.4	Estimation through KOCWIN v2.00 part of the Estimation Programs Interface (EPI) Suite™
Formaldehyde (<0.1%) CAS#: 50-00-0	log K _{oc} = 0.89	No information available

Chemical name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane CAS#: 100-97-0	Completely soluble	667000 mg/L	20 °C	68 °F
Sodium sulfate CAS#: 7757-82-6	Completely soluble	160000 mg/L	20 °C	68 °F
Ammonium sulfate CAS#: 7783-20-2	Completely soluble	767000 mg/L	25 °C	77 °F
Formaldehyde CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

ENG / AGHS Page 15/19

Product Name StablCal® Standard, 800 NTU Revision Date 20-Oct-2017

Page 16 / 19

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national, and local laws and

regulations.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number Not applicable, U122

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde	U122	Included in waste	-	U122
50-00-0		streams: K009, K010,		
		K038, K040, K156, K157		

14. TRANSPORT INFORMATION

U.S. DOT Not regulated

Special Provisions

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies.

If the item is part of a reagent set or kit the classification would change to the following:

UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III.

If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies **ENCS** Complies **IECSC** Complies **KECL** Complies Complies **PICCS** Complies TCSI **AICS** Complies **NZIoC** Complies

ENG / AGHS Page 16/19

Product Name StablCal® Standard, 800 NTU Revision Date 20-Oct-2017

Page 17 / 19

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TCSI - Taiwan Chemical Substances Inventory

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Ammonium sulfate (CAS #: 7783-20-2)	1.0	
Formaldehyde (CAS #: 50-00-0)	0.1	

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Formaldehyde	100 lb	-	-	X
50-00-0				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Formaldehyde	100 lb	100 lb	RQ 100 lb final RQ
50-00-0			RQ 45.4 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical name	U.S Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues
Formaldehyde (<0.1%) CAS#: 50-00-0	Release - Toxic (solution)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

ENG / AGHS Page 17 / 19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 18 / 19

Chemical name	California Proposition 65	
Formaldehyde (CAS #: 50-00-0)	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
1,3,5,7-Tetraazatricyclo[3.3.1.1(X	-	-
3,7)]decane			
100-97-0			
Sodium sulfate	-	X	X
7757-82-6			
Ammonium sulfate	-	X	X
7783-20-2			
Formaldehyde	X	X	X
50-00-0			

U.S. EPA Label Information

Chemical name	FIFRA	FDA
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane	180.0910	-
Sodium sulfate	-	21 CFR 186.1797
Ammonium sulfate	180.0910	21 CFR 184.1143

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Special Comments

None

Additional information

Global Automotive Declarable Substance List (GADSL)

Chemical name	Global Automotive Declarable	Global Automotive Declarable	
	Substance List Classifications	Substance List Thersholds	
1,3,5,7-Tetraazatricyclo[3.3.1.1(3,7)]decane 100-97-0	Declarable Substance (FI)	0.1 %	
Formaldehyde	Declarable Substance (FI)	0.0 %	
50-00-0	Prohibited Substance (LR)	0.1 %	
	Declarable Substance (LR)		

NFPA and HMIS Classifications

NFPA	Health hazards - 2	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 2	Flammability - 0	Physical Hazards - 0	Personal protection - X
				- See section 8 for more
				information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH Immediately Dangerous to Life or Health

ACGIH (American Conference of Governmental Industrial Hygienists)

NDF no data

<u>Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

ENG / AGHS Page 18/19

Product Name StablCal® Standard, 800 NTU

Revision Date 20-Oct-2017

Page 19/19

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

X Listed Vacated These values have no official status. The only

binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state

regulations.

SKN* Skin designation SKN+ Skin sensitization
RSP+ Respiratory sensitization ** Hazard Designation
C Carcinogen R Reproductive toxicant

M mutagen

Prepared By Hach Product Compliance Department

Issue Date 21-Jun-2016

Revision Date 20-Oct-2017

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2017

End of Safety Data Sheet

ENG / AGHS Page 19 / 19