

World Headquarters  
Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

MSDS No: M00436

# MATERIAL SAFETY DATA SHEET

---

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Sulfuric Acid Standard Solution, 1.00 N

**Catalog Number:** 127053

Hach Company  
P.O.Box 389  
Loveland, CO USA 80539  
(970) 669-3050

Emergency Telephone Numbers:  
(Medical and Transportation)  
(303) 623-5716 24 Hour Service  
(515)232-2533 8am - 4pm CST

**MSDS Number:** M00436

**Chemical Name:** Not applicable

**CAS Number:** Not applicable

**Additional CAS No. (for hydrated forms):** Not applicable

**Chemical Formula:** Not applicable

**Chemical Family:** Mixture

**Intended Use:** Laboratory Reagent Standard solution

---

## 2. HAZARDS IDENTIFICATION

**GHS Classification:**

**Hazard categories:** Corrosive to Metals: Met. Corr. 1 Serious Eye Damage/Eye Irritation: Eye Dam. 1

**GHS Label Elements:**

DANGER



**Hazard statements:** May be corrosive to metals. Causes serious eye damage.

**Precautionary statements:** Wear eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage.

**HMIS:**

**Health:** 3

**Flammability:** 0

**Reactivity:** 1

**Protective Equipment:** X - See protective equipment, Section 8.

**NFPA:**

**Health:** 3

**Flammability:** 0

**Reactivity:** 1

**Symbol:** Not applicable

**WHMIS Hazard Classification:** Class E - Corrosive material Class D, Division 2, Subdivision A - Very toxic materials (other toxic effects)

**WHMIS Symbols:** Corrosive Other Toxic Effects

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous Components according to GHS:**

**Sulfuric Acid**

**CAS Number:** 7664-93-9

**Chemical Formula:** H<sub>2</sub>SO<sub>4</sub>

**GHS Classification:** Met. Corr. 1 H290; Skin Corr. 1A, H314; Aquatic Acute 3, H402

**Percent Range:** 1.0 - 5.0

**Percent Range Units:** weight / volume

**PEL:** 1 mg/m<sup>3</sup>

**TLV:** 1 mg/m<sup>3</sup>

**WHMIS Symbols:** Acute Poison Corrosive

#### **Glutaric dialdehyde**

**CAS Number:** 111-30-8

**Chemical Formula:** C<sub>5</sub>H<sub>8</sub>O<sub>2</sub>

**GHS Classification:** Acute Tox. 3 - Inh, H331; Acute Tox. 3 - Orl, H301; Skin Corr. 1B, H314; Resp. Sens. 1, H334;

Skin Sens. 1, H317; Aquatic Acute 1, H400

**Percent Range:** < 0.1

**Percent Range Units:** weight / weight

**PEL:** Not established

**TLV:** Not established

**WHMIS Symbols:** Acute Poison

**Hazardous Components according to GHS:** No

#### **Demineralized Water**

**CAS Number:** 7732-18-5

**Chemical Formula:** H<sub>2</sub>O

**GHS Classification:** Non hazardous

**Percent Range:** 90.0 - 100.0

**Percent Range Units:** volume / volume

**PEL:** Not established

**TLV:** Not established

**WHMIS Symbols:** Not applicable

---

## **4. FIRST AID MEASURES**

**General Information:** In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

**Advice to doctor:** Treat symptomatically.

**Eye Contact:** Immediately flush eyes with water for 15 minutes. Call physician.

**Skin Contact (First Aid):** Wash skin with plenty of water for 15 minutes. Call physician immediately.

**Inhalation:** Remove to fresh air.

**Ingestion (First Aid):** Do not induce vomiting. Give 1-2 glasses of water. Never give anything by mouth to an unconscious person. Call physician immediately.

---

## **5. FIRE FIGHTING MEASURES**

**Flammable Properties:** During a fire, corrosive and toxic gases may be generated by thermal decomposition.

**Fire Fighting Instruction:** As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

**Extinguishing Media:** Dry chemical. Do NOT use water.

**Extinguishing Media NOT To Be Used:** Do NOT use water.

**Fire / Explosion Hazards:** None reported

**Hazardous Combustion Products:** This material will not burn.

---

## **6. ACCIDENTAL RELEASE MEASURES**

**Spill Response Notice:**

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and

guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

**Containment Technique:** Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

**Clean-up Technique:** If permitted by regulation, Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Dispose of material in government approved hazardous waste facility. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

**Evacuation Procedure:** Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

**DOT Emergency Response Guide Number:** 154

---

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with eyes. Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

**Storage:** Keep container tightly closed when not in use.

**Flammability Class:** Not applicable

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Maintain general industrial hygiene practices when using this product.

**Personal Protective Equipment:**

**Eye Protection:** safety glasses with top and side shields

**Skin Protection:** lab coat, disposable latex gloves. In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

**Inhalation Protection:** adequate ventilation

**Precautionary Measures:** Avoid contact with: eyes. Do not breathe: mist/vapor. Wash thoroughly after handling.

**TLV:** Not established

**PEL:** Not established

**For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:**

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear, colorless

**Physical State:** Liquid

**Molecular Weight:** Not applicable

**Odor:** None

**Odor Threshold:** Not applicable

**pH:** < 0.5

**Metal Corrosivity:**

**Corrosivity Classification:** Classified as corrosive to metals.

**Steel:** 1.16 in/yr (29.5 mm/yr)

**Aluminum:** 0.40 in/yr (10.16 mm/yr)

**Specific Gravity/ Relative Density (water = 1; air = 1):** 0.990

**Viscosity:** Not determined

**Solubility:**

**Water:** Miscible.

**Acid:** Miscible.

**Other:** Not determined.

**Partition Coefficient (n-octanol / water):** Not applicable

**Coefficient of Water / Oil:** Not applicable

**Melting Point:** Not applicable

**Decomposition Temperature:** Not determined

**Boiling Point:** ~ 100°C (~212°F)

**Vapor Pressure:** Not determined.

**Vapor Density (air = 1):** Not determined.

**Evaporation Rate (water = 1):** 0.56

**Volatile Organic Compounds Content:** None.

**Flammable Properties:** During a fire, corrosive and toxic gases may be generated by thermal decomposition.

**Flash Point:** Not applicable

**Method:** Not applicable

**Flammability Limits:**

**Lower Explosion Limits:** Not applicable

**Upper Explosion Limits:** Not applicable

**Autoignition Temperature:** Not applicable

**Explosive Properties:**

Not classified according to GHS criteria.

**Oxidizing Properties:**

Not classified according to GHS criteria.

**Reactivity Properties:**

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

**Gas under Pressure:**

Not classified according to GHS criteria.

---

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable when stored under proper conditions.

**Mechanical Impact:** None reported

**Static Discharge:** None reported.

**Reactivity / Incompatibility:** Incompatible with: caustics

**Hazardous Decomposition:** Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides

**Conditions to Avoid:** Extreme temperatures Heating to decomposition.

---

## 11. TOXICOLOGICAL INFORMATION

**Toxicokinetics, Metabolism and Distribution:** No information available for mixture.

**Toxicologically Synergistic Products:** None reported

**Acute Toxicity:** Acute Toxicity Estimate (ATE) - Calculated from Ingredient Toxicity Data

ATE (Mix) Oral LD50 = 41418 mg/Kg

ATE (mix) Inhalation LC50 = 1935.41 mg/L

**Specific Target Organ Toxicity - Single Exposure (STOT-SE):** Based on classification principles, the classification criteria are not met.

**Specific Target Organ Toxicity - Repeat Exposure (STOT-RE):** Based on classification principles, the classification criteria are not met.

**Skin Corrosion/Irritation:** Not corrosive or irritating to skin.

Skin corrosivity testing on 5.25N H2SO4 showed very slight erythema after 3 minute, 1 hour and 4 hour exposure. Results: not corrosive or irritating to skin. Using this data, this solution, 1.0N H2SO4, is not corrosive or irritating to skin.

**Eye Damage:** Corrosive to eyes.

**Sensitization:** Based on classification principles, the classification criteria are not met.

**CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction):** No germ cell mutagenicity, carcinogenicity or reproductive toxicity data found.

An ingredient of this mixture is: IARC Group 1: Recognized Carcinogen

Sulfuric Acid - The IARC evaluation was based on exposure to the mist or vapor of concentrated sulfuric acid generated during chemical processes.

This product does NOT contain any NTP listed chemicals.

O.S.H.A. Listed: No

**Symptoms/Effects:**

**Ingestion:** May cause: irritation of the mouth and esophagus

**Inhalation:** May cause: irritation of nose and throat difficult breathing mouth soreness teeth erosion

**Skin Absorption:** None Reported

**Chronic Effects:** Chronic overexposure may cause cancer

**Medical Conditions Aggravated:** Pre-existing: Eye conditions Respiratory conditions

---

## 12. ECOLOGICAL INFORMATION

**Product Ecological Information:** --

No ecological data available for this product. Mobility in soil: No data available

**Ingredient Ecological Information:** Sulfuric Acid: 96 hr Lepomis macrochirus LC50 = 16-28 mg/L; 24 hr LC50 = 82 mg/L; 48 hr Crangon crangon EC50 = 70-80 mg/L

Glutaric dialdehyde: 96 hr Fish LC50 = 3.5 mg/L; 48 hr Crustaceans EC50 = 0.75 mg/L  
CEPA Statement: Sulfuric Acid: Persistent, not bioaccumulative or inherently toxic to aquatic organisms.

---

### 13. DISPOSAL CONSIDERATIONS

**EPA Waste ID Number:** D002

**Special Instructions (Disposal):** Work in an approved fume hood. Dilute material with excess water making a weaker than 5% solution. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system.

**Empty Containers:** Rinse three times with an appropriate solvent. Dispose of empty container as normal trash.

**NOTICE (Disposal):** These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

---

### 14. TRANSPORT INFORMATION

**D.O.T.:**

**D.O.T. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
( <10% Sulphuric Acid in Solution)

**Hazard Class:** 8

**Subsidiary Risk:** NA

**ID Number:** UN3264

**Packing Group:** III

**T.D.G.:**

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
( <10% Sulphuric Acid in Solution)

**Hazard Class:** 8

**Subsidiary Risk:** NA

**UN Number/PIN:** 3264

**Packing Group:** III

**I.C.A.O.:**

**I.C.A.O. Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
( <10% Sulphuric Acid in Solution)

**Hazard Class:** 8

**Subsidiary Risk:** NA

**ID Number:** UN3264

**Packing Group:** III

**I.M.O.:**

**Proper Shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S.  
( <10% Sulphuric Acid in Solution)

**Hazard Class:** 8

**Subsidiary Risk:** NA

**ID Number:** UN3264

**Packing Group:** III

**Additional Information:** There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

---

### 15. REGULATORY INFORMATION

**U.S. Federal Regulations:**

**O.S.H.A.:** This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

**E.P.A.:**

**S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370):** Immediate (Acute) Health Hazard Reactive  
Delayed (Chronic) Health Hazard

**S.A.R.A. Title III Section 313 (40 CFR 372):** This product contains a chemical(s) subject to the reporting requirements of Section 313 of Title III of SARA.

Sulfuric acid (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size.)

**302 (EHS) TPQ (40 CFR 355):** Sulfuric Acid 1000 lbs.

**304 CERCLA RQ (40 CFR 302.4):** Sulfuric Acid 1000 lbs.

**304 EHS RQ (40 CFR 355):** Sulfuric Acid - RQ 1000 lbs.

**Clean Water Act (40 CFR 116.4):** Sulfuric acid - RQ 1000 lbs.

**RCRA:** Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

**State Regulations:**

**California Prop. 65:** No Prop. 65 listed chemicals are present in this product.

**Identification of Prop. 65 Ingredient(s):** None

**California Perchlorate Rule CCR Title 22 Chap 33:** Not applicable

**Trade Secret Registry:** Not applicable

**National Inventories:**

**U.S. Inventory Status:** All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

**CAS Number:** Not applicable

**Canadian Inventory Status:** All ingredients of this product are DSL Listed.

**EEC Inventory Status:** All ingredients used to make this product are listed on EINECS / ELINCS.

**Australian Inventory (AICS) Status:** All ingredients are listed.

**New Zealand Inventory (NZIoC) Status:** All components either listed or exempt.

**Korean Inventory (KECI) Status:** All components of this product are either listed, listed as the anhydrous compound or exempt.

**Japan (ENCS) Inventory Status:** All components either listed or exempt.

**China (PRC) Inventory (MEP) Status:** All components either listed or exempt.

---

## 16. OTHER INFORMATION

**References:** 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans. World Health Organization (Volumes 1-42) Supplement 7. France: 1987. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. Outside Testing. Sixth Annual Report on Carcinogens, 1991. U.S. Department of Health and Human Services. Rockville, MD: Technical Resources, Inc. 1991. Technical Judgment. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992.

**Complete Text of H phrases referred to in Section 3:** H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

**Revision Summary:** . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

**Date of MSDS Preparation:**

**Day:** 17

**Month:** June

**Year:** 2014

**MSDS Prepared:** MSDS prepared by Product Compliance Department extension 3350

**CCOHS Evaluation Note:** It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

---

**Legend:**

NA - Not Applicable                      w/w - weight/weight

ND - Not Determined                      w/v - weight/volume

NV - Not Available                        v/v - volume/volume

**USER RESPONSIBILITY:** Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

**THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.**

**HACH COMPANY ©2015**