



Be Right™

SAFETY DATA SHEET

Issue Date 07-Jun-2016

Revision Date 07-Sep-2016

Version 2

Page 1 / 21

1. IDENTIFICATION

Product identifier

Product Name Sulfuric Acid, N/50

Other means of identification

Product Code(s)

2472256
100583

Safety data sheet number M00347

Component of Kits or Sets 0485723; 100583

Recommended use of the chemical and restrictions on use

Recommended Use Standard solution.

Uses advised against None.

Restrictions on use None.

Details of the supplier of the safety data sheet

Manufacturer Address

Hach Company
P.O.Box 389 Loveland, CO 80539 USA
(970) 669-3050

Emergency telephone number

(303) 623-5716 - 24 Hour Service (515)232-2533 - 8am - 4pm CST

Product Information

Chemical Name Not applicable

Formula Not applicable

CAS No Not applicable

Alternate CAS Number Not applicable

NIOSH (RTECS) Number None reported

2. HAZARDS IDENTIFICATION

Classification

Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Signal word - Danger

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 2 / 21



Hazard statements

H318 - Causes serious eye damage EUH208 - May produce an allergic reaction

Precautionary statements

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other Information

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable

Mixture

Percent ranges are used where confidential product information is applicable.

Chemical Name	CAS No	Percent Range	HMRIC #
Sulfuric acid	7664-93-9	0.1 - 1	-
Formaldehyde	50-00-0	<0.1	-
Methyl alcohol	67-56-1	<0.1	-

4. FIRST AID MEASURES

Description of first aid measures

General advice	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If symptoms persist, call a physician.
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED: Rinse Mouth. If symptoms persist, call a physician.
Self-protection of the first aider	Use personal protective equipment as required. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11: TOXICOLOGICAL INFORMATION.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Flammable properties

Substance does not burn.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous combustion products This material will not burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

U.S. Notice	Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.
EC Notice	Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special

Instructions for disposal assistance.

WHMIS Notice

Only persons properly qualified to respond to an emergency involving hazardous substances should respond to a spill involving chemicals. See Section 13, Special Instructions for disposal assistance.

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Do not touch or walk through spilled material. Ventilate affected area. Use personal protective equipment as required.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Avoid release to the environment. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up Neutralize spill if necessary. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Dispose of in accordance with local, state and federal regulations or laws.

Emergency Response Guide Number Not applicable

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

Flammability class Not applicable

Incompatible materials Caustics. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sulfuric acid 0.1 - 1	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³
Formaldehyde <0.1	Ceiling: 0.3 ppm	TWA: 0.75 ppm (vacated) TWA: 3 ppm (vacated) STEL: 10 ppm (vacated) Ceiling: 5 ppm STEL: 2 ppm	IDLH: 20 ppm Ceiling: 0.1 ppm 15 min TWA: 0.016 ppm
Methyl alcohol <0.1	STEL: 250 ppm TWA: 200 ppm	TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm

	S*	(vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m ³ (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m ³ (vacated) SKN*	TWA: 260 mg/m ³ STEL: 250 ppm STEL: 325 mg/m ³
--	----	--	--

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL	New Foundland & Labrador OEL
Sulfuric acid 0.1 - 1	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 0.2 mg/m ³
Formaldehyde <0.1	Ceiling: 1 ppm Ceiling: 1.3 mg/m ³ TWA: 0.75 ppm TWA: 0.9 mg/m ³	TWA: 0.3 ppm Ceiling: 1 ppm SKN+	Ceiling: 0.3 ppm	TWA: 0.5 ppm STEL: 1.5 ppm	RSP+ Ceiling: 0.3 ppm SKN+
Methyl alcohol <0.1	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ SKN*	TWA: 200 ppm STEL: 250 ppm SKN*

Chemical Name	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL	Ontario TWA	Prince Edward Island OEL
Sulfuric acid 0.1 - 1	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
Formaldehyde <0.1	Ceiling: 0.3 ppm SKN+	RSP+ Ceiling: 0.3 ppm SKN+	Ceiling: 0.3 ppm	STEL: 1 ppm Ceiling: 1.5 ppm	Ceiling: 0.3 ppm
Methyl alcohol <0.1	TWA: 200 ppm STEL: 250 ppm SKN*	STEL: 250 ppm TWA: 200 ppm SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	STEL: 250 ppm TWA: 200 ppm

Chemical Name	Quebec OEL	Saskatchewan OEL	Yukon OEL
Sulfuric acid 0.1 - 1	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 0.2 mg/m ³ STEL: 0.6 mg/m ³	STEL: 1 mg/m ³ TWA: 1 mg/m ³
Formaldehyde <0.1	Ceiling: 2 ppm Ceiling: 3 mg/m ³	Ceiling: 0.3 ppm SKN+	Ceiling: 2 ppm Ceiling: 3 mg/m ³
Methyl alcohol <0.1	TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ SKN*	TWA: 200 ppm STEL: 250 ppm SKN*	STEL: 250 ppm STEL: 310 mg/m ³ TWA: 200 ppm TWA: 260 mg/m ³ SKN*

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Legend See section 16 for terms and abbreviations

Appropriate engineering controls

Engineering Controls Showers
 Eyewash stations
 Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear tight sealing safety goggles and/or face protection shield.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 6 / 21

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Wash hands thoroughly after handling. Regular cleaning of equipment, work area and clothing is recommended.

Environmental exposure controls

Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid		
Gas Under Pressure	Not classified according to GHS criteria		
Appearance	aqueous solution	Color	colorless
Odor	None	Odor threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Molecular weight	No data available	
pH	1.8	
Melting point/freezing point	~ 0 °C / 32 °F	Estimation based on theoretical calculation
Boiling point / boiling range	~ 100 °C / 212 °F	Estimation based on theoretical calculation
Evaporation rate	1 (water = 1)	Estimation based on theoretical calculation
Vapor pressure	23.777 mm Hg / 3.17 kPa at 25 °C / 77 °F	Estimation based on theoretical calculation
Vapor density (air = 1)	0.03 (air = 1)	
Specific gravity (water = 1 / air = 1)	0.985	
Partition Coefficient (n-octanol/water)	Not applicable	
Soil Organic Carbon-Water Partition Coefficient	Not applicable	
Autoignition temperature	No data available	
Decomposition temperature	No data available	
Dynamic viscosity	No data available	
Kinematic viscosity	No data available	

Solubility(ies)

Water solubility

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 7 / 21

<u>Water solubility classification</u>	<u>Water solubility</u>	<u>Water Solubility Temperature</u>
Soluble	> 1000 mg/L	25 °C / 77 °F

Solubility in other solvents

<u>Chemical Name</u>	<u>Solubility classification</u>	<u>Solubility</u>	<u>Solubility Temperature</u>
Acid	Soluble	> 1000 mg/L	25 °C / 77 °F

Other Information

Metal Corrosivity	Not classified as corrosive to metal according to GHS criteria
Steel Corrosion Rate	0.87 mm/yr / 0.03 in/yr
Aluminum Corrosion Rate	1.02 mm/yr / 0.04 in/yr
Volatile Organic Compounds (VOC) Content	See ingredients information below.
Bulk density	Not applicable
Explosive properties	Not classified according to GHS criteria.
Explosion data	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Flammable properties	Not classified as flammable according to GHS criteria.
Flammability Limit in Air	
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Flash point	No data available
Method	No information available
Oxidizing properties	Not classified according to GHS criteria.
Reactivity properties	Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

10. STABILITY AND REACTIVITY

Reactivity properties

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria

Chemical stability

Stable under recommended storage conditions.

Special dangers of the product

None reported

Possibility of Hazardous Reactions

None under normal processing.

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 8 / 21

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Extreme temperatures. Exposure to air or moisture over prolonged periods.

Incompatible materials

Caustics. Incompatible with strong acids and bases. Incompatible with oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Explosive properties

Not classified according to GHS criteria.

Upper explosion limit No data available

Lower explosion limit No data available

Autoignition temperature

No data available

Sensitivity to Static Discharge

None reported

Sensitivity to Mechanical Impact

None reported

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information	Corrosive to eyes.
Inhalation	No known effect based on information supplied.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness. Corrosive to eyes.
Skin contact	No known effect based on information supplied.
Ingestion	No known effect based on information supplied.
Aggravated Medical Conditions	Eye disorders.
Toxicologically synergistic products	None known.
Toxicokinetics, metabolism and distribution	See ingredients information below.

Chemical Name	Toxicokinetics, metabolism and distribution
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	The corrosivity of sulfuric acid makes it difficult to assess its effects on metabolism. Its corrosivity is also the main contributor to acute deaths, therefore it is not classified for acute toxicity.
Formaldehyde (<0.1) CAS#: 50-00-0	Readily Absorbed via the respiratory and gastrointestinal routes. Absorbed formaldehyde can be oxidized to formate and carbon dioxide. Half-life of formaldehyde is 1 min in rat plasma.
Methyl alcohol (<0.1) CAS#: 67-56-1	Metabolism of methanol appears to be similar regardless of administrative route. Methanol is converted to formaldehyde, which is converted to formate which is oxidized to carbon dioxide in primates.

Product Acute Toxicity Data

Oral Exposure Route

No data available

Product Code(s) 2472256
 Issue Date 07-Jun-2016
 Version 2

Product Name Sulfuric Acid, N/50
 Revision Date 07-Sep-2016
 Page 9 / 21

Dermal Exposure Route No data available
 Inhalation (Dust/Mist) Exposure Route No data available
 Inhalation (Vapor) Exposure Route No data available
 Inhalation (Gas) Exposure Route No data available

Ingredient Acute Toxicity Data

Oral Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rat LD ₅₀	100 mg/kg	None reported	None reported	No information available
Methyl alcohol (<0.1) CAS#: 67-56-1	Human LD ₅₀	300 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Rat LD ₅₀	2140 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Methyl alcohol (<0.1) CAS#: 67-56-1	Rat LD ₅₀	5628 mg/kg	None reported	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Human LD _{Lo}	70 mg/kg	None reported	Kidney, Ureter, or Bladder Other changes Liver	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Human LD _{Lo}	143 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Human TD _{Lo}	643 mg/kg	None reported	Lungs, Thorax, or Respiration Respiratory obstruction	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Man LD _{Lo}	3.571 mg/kg	None reported	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rabbit LD ₅₀	270 mg/kg	None reported	None reported	GESTIS (Information System on Hazardous Substances of the German Social Accident Insurance)
Methyl alcohol (<0.1) CAS#: 67-56-1	Human LD ₅₀	1000 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1) CAS#: 67-56-1	Rabbit LD ₅₀	15800 mg/kg	None reported	None reported	IUCLID (The International Uniform Chemical Information Database)

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rat LC ₅₀	250 mg/L	4 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Human LC ₅₀	10 mg/L	4 hours	None reported	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Rat LC ₅₀	0.510 mg/L	None reported	None reported	LOLI
Methyl alcohol (<0.1) CAS#: 67-56-1	Rat LC ₅₀	64000 mg/L	6 hours	None reported	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Human TD _{Lo}	0.144 mg/L	4 hours	Lungs, Thorax, or Respiration Dyspnea	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Human TC _{Lo}	300 mg/L	None reported	Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Skin Corrosion/Irritation Data

No data available.

Ingredient Skin Corrosion/Irritation Data

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to skin	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1) CAS#: 50-00-0	Standard Draize Test	Human	0.150 mg	72 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Standard Draize Test	Rabbit	20 mg	24 hours	Skin irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Standard Draize Test	Rabbit	2 mg	24 hours	Corrosive to skin	RTECS (Registry of Toxic Effects of Chemical Substances)

Product Serious Eye Damage/Eye Irritation Data

No data available.

Ingredient Eye Damage/Eye Irritation Data

Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Existing human experience	Human	None reported	None reported	Corrosive to eyes	HSDB (Hazardous Substances Data Bank)
Formaldehyde (<0.1) CAS#: 50-00-0	Rinse Test	Human	1 ppm	6 minutes	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Standard Draize Test	Rabbit	40 mg	None reported	Eye irritant	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test method	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Standard Draize Test	Rabbit	0.750 mg	24 hours	Corrosive to eyes	RTECS (Registry of Toxic Effects of Chemical Substances)

Sensitization Information

Product Sensitization Data

Skin Sensitization Exposure Route No data available.

Respiratory Sensitization Exposure Route No data available.

Ingredient Sensitization Data

Skin Sensitization Exposure Route

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Patch test	Human	Confirmed to be a skin sensitizer	ERMA (New Zealand's Environmental Risk Management Authority)

Respiratory Sensitization Exposure Route

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Test method	Species	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	IgE Specific Immune Response Test	Guinea pig	Confirmed to be a respiratory sensitizer	CICAD (Concise International Chemical Assessment Documents)

Chronic Toxicity Information

Product Repeat Dose Toxicity Data

Oral Exposure Route No data available.

Dermal Exposure Route No data available.

Inhalation (Dust/Mist) Exposure Route No data available.

Inhalation (Vapor) Exposure Route No data available.

Inhalation (Gas) Exposure Route No data available.

Ingredient Repeat Dose Toxicity Data

Product Code(s) 2472256
 Issue Date 07-Jun-2016
 Version 2

Product Name Sulfuric Acid, N/50
 Revision Date 07-Sep-2016
 Page 12 / 21

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Human TC _{Lo}	.003 mg/L	168 days	Musculoskeletal Changes in teeth and supporting structures	RTECS (Registry of Toxic Effects of Chemical Substances)
Formaldehyde (<0.1) CAS#: 50-00-0	Human TC _{Lo}	0.017 mg/L	0.5 days	Eye Lacrimation Lungs, Thorax, or Respiration Other changes	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Human TC _{Lo}	2 mg/L	40 minutes	Lungs, Thorax, or Respiration Other changes Respiratory depression	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route No data available

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Sulfuric acid	7664-93-9	A2	1	X	X
Formaldehyde	50-00-0	A2	Group 1	Known	X
Methyl alcohol	67-56-1	-	-	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)	A2 - Suspected Human Carcinogen
IARC (International Agency for Research on Cancer)	Group 1 - Carcinogenic to Humans
NTP (National Toxicology Program)	Known - Known Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)	X - Present

Product Carcinogenicity Data No data available

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route No data available

Inhalation (Gas) Exposure Route No data available

Ingredient Carcinogenicity Data

Oral Exposure Route No data available

Dermal Exposure Route No data available

Inhalation (Dust/Mist) Exposure Route No data available

Inhalation (Vapor) Exposure Route

Chemical Name	Endpoint	Reported	Exposure	Toxicological effects	Key literature references and
---------------	----------	----------	----------	-----------------------	-------------------------------

Product Code(s) 2472256
 Issue Date 07-Jun-2016
 Version 2

Product Name Sulfuric Acid, N/50
 Revision Date 07-Sep-2016
 Page 13 / 21

	type	dose	time		sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rat	15 mg/L	78 weeks	Olfaction Tumors	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Product Germ Cell Mutagenicity *invitro* Data

No data available.

Ingredient Germ Cell Mutagenicity *invitro* Data

Chemical Name	Test	Cell Strain	Reported dose	Exposure time	Results	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Cytogenetic analysis	Hamster ovary	4 mmol/L	None reported	Positive test result for mutagenicity	No information available
Methyl alcohol (<0.1) CAS#: 67-56-1	DNA inhibition	Human lymphocyte	300 mmol/L	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Germ Cell Mutagenicity *invivo* Data

Oral Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1) CAS#: 67-56-1	DNA damage	Rat	0.405 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Methyl alcohol (<0.1) CAS#: 67-56-1	Cytogenetic analysis	Mouse	1000 mg/kg	None reported	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	DNA damage	Rat	0.000035 mg/L	8 weeks	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

						Substances)
--	--	--	--	--	--	-------------

Inhalation (Vapor) Exposure Route

Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Micronucleus test	Human	.000985 mg/L	8.5 years	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Test	Species	Reported dose	Exposure time	Results	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Micronucleus test	Human	2 mg/L	15 minutes	Positive test result for mutagenicity	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

Oral Exposure Route

No data available

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Inhalation (Vapor) Exposure Route

No data available

Inhalation (Gas) Exposure Route

No data available

Ingredient Reproductive Toxicity Data

Oral Exposure Route

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1) CAS#: 67-56-1	Rat TD _{Lo}	4118 mg/kg	10 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus) Specific Developmental Abnormalities Ear Eye Urogenital System	RTECS (Registry of Toxic Effects of Chemical Substances)

Dermal Exposure Route

No data available

Inhalation (Dust/Mist) Exposure Route

No data available

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Methyl alcohol (<0.1) CAS#: 67-56-1	Rat TC _{Lo}	0.0026 mg/L	22 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g. stunted fetus)	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Vapor) Exposure Route

Toxicological data for ingredients is not indicative of likely harm.

Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Rabbit TC _{Lo}	.02 mg/L	7 hours	Specific Developmental Abnormalities Musculoskeletal system	No information available
Formaldehyde (<0.1)	Rat TC _{Lo}	40 mg/L	14 days	Effects on Embryo or Fetus Fetotoxicity (except death e.g.	RTECS (Registry of Toxic Effects of Chemical

CAS#: 50-00-0				stunted fetus)	Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rat TC _{Lo}	.001 mg/L	24 weeks	Effects on Embryo or Fetus Cytological changes (including somatic cell genetic material)	RTECS (Registry of Toxic Effects of Chemical Substances)
Methyl alcohol (<0.1) CAS#: 67-56-1	Mouse TC _{Lo}	1500 mg/L	7-9 days	Specific Developmental Abnormalities Central Nervous System	RTECS (Registry of Toxic Effects of Chemical Substances)
Chemical Name	Endpoint type	Reported dose	Exposure time	Toxicological effects	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	Rat TC _{Lo}	.0005 mg/L	19 days	Specific Developmental Abnormalities Musculoskeletal system	RTECS (Registry of Toxic Effects of Chemical Substances)

Inhalation (Gas) Exposure Route

No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Based on the classification principles, not classified as hazardous to the environment.

Product Ecological Data

Aquatic toxicity

Fish

No data available

Crustacea

No data available

Algae

No data available

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available

Ingredient Ecological Data

Aquatic toxicity

Fish

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	96 hours	<i>Morone saxatilis</i>	LC ₅₀	6.7 mg/L	PEEN (Pan European Ecological Network)
Methyl alcohol (<0.1) CAS#: 67-56-1	96 hours	<i>Pimephales promelas</i>	LC ₅₀	15000 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	96 hours	<i>Lepomis macrochirus</i>	LC ₅₀	> 16 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1) CAS#: 50-00-0	96 hours	None reported	LC ₅₀	52.5 mg/L	PEEN (Pan European Ecological Network)

Crustacea

Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Formaldehyde (<0.1) CAS#: 50-00-0	48 Hours	<i>Daphnia pulex</i>	EC ₅₀	5.8 mg/L	PEEN (Pan European Ecological Network)
Methyl alcohol (<0.1) CAS#: 67-56-1	48 Hours	<i>Daphnia magna</i>	EC ₅₀ LC ₅₀	2500 mg/L	IUCLID (The International Uniform Chemical Information Database)
Chemical Name	Exposure time	Species	Endpoint type	Reported dose	Key literature references and sources for data
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	48 hours	<i>Crangon crangon</i>	EC ₅₀	> 70 mg/L	IUCLID (The International Uniform Chemical Information Database)
Formaldehyde (<0.1) CAS#: 50-00-0	48 hours	<i>Daphnia magna</i>	EC ₅₀	29 mg/L	PEEN (Pan European Ecological Network)

Algae

No data available

Terrestrial toxicity

Soil

No data available

Vertebrates

No data available

Invertebrates

No data available

Other Information

Persistence and degradability

None known.

Product Biodegradability Data

If available, see ingredient data below.

Ingredient Biodegradability Data

Test data reported below

Bioaccumulation

If available, see ingredient data below.

Product Bioaccumulation Data

If available, see ingredient data below.

Ingredient Bioaccumulation Data

Chemical Name	Test method	Exposure time	Species	Bioconcentration factor (BCF)	Results
Formaldehyde (<0.1) CAS#: 50-00-0	None reported	None reported	None reported	None reported	Does not have the potential to bioaccumulate

Additional information

Product Code(s) 2472256
 Issue Date 07-Jun-2016
 Version 2

Product Name Sulfuric Acid, N/50
 Revision Date 07-Sep-2016
 Page 17 / 21

Product Information

Partition Coefficient (n-octanol/water)

Not applicable

Ingredient Information

Chemical Name	Partition Coefficient (n-octanol/water)	Method
Formaldehyde (<0.1) CAS#: 50-00-0	log K _{ow} = 0.35	No information available
Methyl alcohol (<0.1) CAS#: 67-56-1	log K _{ow} = -0.7	No information available

Mobility

Mobility in soil: High mobility. If available, see ingredient data below.

Product Information

Soil Organic Carbon-Water Partition Coefficient

Not applicable

Ingredient Information

Chemical Name	Soil Organic Carbon-Water Partition Coefficient	Method
Formaldehyde (<0.1) CAS#: 50-00-0	log K _{oc} = 0.89	No information available
Methyl alcohol (<0.1) CAS#: 67-56-1	log K _{oc} = 0.44	No information available

Additional information

Water solubility

Product Information

Water solubility classification	Water solubility	Water Solubility Temperature
Soluble	> 1000 mg/L	25 °C / 77 °F

Ingredient Information

Chemical Name	Water solubility classification	Water solubility	Water solubility temperature °C	Water solubility temperature °F
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Soluble	> 1000 mg/L	25 °C	77 °F
Formaldehyde (<0.1) CAS#: 50-00-0	Completely soluble	> 40000 mg/L	20 °C	68 °F
Methyl alcohol (<0.1) CAS#: 67-56-1	Soluble	> 1000 mg/L	25 °C	77 °F

Other adverse effects

Contains a substance with an endocrine-disrupting potential.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002, U154 U122

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Formaldehyde 50-00-0	U122	Included in waste streams: K009, K010, K038, K040, K156, K157	-	U122
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	U154

Special instructions for disposal If permitted by regulation. Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. Open cold water tap completely, slowly pour the reacted material to the drain. Flush system with plenty of water. Dispose of material in an E.P.A. approved hazardous waste facility.

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Note: No special precautions necessary.

Additional information

There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is not in a reagent set or kit, the classification given above applies. If the item is part of a reagent set or kit the classification would change to the following: UN3316 Chemical Kit, Hazard Class 9, Packing Group II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

National Inventories

TSCA Complies
DSL/NDSL Complies

TSCA- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL- Canadian Domestic Substances List/Non-Domestic Substances List

International Inventories

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies
KECL Complies
PICCS Complies

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 19 / 21

TCSI Complies
AICS Complies
NZIoC Complies

EINECS/ELINCS- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS- Japan Existing and New Chemical Substances
IECSC- China Inventory of Existing Chemical Substances
KECL- Korean Existing and Evaluated Chemical Substances
PICCS- Philippines Inventory of Chemicals and Chemical Substances
TCSI- Taiwan Chemical Substances Inventory
AICS- Australian Inventory of Chemical Substances
NZIoC- New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Sulfuric acid (CAS #: 7664-93-9)	1.0
Formaldehyde (CAS #: 50-00-0)	0.1
Methyl alcohol (CAS #: 67-56-1)	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	-	-	X
Formaldehyde 50-00-0	100 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sulfuric acid 7664-93-9	1000 lb	1000 lb	RQ 1000 lb final RQ RQ 454 kg final RQ
Formaldehyde 50-00-0	100 lb	100 lb	RQ 100 lb final RQ RQ 45.4 kg final RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Chemical Name	U.S. - Department of Homeland Security - Chemical Facility Anti-Terrorism Standards (CFATS) - Security Issues

Product Code(s) 2472256
 Issue Date 07-Jun-2016
 Version 2

Product Name Sulfuric Acid, N/50
 Revision Date 07-Sep-2016
 Page 20 / 21

Formaldehyde (<0.1) CAS#: 50-00-0	Release - Toxic (solution)
---	----------------------------

U.S. - DEA (Drug Enforcement Administration) List I & List II

Chemical Name	U.S. - DEA (Drug Enforcement Administration) - List I or Precursor Chemicals	U.S. - DEA (Drug Enforcement Administration) - List II or Essential Chemicals
Sulfuric acid (0.1 - 1) CAS#: 7664-93-9	Not Listed	50 gallon Export Volume (Exports, transshipments and international transactions to designated countries)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Formaldehyde (CAS #: 50-00-0)	Carcinogen
Methyl alcohol (CAS #: 67-56-1)	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid 7664-93-9	X	X	X
Formaldehyde 50-00-0	X	X	X
Methyl alcohol 67-56-1	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA and HMIS Classifications

NFPA	Health hazards - 3	Flammability - 0	Instability - 0	Physical and Chemical Properties -
HMIS	Health hazards - 3	Flammability - 0	Physical hazards - 0	Personal protection - X - See section 8 for more information

Key or legend to abbreviations and acronyms used in the safety data sheet

NIOSH IDLH *Immediately Dangerous to Life or Health*
 ACGIH ACGIH (American Conference of Governmental Industrial Hygienists)
 NDF *no data*

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 MAC Maximum Allowable Concentration Ceiling Ceiling Limit Value

Product Code(s) 2472256
Issue Date 07-Jun-2016
Version 2

Product Name Sulfuric Acid, N/50
Revision Date 07-Sep-2016
Page 21 / 21

X	Listed	Vacated	These values have no official status. The only binding levels of contaminants are those listed in the final OSHA PEL. These lists are for reference purposes only. Please note that some reference state regulations of these "liberated" exposure limits in their state regulations.
SKN*	Skin designation	SKN+	Skin sensitization
RSP+	Respiratory sensitization	**	Hazard Designation
C	Carcinogen	R	Reproductive toxicant
M	mutagen		

Prepared By Hach Product Compliance Department

Issue Date 07-Jun-2016

Revision Date 07-Sep-2016

Revision Note None

Disclaimer

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY©2015

End of Safety Data Sheet