

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Total Sequestrant Reagent 2
Catalog Number: 4345097

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00196
Chemical Name: Not applicable
CAS Number: Not applicable
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Not applicable
Chemical Family: Inorganic Acid
Intended Use: Laboratory Reagent Standard solution

2. HAZARDS IDENTIFICATION

GHS Classification:

Hazard categories: Corrosive to Metals: Met. Corr. 1 Skin Corrosion/Irritation: Skin Corr. 1B Specific Target Organ Toxicity - Single Exposure: STOT SE 3

GHS Label Elements:

DANGER



Hazard statements: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.

Precautionary statements: Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear eye protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim/person to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Absorb spillage to prevent material damage.

HMIS:

Health: 3

Flammability: 0

Reactivity: 1

Protective Equipment: X - See protective equipment, Section 8.

NFPA:

Health: 3

Flammability: 0

Reactivity: 1

Symbol: Not applicable

WHMIS Hazard Classification: Class E - Corrosive material

WHMIS Symbols: Corrosive

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:

Hydrochloric Acid

CAS Number: 7647-01-0

Chemical Formula: HCl

GHS Classification: Met. Corr. 1, H290; Acute Tox. 4-Orl, H302; Acute Tox. 5-Inh, H333; Skin Corr. 1B, H314; STOT Single 3, H335

Percent Range (Trade Secret): 15.0 - 25.0

Percent Range Units: weight / weight

PEL: 5 ppm ceiling

TLV: 5 ppm ceiling

WHMIS Symbols: Corrosive

Hazardous Components according to GHS: No

Demineralized Water

CAS Number: 7732-18-5

Chemical Formula: H₂O

GHS Classification: Not a dangerous substance according to GHS.

Percent Range (Trade Secret): 40.0 - 50.0

Percent Range Units: weight / weight

PEL: Not established

TLV: Not established

WHMIS Symbols: Not applicable

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician immediately.

Skin Contact (First Aid): Wash skin with plenty of water for 15 minutes. Remove contaminated clothing. Call physician immediately.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. If you feel unwell, contact a physician. If concerned contact a physician.

Ingestion (First Aid): Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with plenty of water. Give large quantities of water. Call physician immediately.

5. FIRE FIGHTING MEASURES

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear. Evacuate area and fight fire from a safe distance.

Extinguishing Media: Water. Dry chemical. Carbon dioxide. Alcohol-resistant foam

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: Contact with metals gives off hydrogen gas which is flammable. May react violently with: alkalis

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance.

Containment Technique: Absorb spilled liquid with non-reactive sorbent material. Stop spilled material from being released to the environment.

Clean-up Technique: Cover spilled material with an alkali, such as soda ash or sodium bicarbonate. Scoop up slurry into a large beaker. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Flush reacted material to the drain with a large excess of water. Otherwise, Decontaminate the area of the spill with a soap solution. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate general area (50 foot radius or as directed by your facility's emergency response plan) when: a gallon or more of liquid is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: 157

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin clothing Do not breathe mist or vapors. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Store away from: alkalies metals

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Have a safety shower nearby. Maintain adequate ventilation to keep vapor level below TWA for chemicals in this product. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: chemical splash goggles

Skin Protection: lab coat neoprene latex gloves In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it.

Inhalation Protection: laboratory fume hood

Precautionary Measures: Avoid contact with: eyes skin clothing Do not breathe: mist/vapor Wash thoroughly after handling. Keep away from: metals bases

TLV: 5 ppm ceiling

PEL: 5 ppm ceiling

For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, colorless

Physical State: Liquid

Molecular Weight: 36.5

Odor: Pungent

Odor Threshold: 10 ppm

pH: < 0.5

Metal Corrosivity:

Corrosivity Classification: Classified as corrosive to metals.

Steel: 1.354 in/yr

Aluminum: 849.30 in/yr

Specific Gravity/ Relative Density (water = 1; air =1): 1.093

Viscosity: 1.37 mPa·s

Solubility:

Water: Soluble

Acid: Soluble

Other: Soluble in sodium hydroxide solutions

Partition Coefficient (n-octanol / water): Not applicable

Coefficient of Water / Oil: Not applicable

Melting Point: -59 °C (-74 °F)

Decomposition Temperature: Not determined

Boiling Point: 109 °C (228 °F)

Vapor Pressure: 10.5 mm Hg at 20 °C (68 °F)

Vapor Density (air = 1): 0.6

Evaporation Rate (water = 1): 0.34

Volatile Organic Compounds Content: Not applicable

Flammable Properties: Not Flammable, but reacts with most metals to form flammable hydrogen gas. During a fire, corrosive and toxic gases may be generated by thermal decomposition.

Flash Point: Not applicable

Method: Not applicable

Flammability Limits:

Lower Explosion Limits: Not applicable

Upper Explosion Limits: Not applicable

Autoignition Temperature: Not applicable

Explosive Properties:

Not classified according to GHS criteria.

Oxidizing Properties:

Not classified according to GHS criteria.

Reactivity Properties:

Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.

Gas under Pressure:

Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.

Mechanical Impact: None reported

Static Discharge: None reported.

Reactivity / Incompatibility: May react violently in contact with: sodium nitrate metals strong bases

Hazardous Decomposition: Contact with metals may release flammable hydrogen gas. Heating to decomposition releases toxic and/or corrosive fumes of: hydrogen chloride

Conditions to Avoid: Contact with water or steam. Contact with oxidizers Excessive heat Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: Summary of findings reported in the literature follow.

Low concentrations of hydrochloric acid solution do not seem to cause adverse effects to animals and its corrosivity may be greatly attributed to any acute deaths, therefore it is not classified for acute toxicity.

Toxicologically Synergistic Products: None reported

Acute Toxicity: Toxicological Testing Route Data Given Below Based on classification principles, the classification criteria are not met.

Oral Rat LD50 = 234 mg/kg

Dermal Rabbit LD50 > 5010 mg/kg; Dermal Mouse LD50 = 1449 mg/kg

Inhalation Rat LC50 = 16.8 mg/L/4 hr

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Target Organs Respiratory Tract

Hydrochloric Acid: Inhalation Human TCLo = 50 mg/m³/Cough and respiratory depression.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Corrosive to skin.

Eye Damage: Corrosive to eyes.

Sensitization: Based on classification principles, the classification criteria are not met.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Based on classification principles, the classification criteria are not met. Data insufficient for classification Summary of findings reported in the literature follow.

Cytogenetic Analysis Hamster Lung - 30 mmol/L; Cytogenetic Analysis Hamster Ovary - 8 mmol/L; DNA Repair

Escherichia coli - 0.025 mg/well;

Inhalation Rat TCLo = 450 mg/m³/1 hr/Fetotoxicity, Specific Developmental Abnormalities: Homeostatis

IARC Group 3: Non-classifiable

Hydrochloric acid

NTP Listed: No
O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: Causes: burns of the mouth and esophagus abdominal pain nausea vomiting

Inhalation: Causes: burns choking teeth erosion

Skin Absorption: None Reported

Chronic Effects: Chronic overexposure may cause erosion of the teeth destruction of any tissue contacted lung damage

Medical Conditions Aggravated: Pre-existing: Respiratory conditions Skin conditions Eye conditions

12. ECOLOGICAL INFORMATION

Product Ecological Information: The environmental hazard for hydrochloric acid is caused by pH. A significant decrease in the pH of receiving water systems is not expected, therefore adverse effects on the aquatic environment are not expected.

Based on classification principles, not classified as hazardous to the environment. No bioaccumulation potential

Mobility in soil: Highly mobile

CEPA Categorization: Persistent, not bioaccumulative or inherently toxic to aquatic organisms.

96 hr *Gambusia affinis* LC50 = 282 mg/L; 48 hr Crustaceans LC50 = 240 mg/L; 48 hr Crustaceans EC50 = 100 mg/L; 48 hr *Daphnia magna* = 0.492 mg/L; 72 hr *Daphnia magna* LC80 = 56 mg/L; 72 hr *Selenastrum capricornutum* ErC50 = 0.492 mg/L

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: D002

Special Instructions (Disposal): Dilute to 3 to 5 times the volume with cold water. Adjust to a pH between 6 and 9 with an alkali, such as soda ash or sodium bicarbonate. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Otherwise, Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Hydrochloric Acid Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1789

Packing Group: II

T.D.G.:

Proper Shipping Name: Hydrochloric Acid Solution

--

Hazard Class: 8

Subsidiary Risk: NA

UN Number/PIN: 1789

Packing Group: II

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Hydrochloric Acid Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1789

Packing Group: II

I.M.O.:

Proper Shipping Name: Hydrochloric Acid Solution

--

Hazard Class: 8

Subsidiary Risk: NA

ID Number: UN1789

Packing Group: II

Marine Pollutant:

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard Reactive

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Hydrochloric Acid 5000 lbs.

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Hydrochloric Acid - RQ 5000 lbs.

RCRA: Contains RCRA regulated substances. See Section 13, EPA Waste ID Number.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): Not applicable

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: All ingredients in this product are listed on the TSCA 8(b) Inventory (40 CFR 710).

CAS Number: Not applicable

Canadian Inventory Status: DSL Listed: Yes

EEC Inventory Status: All ingredients used to make this product are listed on EINECS / ELINCS.

Australian Inventory (AICS) Status: All ingredients are listed.

New Zealand Inventory (NZIoC) Status: All components either listed or exempt.

Korean Inventory (KECI) Status: All components of this product are either listed, listed as the anhydrous compound or exempt.

Japan (ENCS) Inventory Status: All components either listed or exempt.

China (PRC) Inventory (MEP) Status: All components either listed or exempt.

16. OTHER INFORMATION

References: TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Technical Judgment. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. List of Dangerous Substances Classified in Annex I of the EEC Directive (67/548) - Classification, Packaging and Labeling of Dangerous Substances, Amended July 1992. In-house information. Fire Protection Guide on

Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Fire Protection Guide on Hazardous Materials, 10th Ed. Quincy, MA: National Fire Protection Association, 1991. CCINFO MSDS/FTSS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. CCINFO RTECS. Canadian Centre for Occupational Health and Safety. Hamilton, Ontario Canada: 30 June 1993. Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). EU Occupational Exposure Limits On Line.

Complete Text of H phrases referred to in Section 3: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation.

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3). Updates in Section(s) 15,

Date of MSDS Preparation:

Day: 19

Month: August

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under exemption from WHMIS labeling as specified in the Controlled Products Regulation (CPR) Section 17. It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3). This SDS has been prepared in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015