

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Phenolphthalein Indicator**Manufacturer/Supplier Article number:** DU409249**Recommended uses of the product and restrictions on use:** Laboratory chemicals**Manufacturer Details:**

AquaPhoenix Scientific
860 Gitts Run Road,
Hanover, PA 17331
(717) 632-1291

Supplier Details:

Dubois Chemicals Inc.
3630 East Kemper Rd, Cincinnati, OH 45241
(800) 438-2647

Emergency telephone number:

Emergency Phone No. (800) 255-3924

SECTION 2: Hazards identification**Classification of the substance or mixture:****Flammable****Irritant****Health hazard**

Acute toxicity (inhalation), category 4
Flammable liquids, category 3

Eye irritation, category 2A
Specific target organ toxicity - single exposure, category 1
Specific target organ toxicity - single exposure, category 3, central nervous system
Acute toxicity (oral), category 4
Acute toxicity (dermal), category 4

Signal word: Danger**Hazard statements:**

Highly flammable liquid and vapor.
Harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.
Causes serious eye irritation.
Causes damage to organs.
May cause drowsiness or dizziness.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator****Precautionary statements:**

Wear protective gloves/protective clothing/eye protection/face protection.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Wash skin thoroughly after handling.
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/light/equipment.
 If exposed: Call a poison center or doctor/physician.
 Wash contaminated clothing before reuse.
 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.
 In case of fire: Use agents recommended in section 5 for extinction.
 If swallowed: Call a poison center or doctor/physician if you feel unwell.
 Rinse mouth.
 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
 Specific treatment (see supplemental first aid instructions on this label).
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
 If eye irritation persists get medical advice/attention.
 Store in a well ventilated place. Keep container tightly closed.
 Store in a well ventilated place. Keep cool.
 Store locked up.
 Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 67-56-1	Methanol	12.5 %
CAS 64-17-5	Ethanol	12.5 %
CAS 67-63-0	Isopropanol	25 %
CAS 77-09-8	Phenolphthalein	0.5 %
CAS 7732-18-5	Water (DI)	50 %
Percentages are by weight		

SECTION 4: First aid measures**Description of first aid measures****After inhalation:**

Take affected persons out into the fresh air. Seek immediate medical advice. Provide oxygen treatment if affected person has difficulty breathing. In case of irregular breathing or respiratory arrest provide artificial

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

respiration.

After skin contact:

Immediately remove any clothing soiled by the product. Flush with water for 15 minutes. Seek immediate medical attention or advice.

After eye contact:

Protect unharmed eye. Flush with water for 15 minutes. Seek immediate medical attention or advice.

After swallowing:

Do not induce vomiting; call for medical help immediately. Symptoms of poisoning may even occur after several hrs.; therefore, medical observation for at least 48 hrs. after the accident. Have exposed individual drink sips of water or milk.

Most important symptoms and effects, both acute and delayed:

Headache. Acidosis. Disorientation. Unconsciousness. Coughing. Breathing difficulty. Dizziness. Gastric or intestinal disorders when ingested. Nausea in case of ingestion. Slight irritant effect on skin and mucous membranes. Irritant to eyes. Blindness.

Indication of any immediate medical attention and special treatment needed:

Contains methanol. Consult literature for specific antidotes. Medical supervision for at least 48 hrs. Monitor circulation, possible shock treatment. If necessary oxygen respiration treatment. Note to physician: Treat symptomatically.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

CO2, powder or water spray. Fight larger fires with water spray.

Unsuitable extinguishing agents:

None.

Special hazards arising from the substance or mixture:

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters:**Protective equipment:**

Wear self-contained respiratory protective device. Wear fully protective suit.

Additional information (precautions):

Eliminate all ignition sources if safe to do so. Use large quantities of foam as it is partially destroyed by the product.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Avoid contact with skin and eyes, and clothing.

Environmental precautions:

Do not allow to enter sewers. Do not allow to enter surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to section 13.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

Used rags or other cleaning materials should be soaked with water and placed in a sealed container. Clean up spills immediately, observing precautions in Section 8. Always obey local regulations. Wash hands after handling. Avoid contact with skin and eyes.

Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage**Precautions for safe handling:**

Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas. Rags, metal wools / cuttings / shavings and waste papers soaked with product must be placed in a sealed metal container rated for flammable waste. Keep ignition sources away - Do not smoke. Flammable gas-air mixtures may form in empty receptacles. Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for receptacles. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed receptacles. Keep container tightly sealed. Store away from combustible materials. Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection**Control parameters:**

67-63-0, Isopropanol, ACGIH TLV: 983 mg/m³.
 67-63-0, Isopropanol, OSHA PEL: 980mg/m³.
 64-17-5, Ethanol, OSHA PEL: 1900mg/m³.
 64-17-5, Ethanol, ACGIH TLV: 1880 mg/m³.
 67-56-1, Methanol, OSHA PEL: 200 ppm.
 67-56-1, Methanol., ACGIH TLV: 200 ppm.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits indicated above. All electrical equipment should comply with the National Electric Code. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment. Take precautionary measures against static discharges. Ensure all national/local regulations are observed. Gas detectors should be used when flammable gases/vapors may be released.

Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection:

Safety glasses.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014

Phenolphthalein Indicator

General hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower: Explosion limit upper:	Product does not present Explosion hazard Not determined
Odor:	Mild alcohol	Vapor pressure at 20°C:	33mmHg @ 20C
Odor threshold:	Not determined	Vapor density:	2.1
pH-value:	8.0 - 8.2	Relative density:	Not determined
Melting/Freezing point:	- 88C	Solubilities:	Soluble in water
Boiling point/Boiling range:	Approx. 82°C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Product is not self-igniting
Evaporation rate:	2.88	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	slightly heavier than water		

SECTION 10: Stability and reactivity**Reactivity:**

Not determined.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Flammable. Toxic fumes may be released if heated above the decomposition point. Reacts violently with oxidizing agents.

Conditions to avoid:

Keep ignition sources away - Do not smoke. Store away from oxidizing agents. Excess heat.

Incompatible materials:

Strong acids. Strong bases. Oxidizers, aldehydes, heat, sparks, open flame, metallic oxides.

Hazardous decomposition products:Carbon oxides (CO, CO₂). Acrid and irritating fumes, including toxic oxides of carbon will heat to combustion.**SECTION 11: Toxicological information****Acute Toxicity:****ATE:** 50ppm.**Oral:**

LD50 rat: 5840 mg/kg (Isopropanol).

Inhalation:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

LC50 rat 83.2 mg/L (Methanol).

Chronic Toxicity:**Oral:**

No testing available.

Dermal:

No testing available.

Inhalation:

No testing available.

Skin corrosion/irritation:

No testing available.

Serious eye damage/irritation:

No testing available.

Respiratory or skin sensitization:

Not classified

Carcinogenicity: No additional information.**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:**

Not classified

Additional toxicological information:

No additional information.

SECTION 12: Ecological information**Ecotoxicity:**

Toxicity to fish , Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 31 mg/l - 96 h.

Persistence and degradability:

Biodegradable.

Bioaccumulative potential:

No further relevant information available.

Mobility in soil:

No further relevant information available.

Other adverse effects:

No further relevant information available.

SECTION 13: Disposal considerations**Waste disposal recommendations:**

Product/containers must not be disposed together with household garbage. Do not allow product to reach

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product. Handle empty containers with care because residual vapors are flammable. Avoid release to the environment. Absorb and containerize for disposal.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

UN1993

Limited Quantity Exception:

9 CFR 173.150 - Exceptions for Class 3 (flammable and combustible liquids).

Bulk:**RQ (if applicable):** None**Proper shipping Name:** Flammable Liquids, N.O.S. (Methanol, Ethanol, Isopropanol), 3.**Hazard Class:** 3**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Flammable Liquids, N.O.S. (Methanol, Ethanol, Isopropanol), 3.**Hazard Class:** 3**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute, Chronic, Fire

SARA Section 313 (Specific toxic chemical listings):

67-56-1 Methanol.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients are listed.

Proposition 65 (California):**Chemicals known to cause cancer:**

77-09-8 Phenolphthalein.

Chemicals known to cause reproductive toxicity for females:

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:64-17-5 Ethanol.
67-56-1 Methanol.**Canada****Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations of this material.

NFPA: 1-2-0**HMIS:** 1-2-0**GHS Full Text Phrases:**

Acute Tox. 4 (Oral) Acute toxicity (oral) Category 4.
 H226 Flammable liquid and vapor.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.
 H341 Suspected of causing genetic defects.
 H350 May cause cancer.
 H361 Suspected of damaging fertility or the unborn child.
 Carc. 1B Carcinogenicity Category 1B.
 Eye Irrit. 2A Serious eye damage/eye irritation Category 2A.
 Eye Irrit. 2B Serious eye damage/eye irritation Category 2B.
 Flam. Liq. 3 Flammable liquids Category 3.
 Muta. 2 Germ cell mutagenicity Category 2.
 Repr. 2 Reproductive toxicity Category 2.
 Skin Irrit. 2 skin corrosion/irritation Category 2.
 STOT SE 3 Specific target organ toxicity (single exposure) Category 3.

Abbreviations and Acronyms:

IMDG International Maritime Code for Dangerous Goods
 DNEL Derived No-Effect Level (REACH)
 PNEC Predicted No-Effect Concentration (REACH)
 DOT US Department of Transportation
 IATA International Air Transportation Association

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 09.16.2014**Phenolphthalein Indicator**

- GHS Globally Harmonized System of Classification and Labelling of Chemicals
ACGIH American Conference of Governmental Industrial Hygienists
CAS Chemical Abstracts Service (division of the American Chemical Society)
NFPA National Fire Protection Association (USA)
HMIS Hazardous Materials Identification System (USA)
WHMIS Workplace Hazardous Materials Information System (Canada)