Page: 1/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

1 Identification

· Product identifier

· Trade name: Molybdenum Inidicator Solvent

Product code: MO1591SS

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 1 H370 Causes damage to the nervous system and optic nerve.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:









GHS02 GHS06 GHS07 GHS08

· Signal word: Danger · Hazard statements:

H225 Highly flammable liquid and vapor.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

H370 Causes damage to the nervous system and optic nerve.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

(Cont'd. on page 2)

Page: 2/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

| | (Cont'd. of page 1) |
|----------------|--|
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting/equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P260 | Do not breathe mist/vapors/spray. |
| P264 | Wash thoroughly after handling. |
| P270 | Do not eat, drink or smoke when using this product. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P310 | If swallowed: Immediately call a poison center/doctor. |
| P330 | Rinse mouth. |
| P303+P361+P353 | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308+P311 | IF exposed or concerned: Call a poison center/doctor. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P361+P364 | Take off immediately all contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use for extinction: Alcohol resistant foam or water spray. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulations. |

[·] Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

| · Compor | nents: | | |
|----------|----------|---|--------|
| 67-56-1 | methanol | Flam. Liq. 2, H225 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331 STOT SE 1, H370 Eye Irrit. 2B, H320 | 40-60% |
| 64-17-5 | Ethanol | ♠ Flam. Liq. 2, H225♠ Eye Irrit. 2A, H319 | 20-40% |

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Provide oxygen treatment if affected person has difficulty breathing.

(Cont'd. on page 3)

Page: 3/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 2)

If experiencing respiratory symptoms: Call a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

Causes eye irritation.

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Dizziness

Acidosis

Blindness

Disorientation

Unconsciousness

· Danger:

May cause neurotoxic effects.

Danger of impaired breathing.

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to the nervous system and optic nerve.

Indication of any immediate medical attention and special treatment needed:

Contains Methyl alcohol / Methanol. Consult literature for specific antidotes.

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Gaseous extinguishing agents

Water fog / haze

Water spray

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 3)

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Protect from heat.

Isolate area and prevent access.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

· Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

(Cont'd. on page 5)

Page: 5/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 4)

Keep containers tightly sealed.

This product is hygroscopic.

· **Specific end use(s)** No relevant information available.

8 Exposure controls/personal protection

· Control parameters

| · Components w | · Components with limit values that require monitoring at the workplace: | | |
|----------------|--|--|--|
| 67-56-1 methar | nol | | |
| PEL (USA) | Long-term value: 260 mg/m³, 200 ppm | | |
| REL (USA) | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | |
| TLV (USA) | Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI | | |
| EL (Canada) | Short-term value: 250 ppm Long-term value: 200 ppm Skin | | |
| EV (Canada) | Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin | | |
| LMPE (Mexico) | Short-term value: 250 ppm Long-term value: 200 ppm PIEL, IBE | | |
| 64-17-5 Ethano | i | | |
| PEL (USA) | Long-term value: 1900 mg/m³, 1000 ppm | | |
| REL (USA) | Long-term value: 1900 mg/m³, 1000 ppm | | |
| TLV (USA) | Short-term value: 1880 mg/m³, 1000 ppm | | |
| EL (Canada) | Short-term value: 1000 ppm | | |
| EV (Canada) | Long-term value: 1,900 mg/m³, 1,000 ppm | | |
| LMPE (Mexico) | Long-term value: 1000 ppm A3 | | |

· Ingredients with biological limit values:

67-56-1 methanol

BEI (USA) 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- Exposure controls
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Cont'd. on page 6)

Page: 6/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 5)

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Use suitable respiratory protective device when aerosol or mist is formed.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Laminated film gloves.

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

· Not suitable are gloves made of the following materials:

PVA gloves

PVC gloves

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Solvent resistant protective clothing
- Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties

| Appearance: | | |
|--------------------------------|-------------------------|--|
| Form: | Liquid | |
| Color: | Colorless | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Melting point/Melting range: | Not determined. | |
| Boiling point/Boiling range: | <100 °C (<212 °F) | |
| Flash point: | 11-13 °C (51.8-55.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Auto-ignition temperature: | >260 °C (>500 °F) | |
| Decomposition temperature: | Not determined. | |

Page: 7/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

| | (Cont'd. of page |
|--------------------------------------|---|
| Danger of explosion: | Product is not explosive. However, formation of explosive ai vapor mixtures are possible. |
| Explosion limits | |
| Lower: | 3 Vol % |
| Upper: | 15 Vol % |
| Oxidizing properties: | Not determined. |
| Vapor pressure at 20 °C (68 °F): | >50 hPa (>37.5 mm Hg) |
| Density: | |
| Relative density: | Not determined. |
| Vapor density: | Not determined. |
| Evaporation rate: | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/wat | er): Not determined. |
| Viscosity | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Other information | No relevant information available. |

10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions

Highly flammable liquid and vapor.

Reacts violently with oxidizing agents.

Reacts with strong acids.

Toxic fumes may be released if heated above the decomposition point.

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

(Cont'd. on page 8)

Page: 8/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 7)

· Acute toxicity:

| · LD/LC50 values that are relevant for classification: | | | |
|--|-------------------------------|---------------|--|
| ATE (Acu | ATE (Acute Toxicity Estimate) | | |
| Oral | LD50 | 100-200 mg/kg | |
| Dermal | LD50 | 400-600 mg/kg | |
| Inhalative | LC50/4h | 3.5-6.5 mg/l | |

Primary irritant effect:

On the skin:

Causes mild skin irritation.

Based on available data, the classification criteria are not met.

- · On the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

|1

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to the nervous system and optic nerve.

Irritating to eyes.

Causes mild skin irritation.

- · Repeated dose toxicity: No relevant information available.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Causes damage to the nervous system and optic nerve.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment

(Cont'd. on page 9)

Page: 9/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 8)

(Cont'd. on page 10)

PBT: Not applicable.vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Incinerate in accordance with local, state and federal regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

| 1 Transport information | |
|------------------------------|---|
| · UN-Number | |
| · DOT | UN1987 |
| · ADR, IMDG, IATA | UN1986 |
| UN proper shipping name | |
| · DOT | Alcohols, n.o.s. (Ethanol, Methanol) |
| · ADR, IMDG | ALCOHOLS, FLAMMABLE, TOXIC, N.O.S (ETHANOL (ETHYL ALCOHOL), METHANOL) |
| ·IATA | ALCOHOLS, FLAMMABLE, TOXIC, N.O.S (ETHANOL, METHANOL) |
| · Transport hazard class(es) | |
| · DOT | |
| 1, MANUAL LOSE | |
| · Class | 3 |
| · Label | 3 |
| · ADR | |
| | |
| ·Class | 3 (FT1) |
| · Label | 3+6.1 ´ |

Page: 10/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

| | | (Cont'd. of page |
|--------------------------------------|---------------------------------|------------------|
| · IMDG | | |
| | | |
| Class | 3 | |
| · Label | 3/6.1 | |
| ·IATA | | |
| | | |
| · Class | 3 | |
| · Label | 3 (6.1) | |
| · Packing group | | |
| DOT, ADR, IMDG, IATA | II | |
| Environmental hazards | Not applicable. | |
| Special precautions for user | Warning: Flammable liquids | |
| Danger code (Kemler): | 336 | |
| EMS Number: | F-E,S-D | |
| Transport in bulk according to Annex | II of | |
| MARPOL73/78 and the IBC Code | Not applicable. | |
| Transport/Additional information: | | |
| · DOT | | |
| · Quantity limitations | On passenger aircraft/rail: 1 L | |
| • | On cargo aircraft only: 60 L | |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-56-1 methanol

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

(Cont'd. on page 11)

Page: 11/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 10)

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

64-17-5 Ethanol

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product.

67-56-1 methanol

64-17-5 Ethanol

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

64-17-5 Ethanol

|1

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 3: Acute toxicity - Category 3

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation - Category 2B

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

(Cont'd. on page 12)

Page: 12/12

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: July 25, 2018 Revision: July 24, 2018

Trade name: Molybdenum Inidicator Solvent

(Cont'd. of page 11)

SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com