according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 10.24.2014

#### Acetone

# SECTION 1: Identification of the substance/mixture and of the supplier

**Product name**: Acetone **Manufacturer/Supplier Article number**: AC4800

Recommended uses of the product and restrictions on use: Laboratory chemicals

## **Manufacturer Details:**

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

# **Emergency telephone number:**

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:



#### **Flammable**

Flammable liquids, category 2



#### Irritant

Eye irritation, category 2A Specific target organ toxicity following single exposure, category 3

Flam. Liq. 2. Eye Irrit. 2A. STOT SE 3.

Signal word: Danger

# **Hazard statements:**

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

# **Precautionary statements:**

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

#### **Acetone**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

Call a POISON CENTER or doctor/physician if you feel unwell.

If eye irritation persists get medical advice/attention.

In case of fire, use agents recommended in section 5 for extinction.

Store in a well ventilated place. Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Store locked up.

Protect from sunlight.

Dispose of contents and container to an approved waste disposal plant.

Other Non-GHS Classification: None

# **SECTION 3: Composition/information on ingredients**

# Ingredients:

Ingredients:			
CAS 67-64-1	Acetone	100 %	
		Percentages are by weight	

## **SECTION 4: First aid measures**

# **Description of first aid measures**

## After inhalation:

Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

#### After skin contact:

Rinse/flush exposed skin gently using soap and water for 15-20 minutes. Seek medical advice if discomfort or irritation persists.

## After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

## After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

# Most important symptoms and effects, both acute and delayed:

Irritation. Headache. Nausea. Shortness of breath.

# Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

# **SECTION 5: Firefighting measures**

## **Extinguishing media**

## Suitable extinguishing agents:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 10.24.2014

## Acetone

# Unsuitable extinguishing agents:

Water may be ineffective.

## Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors. Carbon oxides. Vapors can flow to distant ignition sources and flashback.

# Advice for firefighters:

# **Protective equipment:**

Wear protective eyeware, gloves, and clothing. Use NIOSH-approved respiratory protection/breathing apparatus. Refer to Section 8.

# Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

#### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational. Avoid contact with eyes, skin, and clothing. Remove all sources of ignition.

# **Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

## Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. Containerize for disposal. Refer to Section 13. Use spark-proof tools and explosion-proof equipment. Remove all sources of ignition. Refer to Section 8. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal.

# Reference to other sections: None SECTION 7: Handling and storage

## Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Use under a chemical fume hood. Use explosion proof equipment. Refer to Section 13.

# Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Keep away from open flames, hot surfaces and sources of ignition. Provide ventilation for containers. Keep container tightly closed. Store away from incompatible materials.

# **SECTION 8: Exposure controls/personal protection**







# **Control parameters:**

67-64-1, Acetone, ACGIH TLV TWA 1,200 mg/m3. 67-64-1, Acetone, OSHA PEL TWA 2,400 mg/m3.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

#### **Acetone**

**Appropriate engineering controls:** Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a chemical fume hood.

**Respiratory protection:** Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

**Eye protection:** Wear equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Safety glasses or goggles are appropriate eye protection.

**General hygienic measures:** Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes and clothing. Before re-wearing,

wash contaminated clothing.

# **SECTION 9: Physical and chemical properties**

Appearance (physical state, color):		Explosion limit lower: Explosion limit upper:	2 %(V) 13 %(V)
Odor:	sweet	Vapor pressure at 20°C:	231 mmHg at 25°C
Odor threshold:	Not determined	Vapor density:	0.791 g/cm³ at 25°C (77°F)
pH-value:	7	Relative density:	Not determined
Melting/Freezing point:	-94 °C (-137 °F)	Solubilities:	Miscible in water.
Boiling point/Boiling range:	15h ~ (   133 ~ F )	Partition coefficient (noctanol/water):	log pow: - 0.24
Flash point (closed cup):	40°C	Auto/Self-ignition temperature:	465.0 °C (869.0 °F)
Evaporation rate:	0.1	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Flammable liquid	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

# **SECTION 10: Stability and reactivity**

# Reactivity:

Nonreactive under normal conditions.

#### **Chemical stability:**

Stable under normal conditions.

# Possible hazardous reactions:

Acetone reacts violently with phosphorous oxychloride. Vapours may form explosive mixture with air.

#### Conditions to avoid:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014

#### **Acetone**

Incompatible materials. Heat, Sparks, Open Flames. Direct Sunlight.

## **Incompatible materials:**

Strong oxidizing agents. Strong reducing agents. Strong Bases. Nitric acid. sulfur dichloride potassium tert-butoxide. hexachloromelamine. chloroform. alkali, sulfuric acid.

# **Hazardous decomposition products:**

Carbon oxides.

# **SECTION 11: Toxicological information**

# **Acute Toxicity**:

#### Dermal:

LD50 Rabbit: 20000 mg/kg 67-64-1 (acetone).

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Rabbit: Mild Skin Irritation - 24 h. 67-64-1 (acetone).

# Serious eye damage/irritation:

Rabbit: Mild Eye Irritation - 24 - h. 67-64-1 (acetone).

#### Respiratory or skin sensitization:

guinea pig - Does not cause skin sensitisation.

## Carcinogenicity:

Not listed as a carcinogen (ACGIH, IARC, NTP).: 67-64-1 (acetone)

**Germ cell mutagenicity**: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure:

May cause drowsiness or dizziness.

# Additional toxicological information:

No additional information.

# **SECTION 12: Ecological information**

# **Ecotoxicity:**

Fish LC50 - Oncorhynchus mykiss (rainbow trout) - 5,540 mg/l - 96 h, 67-64-1 (acetone). Invertebrates EC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 h, 67-64-1 (acetone).

# Persistence and degradability:

Readily biodegradable.

#### **Bioaccumulative potential:**

Not expected to bio accumulate.

#### Mobility in soil:

Aqueous solution has high mobility in soil.

# Other adverse effects:

None identified.

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 10.24.2014

#### Acetone

# **SECTION 13: Disposal considerations**

## Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

# **SECTION 14: Transport information**

#### **US DOT**

**UN Number:** 

ADR, ADN, DOT, IMDG, IATA 1090

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Acetone. Proper shipping Name: Acetone.

Hazard Class: 3
Packing Group: ||.

Hazard Class: 3
Packing Group: ||.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information. additional information. **Comments:** None **Comments:** None





# **SECTION 15: Regulatory information**

# **United States (USA)**

# SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic, Fire

#### SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

# RCRA (hazardous waste code):

67-64-1 Acetone - U002.

# TSCA (Toxic Substances Control Act):

All ingredients are listed.

# CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

67-64-1 Acetone 5000 lb.

#### Proposition 65 (California):

## Chemicals known to cause cancer:

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 10.24.2014

## **Acetone**

None of the ingredients are listed.

# Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

# Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

## Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

## Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA**: 2-0-0 **HMIS**: 2-0-0

GHS Full Text Phrases: None

# **Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

GHS Globally Harmonized System of Classification and Labelling of Chemicals.

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service (division of the American Chemical Society).

NFPA National Fire Protection Association (USA).

HMIS Hazardous Materials Identification System (USA).

WHMIS Workplace Hazardous Materials Information System (Canada).

DNEL Derived No-Effect Level (REACH).

PNEC. Predicted No-Effect Concentration (REACH).

CFR Code of Federal Regulations (USA)

SARA Superfund Amendments and Reauthorization Act (USA).

RCRA. Resource Conservation and Recovery Act (USA).

TSCA. Toxic Substances Control Act (USA).

NPRI National Pollutant Release Inventory (Canada).

DOT US Department of Transportation.