Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

1 Identification

Product identifier

· Trade name: Acetone, ACS Grade

· Product code: S25120A

· Recommended use and restriction on use

· Recommended use: Laboratory chemicals

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

AquaPhoenix Scientific, Inc.

860 Gitts Run Road Hanover, PA 17331

Phone: (717)632-1291 Toll-Free: (866)632-1291

info@aquaphoenixsci.com

Distributor:

Fisher Science Education

6771 Silver Crest Road

Nazareth, PA 18064

(800) 955-1177

· Emergency telephone number:

ChemTel Inc.

(800)255-3924 (North America)

+1 (813)248-0585 (International)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS02 GHS07

· Signal word: Danger

· Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

(Cont'd. on page 2)

Page: 2/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

	(Cont'd. of page 1)	
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P303+P361+P35	53 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with	
	water/shower.	
P304+P340		
P305+P351+P33	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	
	present and easy to do. Continue rinsing.	
P312	Call a poison center/doctor if you feel unwell.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use for extinction: CO2, powder or water spray.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international	
	regulations.	
 Additional infor 	mation: Repeated exposure may cause skin dryness or cracking.	
• Other hazards There are no other hazards not otherwise classified that have been identified.		

3 Composition/information on ingredients

· Chemical characterization: Substances

· Components:

67-64-1 Acetone

Flam. Liq. 2, H225
 Eye Irrit. 2A, H319; STOT SE 3, H336

100%

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 3)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 2)

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

Breathing difficulty

Coughing

Causes mild skin irritation.

Gastric or intestinal disorders when ingested.

Nausea in case of ingestion.

Dizziness

Acidosis

Disorientation

Unconsciousness

· Danger:

Danger of impaired breathing.

Causes serious eye irritation.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Foam

Sand

Water fog / haze

Carbon dioxide

Gaseous extinguishing agents

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Highly flammable liquid and vapor.

Formation of toxic gases is possible during heating or in case of fire.

- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information:

Eliminate all ignition sources if safe to do so.

Use large quantities of foam as it is partially destroyed by the product.

Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

(Cont'd. on page 4)

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 3)

Ensure adequate ventilation.

Keep away from ignition sources.

Protect from heat.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

Use only in well ventilated areas.

Information about protection against explosions and fires:

Highly flammable liquid and vapor.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Flammable gas-air mixtures may be formed in empty containers/receptacles.

· Conditions for safe storage, including any incompatibilities

· Requirements to be met by storerooms and receptacles:

Store in a cool location.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with limit values that require monitoring at the workplace:
67-64-1 Acetone

PEL (USA)	Long-term value: 2400 mg/m ³ , 1000 ppm
REL (USA)	Long-term value: 590 mg/m ³ , 250 ppm
TLV (USA)	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm

BEI

(Cont'd. on page 5)

Page: 5/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

EL (Canada)
Short-term value: 500 ppm
Long-term value: 250 ppm

EV (Canada)
Short-term value: 750 ppm
Long-term value: 500 ppm
LMPE (Mexico)
Short-term value: 750 ppm
Long-term value: 750 ppm
Long-term value: 500 ppm
A4. IBE

· Ingredients with biological limit values:

67-64-1 Acetone

BEI (USA) 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

· Engineering controls: Provide adequate ventilation.

Breathing equipment:

For large spills, respiratory protection may be advisable.

Use suitable respiratory protective device when high concentrations are present.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Laminated film gloves.

Nitrile rubber, NBR

Neoprene gloves

Butyl rubber, BR

· Not suitable are gloves made of the following materials:

PVC gloves

PVA gloves

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Solvent resistant protective clothing
- · Limitation and supervision of exposure into the environment

No relevant information available.

Page: 6/11

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 5)

Information on basic physical and chemical properties					
· Appearance: Form:	Liquid				
Color:	Clear				
· Odor:	Characteristic				
· Odor threshold:	Not determined.				
· pH-value:	Not determined.				
Melting point/Melting range:	-94.7 °C (-138.5 °F)				
· Boiling point/Boiling range:	55.8-56.6 ℃ (132.4-133.9 °F)				
· Flash point:	<-18 °C (<-0.4 °F)				
· Flammability (solid, gaseous):	Not applicable.				
· Auto-ignition temperature:	465 °C (869 °F)				
Decomposition temperature:	Not determined.				
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.				
· Explosion limits					
Lower:	2.6 Vol %				
Upper:	13 Vol %				
Oxidizing properties:	Not determined.				
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)				
Density at 20 °C (68 °F):	0.81 g/cm ³ (6.76 lbs/gal)				
· Relative density:	Not determined. Not determined.				
· Vapor density: · Evaporation rate:	Not determined.				
· Solubility in / Miscibility with	Not determined.				
Water:	Fully miscible.				
· Partition coefficient (n-octanol/wa					
· Viscosity					
Dynamic at 20 ℃ (68 °F):	32 mPas				
Kinematic:	Not determined.				
Other information	No relevant information available.				

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with oxidizing agents.

(Cont'd. on page 7)

Page: 7/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 6)

Used empty containers may contain product gases which form explosive mixtures with air.

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Highly flammable liquid and vapor.

Toxic fumes may be released if heated above the decomposition point.

· Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

- · Incompatible materials No relevant information available.
- · Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	· LD/LC50 values that are relevant for classification: 67-64-1 Acetone		
	Oral	LD50	5800 mg/kg (rat)
	Dermal	LD50	20000 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin:

Based on available data, the classification criteria are not met.

Causes mild skin irritation.

- · On the eye: Irritating effect.
- · Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):

Substance is not listed.

· NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eve contact.

Skin contact.

· Acute effects (acute toxicity, irritation and corrosivity):

Causes serious eye irritation.

Vapors have narcotic effect.

- · Repeated dose toxicity: Repeated exposure may cause skin dryness or cracking.
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

Page: 8/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 7)

Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADR/RID/ADN, IMDG, IATA UN1090

· UN proper shipping name

· DOT, IMDG, IATA ACETONE
· ADR/RID/ADN 1090 ACETON

- Transport hazard class(es)
- · DOT



(Cont'd. on page 9)

Page: 9/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

		(Cont'd. of page 8
· Class	3	
· Label	3	
· ADR/RID/ADN		
· Class	3 (F1)	
· Label	3 ` ´	
· IMDG, IATA		
· Class	3	
· Label	3	
· Packing group		
· DOT, ADR/RID/ADN, IMDG, IATA	II	
· Environmental hazards	Not applicable.	
· Special precautions for user	Warning: Flammable liquids	
· Danger code (Kemler):	33	
· EMS Number:	F-E,S-D	
Transport in bulk according to Annex I	l of	
MARPOL73/78 and the IBC Code	Not applicable.	
· Transport/Additional information:		
· DOT		
Hazardous substance:	5000 lbs, 2270 kg	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

Substance is not listed.

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act)

(Cont'd. on page 10)

Page: 10/11

Safety Data Sheet

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 9)

Substance is listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

I

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistant, Bio-accumulable, Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health Administration

Flam. Liq. 2: Flammable liquids - Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: March 06, 2019 Revision: February 21, 2019

Trade name: Acetone, ACS Grade

(Cont'd. of page 10)

Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com