according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.10.2015

## Acetaldehyde, Lab Grade

# SECTION 1: Identification of the substance/mixture and of the supplier

**Product name**: Acetaldehyde, Lab Grade

Manufacturer/Supplier Article number: AC9300

Recommended uses of the product and restrictions on use: Laboratory Chemicals

#### **Manufacturer Details:**

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

## **Emergency telephone number:**

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture:



### **Flammable**

Flammable liquids, category 1



## Irritant

Eye irritation, category 2A Specific target organ toxicity following single exposure, category 3



#### **Health hazard**

Carcinogenicity, category 2

Flamm. Liq 1. Eye. Irrit 2A. Carcin. 2. STOT SE. 3. Aq AcTox 3.

Signal word: Danger

### **Hazard statements:**

Extremely flammable liquid and vapour.

Causes serious eye irritation.

May cause respiratory irritation.

Suspected of causing cancer.

Harmful to aquatic life.

## **Precautionary statements:**

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.10.2015

## Acetaldehyde, Lab Grade

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/light/.../equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists get medical advice/attention.

In case of fire, use agents recommended in section 5 for extinction.

Store in a well ventilated place. Keep container tightly closed.

Store in a well ventilated place. Keep cool.

Store locked up.

Dispose of contents and container as instructed in Section 13.

Other Non-GHS Classification: None

## **SECTION 3: Composition/information on ingredients**

#### **Ingredients:**

Ingredients:				
CAS 75-07-0	Acetaldehyde	>99.5 %		
	•	Percentages are by weight		

## **SECTION 4: First aid measures**

## **Description of first aid measures**

#### After inhalation:

Immediately seek medical attention. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position.

### After skin contact:

Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned. Continue rinsing while removing contaminated clothing and shoes. Before rewearing wash contaminated clothing.

#### After eye contact:

Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing. Seek medical attention if irritation persists or concerned.

### After swallowing:

Seek medical assistance. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation, discomfort, or vomiting persists.

### Most important symptoms and effects, both acute and delayed:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.10.2015

## **Acetaldehyde, Lab Grade**

Blurred vision. Nausea. Dizziness. Unconsciousness. Vomiting. Pulmonary edema. Convulsions. Sneezing. Irritation. Shortness of breath. Headache. 75-07-0: Eye & Upper Respiratory Tract irritation. 75-07-0: Potential Occupational Carcinogen. 75-07-0: Liver - Irregularities - Based on Human Evidence.

## Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

## **SECTION 5: Firefighting measures**

### **Extinguishing media**

## Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. For large fires water may be ineffective.

### Unsuitable extinguishing agents: None

## Special hazards arising from the substance or mixture:

May explode when heated. Empty containers retain product residue, liquid and vapor can be dangerous. Closed containers may rupture and explode during runaway polymerization. Accumulation of vapors increase risk of explosion. Vapors accumulate in low areas. Thermal decomposition can lead to release of irritating gases and vapors. Vapors may travel to a source of ignition and flash back. Sensitive to static discharge.

#### Advice for firefighters:

## **Protective equipment:**

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

### Additional information (precautions):

Remove heat, sparks, and all sources of ignition. Use explosion proof equipment. Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year. Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

## **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

### **Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

## Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Absorb with inert material. Use water spray to dilute spill to a non-flammable mixture. Refer to Section 8.

# Reference to other sections:

Addition of water or appropriate reducing materials will lessen peroxide formation.

## **SECTION 7: Handling and storage**

## Precautions for safe handling:

Remove heat, sparks, and all sources of ignition. Use explosion proof equipment. Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Handle under an inert atmosphere. Refer to Section 13.

## Conditions for safe storage, including any incompatibilities:

Reseal containers and store upright to prevent leakage. Store at: 2 - 8 °C. Store in a cool location. Keep away

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.10.2015

## Acetaldehyde, Lab Grade

from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials. Ground and bond containers when transferring material.

## **SECTION 8: Exposure controls/personal protection**







**Control parameters:** 75-07-0, Acetaldehyde, C 25 ppm USA. ACGIH.

75-07-0, Acetaldehyde, TWA 200 ppm 360 mg/m3 USA OSHA.

75-07-0, Acetaldehyde, NIOSH: 2000 ppm IDLH.

**Appropriate engineering controls:** Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

**Respiratory protection:** Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

**Eye protection:** Face shield and safety glasses are appropriate eye protection. Wear

equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

**General hygienic measures:** Perform routine housekeeping. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes and

clothing. Before re-wearing, wash contaminated clothing.

## **SECTION 9: Physical and chemical properties**

Appearance (physical state, color):	Clear colorless liquid		4 % 60 %
Odor:	Fruity odor	Vapor pressure at 20°C:	750 mm Hg@25C
Odor threshold:	Not determined	Vapor density:	1.52 - (Air = 1.0)
pH-value:	5 at 20 °C	Relative density:	0.785 g/cm3 at 25 °C
Melting/Freezing point:	-123 °C	Solubilities:	Soluble in water: Completely
Boiling point/Boiling range:	21 °C	Partition coefficient (noctanol/water):	log pow: 0.5
Flash point (closed cup):	-27 °C	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	49.1	Decomposition temperature:	Not determined

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.10.2015

Acetaldehyde, Lab Grade					
Flammability (solid, gaseous):	Flammable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined		
Density at 20°C:	Not determined				

## **SECTION 10: Stability and reactivity**

## Reactivity:

Nonreactive under normal conditions.

### **Chemical stability:**

Closed containers may rupture and explode during runaway polymerization. Stable under normal conditions.

#### Possible hazardous reactions:

None under normal processing.

#### **Conditions to avoid:**

Accumulation of vapors. Heat. Exposure to air. Extremes of temperature and direct sunlight. Incompatible materials. Sensitive to static discharge.

## **Incompatible materials:**

Oxidizing agents, Reducing agents, acids, Nitric acid, Peroxides, Bases, Sodium Hydroxide, Amines, Ammonia, Oxygen, Warning: acetaldehyde is oxidized rapidly and exothermically by air, to acetic acid, Acid anhydrides, Alcohols, Halogens, Ketones, Phenol, Hydrogen sulfide gas, Hydrogen peroxide.

## Hazardous decomposition products: None

## **SECTION 11: Toxicological information**

## **Acute Toxicity**:

## Dermal:

LD50 Dermal - rabbit - 3,540 mg/kg 75-07-0.

Chronic Toxicity: No additional information.

Skin corrosion/irritation:

Skin - rabbit Result: Mild skin irritation 75-07-0.

**Serious eye damage/irritation**: No additional information. **Respiratory or skin sensitization**: No additional information.

## Carcinogenicity:

**75-07-0**: This product is or contains a component that has been reported to be possibly carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.

# Germ cell mutagenicity:

Mutagenic effects have occurred in experimental animals.

Mutation in mammalian somatic cells.

Human.

## **Reproductive Toxicity:**

Experiments have shown reproductive toxicity effects on laboratory animals.

# STOT-single and repeated exposure:

75-07-0: May cause respiratory irritation.

according to 29CFR1910/1200 and GHS Rev. 3

**Initial preparation date:** : 02.10.2015

### Acetaldehyde, Lab Grade

## Additional toxicological information:

No additional information.

### **SECTION 12: Ecological information**

#### **Ecotoxicity:**

75-07-0, LC50 - Pimephales promelas (fathead minnow) - 31 mg/l - 96 h.

75-07-0, Immobilization EC50 - Daphnia magna (Water flea) - 57.4 mg/l - 48 h.

75-07-0 , Growth inhibition EC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 24 h.

**Persistence and degradability**: No additional information. **Bioaccumulative potential**: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

## **SECTION 13: Disposal considerations**

#### Waste disposal recommendations:

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

# **SECTION 14: Transport information**

### **US DOT**

**UN Number:** 

ADR, ADN, DOT, IMDG, IATA 1089

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None

Proper shipping Name: Acetaldehyde.

Proper shipping Name: Acetaldehyde.

Hazard Class: 3
Packing Group: I.
Packing Group: I.

Marine Pollutant (if applicable): No Marine Pollutant (if applicable): No

additional information.

Comments: None

additional information.

Comments: None





#### **SECTION 15: Regulatory information**

#### **United States (USA)**

### SARA Section 311/312 (Specific toxic chemical listings):

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.10.2015

## Acetaldehyde, Lab Grade

Acute, Chronic, Fire

## SARA Section 313 (Specific toxic chemical listings):

75-07-0 Acetaldehyde.

### RCRA (hazardous waste code):

None of the ingredients are listed.

#### TSCA (Toxic Substances Control Act):

All ingredients are listed.

## CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

75-07-0 Acetaldehyde 1000 lbs.

### Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients are listed.

## Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

# Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

## Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

#### Canada

### Canadian Domestic Substances List (DSL):

All ingredients are listed.

## **SECTION 16: Other information**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

**NFPA**: 2-0-2 **HMIS**: 2-0-2

GHS Full Text Phrases: None

Abbreviations and Acronyms: None