according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Sulfuric Acid,0.05N

Manufacturer/Supplier Article number: SA1515SS

Recommended uses of the product and restrictions on use: Laboratory Chemicals

Manufacturer Details:

AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 1-717-632-1291

Emergency telephone number:

ChemTel: (24-hour)

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture:



Environmentally Damaging

Corrosive to metals, category 1



Irritant

Eye irritation, category 2A Skin irritation, category 2

Corr. to Metals 1. Eye. Irrit 2A. Skin. Irrit 2.

Signal word: Warning

Hazard statements:

May be corrosive to metals.

Causes skin irritation.

Causes serious eye irritation.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

Keep only in original container.

Wash skin thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing.

IF ON SKIN: Wash with soap and water.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

If eye irritation persists get medical advice/attention.

If eye irritation persists get medical advice/attention.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

Absorb spillage to prevent material damage.

Other Non-GHS Classification: None

SECTION 3: Composition/information on ingredients

Ingredients:

| Ingredients: | | | | |
|---------------|--------------------|---------------------------|--|--|
| CAS 7664-93-9 | Sulfuric Acid, ACS | <0.25 % | | |
| CAS 7732-18-5 | Deionized Water | >99.75 % | | |
| | | Percentages are by weight | | |

SECTION 4: First aid measures

Description of first aid measures

After inhalation:

Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Loosen clothing and place exposed in a comfortable position. Seek medical assistance if cough or other symptoms appear.

After skin contact:

Continue rinsing while removing contaminated clothing and shoes. Immediately seek medical attention. Wash hands and exposed skin with soap and plenty of water.

After eye contact:

Immediately seek medical attention. Protect unexposed eye. Flush exposed eye gently using water for 15-20 minutes. Remove contact lenses, if present and easy to do, and continue rinsing.

After swallowing:

Immediately seek medical attention. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed:

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, pulmonary edema. Vomiting. Irritation. Shortness of breath. Headache. Nausea. Dizziness. Stomach - Irregularities - Based on Human Evidence.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing agents:

Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam.

Unsuitable extinguishing agents: None

Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

Protective equipment:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.

Additional information (precautions):

Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes and clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Soak up with inert absorbent material and dispose of as hazardous waste. Wear protective eyeware, gloves, and clothing. Always obey local regulations. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Containerize for disposal. Refer to Section 13. Keep in suitable closed containers for disposal. Refer to Section 8.

Reference to other sections: None SECTION 7: Handling and storage

Precautions for safe handling:

Avoid contact with skin, eyes and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Do not eat, drink, smoke, or use personal products when handling chemical substances. Refer to Section 13.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection









Control parameters: 7664-93-9, Sulfuric Acid, ACS., OSHA PEL: 1 mg/m³. 7664-93-9, Sulfuric Acid, ACS., ACGIH TLV: 1 mg/m³.

Appropriate engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

Respiratory protection: Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

Protection of skin: Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

Eye protection: Face shield and tight fitting goggles are appropriate eye protection. Wear

equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU).

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes and

clothing. Before re-wearing, wash contaminated clothing.

SECTION 9: Physical and chemical properties

| Appearance (physical state, color): | Clear, colorless liquid | Explosion limit lower: Explosion limit upper: | Not determined Not determined |
|-------------------------------------|-------------------------|--|--|
| Odor: | Odorless | Vapor pressure at 20°C: | Not determined |
| Odor threshold: | Not determined | Vapor density: | Not determined |
| pH-value: | <2 | Relative density: | Not determined |
| Melting/Freezing point: | Approximately 0°C | Solubilities: | Soluble in water. |
| Boiling point/Boiling range: | Approximately 100°C | Partition coefficient (noctanol/water): | Not determined |
| Flash point (closed cup): | Not determined | Auto/Self-ignition temperature: | Not determined |
| Evaporation rate: | Not determined | Decomposition temperature: | Not determined |
| Flammability (solid, gaseous): | Not determined | Viscosity: | a. Kinematic: Not determined b. Dynamic: Not determined |
| Density at 20°C: | Not determined | | |

SECTION 10: Stability and reactivity

Reactivity:

Reacts violently with Cyclopentadiene, Cyclopentanone oxime, Nitroaryl amines, Hexalithium disilicide, Phosphorous(III) oxide, Powdered metals.

Chemical stability:

Stable under normal conditions.

Possible hazardous reactions:

None under normal processing.

Conditions to avoid:

Incompatible materials.

Incompatible materials:

Bases, Halides, Organic materials, Carbides, fulminates, Nitrates, picrates, Cyanides, Chlorates, alkali halides, Zinc salts. Permanganates (potassium permanganate), Hydrogen peroxide, Azides, Perchlorates., Nitromethane, Phosphorous. Cyclopentadiene, Cyclopentanone oxime, Nitroaryl amines, Hexalithium disilicide,

Phosphorous(III) oxide, Powdered metals.

Hazardous decomposition products:

Sulfur oxides.

SECTION 11: Toxicological information

Acute Toxicity: No additional information. **Chronic Toxicity**: No additional information.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

Skin corrosion/irritation:

Skin - Rabbit Result: Extremely corrosive and destructive to tissue 7664-93-9.

Serious eye damage/irritation:

Eyes - Rabbit Result: Corrosive to eyes 7664-93-9.

Respiratory or skin sensitization: No additional information.

Carcinogenicity: No additional information.

Germ cell mutagenicity: No additional information. **Reproductive Toxicity**: No additional information.

STOT-single and repeated exposure: No additional information.

Additional toxicological information:

No additional information.

SECTION 12: Ecological information

Ecotoxicity:

7664-93-9, LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h. 7664-93-9, EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h.

Persistence and degradability: No additional information. **Bioaccumulative potential**: No additional information.

Mobility in soil: No additional information.

Other adverse effects: No additional information.

SECTION 13: Disposal considerations

Waste disposal recommendations:

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed together with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification. NIOSH: 2000 ppm IDLH.

SECTION 14: Transport information

US DOT

UN Number:

ADR, ADN, DOT, IMDG, IATA Not Regulated

Limited Quantity Exception: None

Bulk: Non Bulk:

RQ (if applicable): None RQ (if applicable): None

Proper shipping Name: Not Regulated. **Proper shipping Name:** Not Regulated.

Hazard Class: None Hazard Class: None

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid, 0.05N

Packing Group: Not Regulated.

Marine Pollutant (if applicable): No

Marine Pollutant (if applicable): No

additional information. additional information. **Comments:** None **Comments:** None

SECTION 15: Regulatory information

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute, Chronic

SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 Sulfuric acid 1000 lbs.

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 02.18.2015

Sulfuric Acid,0.05N

NFPA: 1-0-0 HMIS: 1-0-0

GHS Full Text Phrases: None

Abbreviations and Acronyms: None