Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

1 Identification	
· Product identifier	
Trade name: <u>Xylenol Orange Powder</u> Product code: XO4500SS	
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. 	
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com 	
• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)	
ChemTel Inc. (800)255-3924 (North America)	
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification • Classification of the substance or mixture	
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification • Classification of the substance or mixture Eye Irrit. 2B H320 Causes eye irritation.	
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification • Classification of the substance or mixture Eye Irrit. 2B H320 Causes eye irritation. • Label elements • GHS label elements The product is classified and labeled according to the G • Hazard pictograms: None. • Signal word: Warning • Hazard statements: H320 Causes eye irritation. • Precautionary statements: P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with war present and easy to do. Continue rins	iter for several minutes. Remove contact lenses sing.
ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification • Classification of the substance or mixture Eye Irrit. 2B H320 Causes eye irritation. • Label elements • GHS label elements The product is classified and labeled according to the G • Hazard pictograms: None. • Signal word: Warning • Hazard statements: H320 Causes eye irritation. • Precautionary statements: P264 Wash thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with wast	ater for several minutes. Remove contact lenses sing. advice/attention.

· Chemical characterization: Substances

· Components:

7447-40-7 Potassium chloride	Eye Irrit. 2B, H320	99.5%
3618-43-7 Xylenol Orange		0.5%

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 1)

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Brush off loose particles from skin.
- Immediately rinse with water.
- If skin irritation is experienced, consult a doctor.
- After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse mouth with water. Do not induce vomiting. Get medical attention.

· Most important symptoms and effects, both acute and delayed:

Causes eye irritation.

May be harmful if swallowed.

May cause gastro-intestinal irritation if ingested.

- Nausea in case of ingestion.
- · Danger: May be harmful if swallowed.
- · Indication of any immediate medical attention and special treatment needed:
- If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
- Environmental precautions Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Methods and material for containment and cleaning up Pick up mechanically. Dispose of the collected material according to regulations.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

· Handling

- · Precautions for safe handling:
- Prevent formation of aerosols.

Use only in well ventilated areas.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.

Store away from oxidizing agents.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

• Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Exposure controls

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Neoprene gloves Nitrile rubber. NBR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Eye protection:

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 3)

Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

· Body protection: Protective work clothing

• Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical propert	ies
Information on basic physical and Appearance:	d chemical properties
Form:	Powder
Color:	Light purple.
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
• Melting point/Melting range:	770 °C (1418 °F)
· Boiling point/Boiling range:	1500 °C (2732 °F)
· Flash point:	The product is not flammable.
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	1.98 g/cm ³ (16.52 lbs/gal)
Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
 Solubility in / Miscibility with 	
Water at 20 °C (68 °F):	330 g/l
· Partition coefficient (n-octanol/water)	: Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Other information	No relevant information available.

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 4)

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents. Toxic fumes may be released if heated above the decomposition point. Contact with acids releases toxic gases.
- **Conditions to avoid** Excessive heat. Moisture. Prevent formation of dust.
- · Incompatible materials
- Oxidizing agents Strong acids
- Hazardous decomposition products
- Under fire conditions only: Chlorine compounds

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

7447-40-7 Potassium chloride

Oral LD50 2600 mg/kg (rat)

- Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Causes eye irritation.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

• NTP (National Toxicology Program):

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

Probable route(s) of exposure:

Ingestion. Inhalation. Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity):
- Causes eye irritation.

May be harmful if swallowed.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 5)

- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

· UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· UN proper shipping name		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

		(Cont'd. of page 6)
· Class	Not regulated.	
 Packing group DOT, ADR/RID/ADN, IMDG, IATA 	Not regulated.	
· Environmental hazards	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 		
WARFOL 73/78 and the IBC Code	Not applicable.	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture

- · United States (USA)
- ·SARA

 \cdot Section 302 (extremely hazardous substances):

Substance is not listed.

 Section 355 (extremely hazardous substances): Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

• TSCA (Toxic Substances Control Act)

Substance is listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause developmental toxicity for females:

Substance is not listed.

· Chemicals known to cause developmental toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· EPA (Environmental Protection Agency):

Substance is not listed.

· IARC (International Agency for Research on Cancer):

Substance is not listed.

· Canadian Domestic Substances List (DSL) (Substances not listed.):

Substance is listed.

(Cont'd. on page 8)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: November 27, 2018

Revision: November 19, 2018

Trade name: Xylenol Orange Powder

(Cont'd. of page 7)

 This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Sources Website, European Chemicals Agency (echa.europa.eu) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:
Safety Data Sheets, Individual Manufacturers