#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### **1** Identification Product identifier · Trade name: Bismuth Nitrate, 0.05M · Product code: BN6905SS · Recommended use and restriction on use · Recommended use: Laboratory chemicals · Restrictions on use: No relevant information available. · Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture H290 May be corrosive to metals. Met. Corr.1 Skin Corr. 1C H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms: GHS05 · Signal word: Danger · Hazard statements: H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. · Precautionary statements: Keep only in original container. P234 P260 Do not breathe mist/vapors/spray. Wash thoroughly after handling. P264 P280 Wear protective gloves and eye protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Cont'd. on page 2)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 1)

P305+P352	1+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Other haz	ards There are no other hazards not otherwise classified that have been identified.

#### **3 Composition/information on ingredients**

#### · Chemical characterization: Mixtures

<ul> <li>Component</li> </ul>	ts:		
7697-37-2	nitric acid	<ul> <li>Ox. Liq. 2, H272</li> <li>Acute Tox. 3, H331</li> <li>Met. Corr.1, H290; Skin Corr. 1A, H314</li> </ul>	3.92%
10035-06-0	Bismuth Nitrate	<ul> <li>Ox. Sol. 2, H272</li> <li>Eye Irrit. 2A, H319</li> </ul>	3.45%
7732-18-5	Water		92.63%
Additional i	nformation:	· · · · · · · · · · · · · · · · · · ·	

· Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

#### 4 First-aid measures

· Description of first aid measures · General information: No special measures required. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately remove any clothing soiled by the product. Immediately rinse with water. If skin irritation continues, consult a doctor. Seek immediate help for blistering or open wounds. · After eye contact: Protect unharmed eye. Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. · After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. · Most important symptoms and effects, both acute and delayed: Caustic effect on skin and mucous membranes. Coughing Methaemoglobinaemia Gastric or intestinal disorders when ingested. (Cont'd. on page 3)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 2)

· Danger:

Danger of gastric perforation.

Causes serious eye damage.

· Indication of any immediate medical attention and special treatment needed:

If necessary oxygen respiration treatment.

Medical supervision for at least 48 hours.

If medical advice is needed, have product container or label at hand.

#### **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No relevant information available.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Substance/product is oxidizing when dry.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.
 Ensure adequate ventilation.
 Take any precaution to avoid mixing with combustibles.
 Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · Methods and material for containment and cleaning up

Use limestone to neutralize and/or absorb spill. Neutralized material is an oxidizer. Send for recovery or disposal in suitable receptacles.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling

#### · Precautions for safe handling:

Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Prevent formation of aerosols.

(Cont'd. on page 4)

(Cont'd. of page 3)

# Safety Data Sheet

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

Trade name: Bismuth Nitrate, 0.05M

- Information about protection against explosions and fires: No special measures required. Substance/product is oxidizing when dry.
- Conditions for safe storage, including any incompatibilities
   Requirements to be met by storerooms and receptacles: Store in cool, dry conditions in well sealed receptacles. Use only receptacles specifically permitted for this substance/product. Unsuitable material for receptacle: aluminium. Unsuitable material for receptacle: steel.
   Information about storage in one common storage facility: Do not store together with alkalis (caustic solutions). Store away from flammable substances.
  - Store away from metals.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

#### · Control parameters

#### · Components with limit values that require monitoring at the workplace:

7697-37-2 nitric	c acid
PEL (USA)	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV (USA)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm
EL (Canada)	Short-term value: 4 ppm Long-term value: 2 ppm
EV (Canada)	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
LMPE (Mexico)	Short-term value: 4 ppm Long-term value: 2 ppm

#### · Exposure controls

#### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Not required under normal conditions of use.
- · Protection of hands:



Protective gloves

(Cont'd. on page 5)

### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. • Material of gloves

Neoprene gloves

Fluorocarbon rubber (Viton) Laminated film gloves. Nitrile rubber, NBR

#### Eye protection:

Contact lenses should not be worn.



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- Body protection: Acid resistant protective clothing.
- Limitation and supervision of exposure into the environment No relevant information available.

9 Physical and chemical prope	rties		
Information on basic physical and chemical properties			
· Appearance:			
Form:	Liquid		
Color: · Odor:	Colorless		
· Odor: · Odor threshold:	Acrid Not determined.		
	Not determined.		
· pH-value at 20 °C (68 °F):	<2		
• Melting point/Melting range:	Not determined.		
<ul> <li>Boiling point/Boiling range:</li> </ul>	100 °C (212 °F)		
· Flash point:	The product is not flammable.		
· Flammability (solid, gaseous):	Not applicable.		
· Auto-ignition temperature:	Not determined.		
· Decomposition temperature:	Not determined.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits			
Lower:	Not determined.		
Upper:	Not determined.		
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.		
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)		
· Density:			
Relative density:	Not determined.		
Vapor density:	Not determined.		
Evaporation rate:	Not determined.		
· Solubility in / Miscibility with			
	(C	ont'd. on page	

(Cont'd. of page 5)

# Safety Data Sheet

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

Water:

Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

 Viscosity Dynamic: Kinematic:
 Other information

Not determined. Not determined. No relevant information available.

Reactivity: No	relevant information available.	
	ty: Stable under normal temperatures and pressures.	
	position / conditions to be avoided:	
No decompositio	n if used and stored according to specifications.	
Possibility of I	nazardous reactions	
Reacts with alkal	i (lyes).	
Reacts with certa	in metals.	
Corrosive action	on metals.	
Reacts with orga		
	ct is oxidizing when dry.	
	be released if heated above the decomposition point.	
Conditions to	avoid Excessive heat.	
Incompatible r	naterials	
Metals.		
Alkalis		
Organic materials	3	
Hazardous de	composition products	
Under fire conditi	ons only:	
Nitrogen oxides (		
Toxic metal oxide	e smoke	

#### · Information on toxicological effects

- · Acute toxicity: May be harmful if inhaled.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Caustic effect on skin and mucous membranes.
- On the eye: Causes serious eye damage.
- Sensitization: Based on available data, the classification criteria are not met.
- · IARC (International Agency for Research on Cancer):
- None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

#### · OSHA-Ca (Occupational Safety & Health Administration):

(Cont'd. on page 7)

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 6)

None of the ingredients are listed.

#### · Probable route(s) of exposure:

Ingestion.

Inhalation.

- Eye contact.
- Skin contact.
- Acute effects (acute toxicity, irritation and corrosivity): Causes severe skin burns and eye damage.
- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: Based on available data, the classification criteria are not met.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity No relevant information available.
- **Persistence and degradability** No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### · Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

#### **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

#### · Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

# acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 7)

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric aci Bismuth Nitrate)
ADR/RID/ADN, IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID, Bismuth Nitrate)
Transport hazard class(es)	
DOT	
CONSISTER	
Class	8
Label ADR/RID/ADN	8
- The second sec	
Class Label	8 (C1) 8
IMDG, IATA	0
Class	8
	8
Packing group DOT, ADR/RID/ADN, IMDG, IATA	III
Environmental hazards	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Transport in bulk according to Anne	ex II of
MARPOL73/78 and the IBC Code	Not applicable.

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture (Cont'd. on page 9)

## acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

Trade name:	Bismuth	Nitrate,	0.05M
-------------	---------	----------	-------

	(Cont'd. of page
· United States (USA)	
· SARA	
· Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
· Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
· TSCA (Toxic Substances Control Act)	
7697-37-2 nitric acid	
7732-18-5 Water	
· Proposition 65 (California)	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for females:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity for males:	
None of the ingredients are listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
· EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
· IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
· Canadian Domestic Substances List (DSL) (Substances not listed.):	
10035-06-0 Bismuth Nitrate	
6 Other information	

# This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistant, Bio-accumulable, Toxic
 vPvB: very Persistent and very Bioaccumulative
 OSHA: Occupational Safety & Health Administration
 Ox. Liq. 2: Oxidizing liquids – Category 2
 Ox. Sol. 2: Oxidizing solids – Category 2

#### acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: February 21, 2019

Revision: February 21, 2019

#### Trade name: Bismuth Nitrate, 0.05M

(Cont'd. of page 9)

Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com