acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

7447-40-7 Potassium chloride

7732-18-5 Water

Additional information:

Revision: August 09, 2018

1 Identification
· Product identifier
· Trade name: <u>Conductivity Standard, 1800 μS/cm</u> · Product code: CS1800SS
 Recommended use and restriction on use Recommended use: Laboratory chemicals Restrictions on use: No relevant information available.
 Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com
Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)
2 Hazard(s) identification
• Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).
 The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements The product is not classified as hazardous according to OSHA GHS regulations within the United States. GHS label elements This product does not have a classification according to the GHS regulation. Hazard pictograms: None. Signal word: None Hazard statements: None.
 The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements The product is not classified as hazardous according to OSHA GHS regulations within the United States. GHS label elements This product does not have a classification according to the GHS regulation. Hazard pictograms: None. Signal word: None Hazard statements: None. Precautionary statements: None.
The product is not classified as hazardous according to the Globally Harmonized System (GHS). • Label elements The product is not classified as hazardous according to OSHA GHS regulations within the United States. • GHS label elements This product does not have a classification according to the GHS regulation. • Hazard pictograms: None. • Signal word: None • Hazard statements: None. • Other hazards There are no other hazards not otherwise classified that have been identified. • Gther hazards There are no ingredients • Chemical characterization: Mixtures
The product is not classified as hazardous according to the Globally Harmonized System (GHS). • Label elements The product is not classified as hazardous according to OSHA GHS regulations within the United States. • GHS label elements This product does not have a classification according to the GHS regulation. • Hazard pictograms: None. • Signal word: None • Hazard statements: None. • Other hazards There are no other hazards not otherwise classified that have been identified. 3 Composition/information on ingredients

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16. (Cont'd. on page 2)

<0.1%

>90%

Eye Irrit. 2B, H320

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 1)

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Rinse with warm water.

If skin irritation is experienced, consult a doctor.

- After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- \cdot Most important symptoms and effects, both acute and delayed:
- Gastric or intestinal disorders when ingested.
- \cdot Danger: No relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed:
- If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No relevant information available.
- Special hazards arising from the substance or mixture No relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.
- Environmental precautions No special measures required.
- Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 2)

(Cont'd. on page 4)

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

8 Exposure co	ontrols/personal protection				
· Control parar	· Control parameters				
 Components with limit values that require monitoring at the workplace: 67-63-0 Propan-2-ol 					
					PEL (USA)
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm				
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI				
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm				
LMPE (Mexico)	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE				
· Ingredients wit	Ingredients with biological limit values:				
67-63-0 Propan-2-ol					
BEI (USA) 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)					
The usual preca Keep away from Engineering co Breathing equi Protection of h Eye protection	ctive and hygienic measures: autionary measures for handling chemicals should be followed. In foodstuffs, beverages and feed. Controls: No relevant information available. ipment: Not required under normal conditions of use. nands: Gloves not required under normal conditions of use.				

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 3)

Follow relevant national guidelines concerning the use of protective eyewear.

• Body protection: Not required under normal conditions of use.

· Limitation and supervision of exposure into the environment No special requirements.

· Risk management measures No special requirements.

9 Physical and chemical prope	erties			
· Information on basic physical and chemical properties				
· Appearance:				
Form:	Liquid			
Color:	Colorless			
· Odor:	Odorless			
· Odor threshold:	Not determined.			
· pH-value at 20 °C (68 °F):	6-8 (Estimate)			
 Melting point/Melting range: 	Not determined.			
 Boiling point/Boiling range: 	Not determined.			
· Flash point:	The product is not flammable.			
\cdot Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	Not determined.			
Upper:	Not determined.			
 Oxidizing properties: 	Not determined.			
· Vapor pressure:	Not determined.			
· Density at 20 °C (68 °F):	0.99-1.01 g/cm³ (8.26-8.43 lbs/gal)			
 Relative density: 	Not determined.			
 Vapor density: 	Not determined.			
· Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Easily soluble.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
 Other information 	No relevant information available.			

10 Stability and reactivity

(Cont'd. on page 5)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 4)

3

· **Reactivity:** No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No relevant information available.
- · Incompatible materials No relevant information available.
- Hazardous decomposition products Under fire conditions only: Possible in traces.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- \cdot On the skin: Based on available data, the classification criteria are not met.
- \cdot On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

67-63-0 Propan-2-ol

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- Repeated dose toxicity: No relevant information available.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.

(Cont'd. on page 6)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 5)

· Bioaccumulative potential: No relevant information available.

· Mobility in soil: No relevant information available.

· Additional ecological information

· General notes: Generally not hazardous for water

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
 UN proper shipping name DOT, ADR, IMDG, IATA 	Not regulated.	
 Transport hazard class(es) 		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
 Packing group DOT, ADR, IMDG, IATA 	Not regulated.	
· Environmental hazards	Not applicable.	
· Special precautions for user	Not applicable.	
 Transport in bulk according to Annex MARPOL73/78 and the IBC Code 	t II of Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 6)

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

67-63-0 Propan-2-ol

· Canadian Domestic Substances List (DSL) (Substances not listed.):

All ingredients are listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:
 ADB: European Agreement concerning

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 3

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: August 10, 2018

Revision: August 09, 2018

Trade name: Conductivity Standard, 1800 µS/cm

(Cont'd. of page 7)

Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com