

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Calcium Hardness Buffer**Manufacturer/Supplier Article number:** AR-1009-60**Recommended uses of the product and restrictions on use:** Produits chimiques de laboratoire**Manufacturer Details:**

Aqua Analytics
245 Matheson Blvd East, Units 1 & 2 Mississauga, Ontario Canada L4Z 3C9
(888) 712-4000

Emergency telephone number:

Emergency Phone No. (613) 996-6666

SECTION 2: Hazards identification**Classification of the substance or mixture:****Corrosive**

Corrosive to metals, category 1
Skin corrosion, category 1A
Serious eye damage, category 1

Corrosive to Metals 1.

Skin Corrosion 1.

Eye Damage 1.

Signal word: Danger**Hazard statements:**

May be corrosive to metals.
Causes severe skin burns and eye damage.
Causes serious eye damage.

Precautionary statements:

If medical advice is needed have product container or label at hand.
Read label before use.
Keep only in original container.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
If eye irritation persists get medical advice/attention.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see supplemental first aid instructions on this label).
Absorb spillage to prevent material damage.
Store locked up.
Dispose of contents and container to an approved waste disposal plant.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer****Other Non-GHS Classification:** None**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 7732-18-5	Deionized Water	76 %
CAS 1310-73-2	Sodium Hydroxide, ACS	24 %
Percentages are by weight		

SECTION 4: First aid measures**Description of first aid measures****After inhalation:**

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Seek medical advice if discomfort or irritation persists.

After skin contact:

Wash affected area with soap and water. Rinse thoroughly. Seek medical attention if irritation, discomfort or vomiting persists.

After eye contact:

Protect unexposed eye. Rinse/flush exposed eye(s) gently using water for 15-20 minutes. Remove contact lens(es) if able to do so during rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Seek medical attention if irritation, discomfort or vomiting persists.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition.

Unsuitable extinguishing agents: None**Special hazards arising from the substance or mixture:**

Combustion products may include carbon oxides or other toxic vapors.

Advice for firefighters:

Protective equipment: None

Additional information (precautions):

Move product containers away from fire or keep cool with water spray as a protective measure, where feasible.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer****SECTION 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Use respiratory protective device against the effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Collect liquids using vacuum or by use of absorbents. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor.

Reference to other sections: None

SECTION 7: Handling and storage**Precautions for safe handling:**

Prevent formation of aerosols. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. If in a laboratory setting, follow Chemical Hygiene Plan. Use only in well ventilated areas. Avoid splashes or spray in enclosed areas.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection**Control parameters:**

1310-73-2, Sodium Hydroxide, ACGIH TLV: 2 mg/m³.
1310-73-2, Sodium Hydroxide, OSHA PEL: 2 mg/m³.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Eye protection:

Safety glasses with side shields or goggles.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer**

General hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from food, beverages and feed sources. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases/fumes/dust/mist/vapor/aerosols. Avoid contact with the eyes and skin.

SECTION 9: Physical and chemical properties

Appearance (physical state, color):	Clear, colorless liquid	Explosion limit lower:	0 Vol %
		Explosion limit upper:	0 Vol %
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	0.62 (Air = 1)
pH-value:	>12	Relative density:	Approx. 1
Melting/Freezing point:	0 °C (32 °F)	Solubilities:	Infinite.
Boiling point/Boiling range:	100°C (212°F)	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not applicable	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not applicable	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity**Reactivity:** None**Chemical stability:**

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Oxides of sodium, decomposition by reaction with certain metals releases flammable and explosive hydrogen gas.

Conditions to avoid:

Store away from oxidizing agents, strong acids or bases.

Incompatible materials:

Strong acids. Strong bases. Acids, organic halogen compounds, metals such as aluminum, tin and zinc.

Hazardous decomposition products:Carbon oxides (CO, CO₂).**SECTION 11: Toxicological information****Acute Toxicity:****Dermal:**

LD50 dermal-rat: 500 mg/24hr (skin) Sodium Hydroxide (1310-73-2).

Chronic Toxicity: No additional information.**Skin corrosion/irritation:** No additional information.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer****Serious eye damage/irritation:** No additional information.**Respiratory or skin sensitization:** No additional information.**Carcinogenicity:** No additional information.**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:**

No additional information.

SECTION 12: Ecological information**Ecotoxicity:** No additional information.**Persistence and degradability:**

Readily degradable in the environment.

Bioaccumulative potential: No additional information.**Mobility in soil:**

Aqueous solution has high mobility in soil.

Other adverse effects: No additional information.**SECTION 13: Disposal considerations****Waste disposal recommendations:**

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

1824

Limited Quantity Exception:

None

Bulk:**RQ (if applicable):** None**Proper shipping Name:** Sodium Hydroxide Solution.**Hazard Class:** 8**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Sodium Hydroxide Solution.**Hazard Class:** 8**Packing Group:** II.**Marine Pollutant (if applicable):** No additional information.**Comments:** None

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer****SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

1310-73-2 Sodium Hydroxide 1000 lbs.

Proposition 65 (California):**Chemicals known to cause cancer:**

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 3-0-0**HMIS:** 3-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:**

IMDG International Maritime Code for Dangerous Goods.

IATA International Air Transport Association.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 10.24.2014**Calcium Hardness Buffer**

GHS	Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service (division of the American Chemical Society).
NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).
PNEC.	Predicted No-Effect Concentration (REACH).
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.