according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

1 Identification · Product identifier • Trade name: Trace Hardness Reagent (Drop) · Product code: AR-1007-60 Recommended use and restriction on use · Recommended use: Laboratory chemicals Restrictions on use: No relevant information available. • Details of the supplier of the Safety Data Sheet · Manufacturer/Supplier: AquaPhoenix Scientific, Inc. 860 Gitts Run Road Hanover, PA 17331 Phone: (717)632-1291 Toll-Free: (866)632-1291 info@aquaphoenixsci.com **Distributor:** Agua Analytics 245 Matheson Blvd East, Units 1 & 2 Mississauga, Ontario Canada L4Z 3C9 (888) 712-4000 · Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International) 2 Hazard(s) identification · Classification of the substance or mixture Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. STOT RE 2 H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation. Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms:

GHS07 GHS08

 Signal word: Warning
Hazard statements: H315 Causes skin irritation. H319 Causes serious eye irritation. H373 May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.
Precautionary statements: (Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

Do not breathe mist/vapors/spray.
Wash thoroughly after handling.
Wear protective gloves and eye protection.
If on skin: Wash with plenty of water.
3 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get medical advice/attention if you feel unwell.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Compone	nts:	
7732-18-5	Water	>90%
6381-92-6	edetic acid disodium salt STOT RE 2, H373 Acute Tox. 4, H332; Skin Irrit. 2, H315	<6%
1310-73-2	Sodium hydroxide ♦ Met. Corr. 1, H290; Skin Corr. 1A, H314; Eye Dam. 1, H318	<1%
7791-18-6	Magnesium chloride hexahydrate	<1%
Additional	information:	

Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Irritant to skin and mucous membranes.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

(Cont'd. of page 2)

Causes eye irritation.

Gastric or intestinal disorders when ingested.

Causes skin irritation.

· Danger:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

• For safety reasons unsuitable extinguishing agents: None.

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

[•] Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

• Environmental precautions Do not allow to enter sewers/ surface or ground water.

[•] Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

[·] Handling

· Precautions for safe handling:

Avoid splashes or spray in enclosed areas.

Prevent formation of aerosols.

Use only in well ventilated areas.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

(Cont'd. on page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

(Cont'd. of page 3)

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

• Further information about storage conditions: Keep containers tightly sealed.

• Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

· Components with limit values that require monitoring at the workplace:

1310-73-2 Sodium hydroxide

	,
PEL (USA)	Long-term value: 2 mg/m ³
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m ³
EV (Canada)	Ceiling limit value: 2 mg/m ³
LMPE (Mexico)	Long-term value: 2 mg/m ³ Ceiling limit value: 2 mg/m ³

• Exposure controls

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Engineering controls: Provide adequate ventilation.
- Breathing equipment: Use suitable respiratory protective device when aerosol or mist is formed.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. **Material of gloves**

Fluorocarbon rubber (Viton)

Natural rubber. NR

Butyl rubber, BR

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear. • **Body protection:** Protective work clothing

· Limitation and supervision of exposure into the environment

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

No relevant information available.

9 Physical and chemical properties Information on basic physical and chemical properties · Appearance: Form: Liquid Color: Clear · Odor: Not determined. · Odor threshold: Not determined. · pH-value: Not determined. Not determined. • Melting point/Melting range: · Boiling point/Boiling range: 105-110 °C (221-230 °F) · Flash point: The product is not flammable. · Flammability (solid, gaseous): Not applicable. • Auto-ignition temperature: Not determined. • Decomposition temperature: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. Upper: Not determined. Oxidizing properties: Not determined. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) · Density: Relative density: Not determined. Vapor density: Not determined. Not determined. Evaporation rate: · Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not determined. · Viscosity Dynamic: Not determined. Kinematic: Not determined. Other information No relevant information available.

10 Stability and reactivity

* Reactivity: The product is non-reactive under normal conditions of use, storage and transport.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 6)

(Cont'd. of page 4)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

(Cont'd. of page 5)

Possibility of hazardous reactions
 Reacts with oxidizing agents.
 Reacts with strong acids.
 Toxic fumes may be released if heated above the decomposition point.

Conditions to avoid Excessive heat.

· Incompatible materials No relevant information available.

[•] Hazardous decomposition products

Under fire conditions only: Nitrogen oxides (NOx)

Corrosive gases/vapors

11 Toxicological information

[·] Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

6381-92-6 edetic acid disodium salt

Oral LD50 2,800 mg/kg (rat)

Primary irritant effect:

• On the skin: Irritant to skin and mucous membranes.

• On the eye: Irritating effect.

• Sensitization: Based on available data, the classification criteria are not met.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes and skin.

- · Repeated dose toxicity: Possible risk of irreversible effects.
- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- **Carcinogenicity:** Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.

· STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

May cause damage to the respiratory tract through prolonged or repeated exposure. Route of exposure: Inhalation.

• Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

(Cont'd. of page 6)

- [·] Toxicity
- · Aquatic toxicity No relevant information available.
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- [•] Additional ecological information
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· Other adverse effects No relevant information available.

13 Disposal considerations

[·] Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

[·] Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations.

UN-Number		
· DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
UN proper shipping name		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR/RID/ADN, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.	
Environmental hazards	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	ll of	
MARPOL73/78 and the IBC Code	Not applicable.	

15 Regulatory information

(Cont'd. on page 8)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

	(Cont'd. of p
	afety, health and environmental regulations/legislation specific for the substanc
	nited States (USA) ARA
	ection 302 (extremely hazardous substances):
	one of the ingredients are listed.
Se	ection 355 (extremely hazardous substances):
N	one of the ingredients are listed.
Se	ection 313 (Specific toxic chemical listings):
N	one of the ingredients are listed.
T	SCA (Toxic Substances Control Act)
13	310-73-2 Sodium hydroxide
77	732-18-5 Water
P	roposition 65 (California)
C	hemicals known to cause cancer:
N	one of the ingredients are listed.
	hemicals known to cause developmental toxicity for females:
N	one of the ingredients are listed.
	hemicals known to cause developmental toxicity for males:
N	one of the ingredients are listed.
	hemicals known to cause developmental toxicity:
N	one of the ingredients are listed.
E	PA (Environmental Protection Agency):
N	one of the ingredients are listed.
IA	RC (International Agency for Research on Cancer):
N	one of the ingredients are listed.
C	anadian Domestic Substances List (DSL):

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4

(Cont'd. on page 9)

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: April 16, 2019

Trade name: Trace Hardness Reagent (Drop)

(Cont'd. of page 8)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com