According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 1 of 9

Sebacoyl Chloride 4% in Hexane

SECTION 1: Identification

Product identifier

Product name: Sebacovl Chloride 4% in Hexane

Product code: S25517A

Recommended use of the product and restriction on use

Relevant identified uses: Laboratory chemicals

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer: Supplier: United States United States

AquaPhoenix Scientific Fisher Science Education 860 Gitts Run Road 6771 Silver Crest Road

Hanover Nazareth
PA 17331 PA 18064
(717) 632-1291 800 955-1177

Emergency telephone number:

United States

Emergency Telephone No.: 800-255-3924

SECTION 2: Hazard(s) identification

GHS classification:

Flammable liquids, category 2

Skin irritation, category 2

Aspiration hazard, category 1

Specific target organ toxicity - single exposure, category 3, central nervous system

Specific target organ toxicity - repeated exposure, category 2

Reproductive toxicity, category 2

Chronic aquatic hazard, category 2

Label elements

Hazard pictograms:









Signal word: Danger

Hazard statements:

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H361 Suspected of damaging fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 2 of 9

Sebacoyl Chloride 4% in Hexane

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P264 Wash skin thoroughly after handling.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P271 Use only outdoors or in a well-ventilated area.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/light/equipment.

P303+P361+P353 If on skin (or hair): Immediately remove/take off all contaminated clothing. Rinse skin with water/shower.

P304+P340+P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

P391 Collect spillage.

P308+P313 If exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use agents recommended in section 5 for extinction.

P321 Specific treatment (see supplemental first aid instructions on this label).

P362 Take off contaminated clothing and wash before reuse.

P302+P352 If on skin: Wash with soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P331 Do not induce vomiting.

P301+P310 If swallowed: Immediately call a poison center or doctor/physician.

P405 Store locked up.

P403+P233 Store in a well ventilated place. Keep container tightly closed.

P501 Dispose of contents and container as instructed in Section 13.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 110-54-3	n-Hexane	96
CAS number: 111-19-3	Sebacoyl Chloride	4

Additional Information: None

SECTION 4: First aid measures

Description of first aid measures

General notes:

Not determined or not applicable.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

After skin contact:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 3 of 9

Sebacoyl Chloride 4% in Hexane

Wash affected area with soap and water

Seek medical attention if symptoms develop or persist

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After swallowing:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not applicable.

Delayed symptoms and effects:

Not determined or not applicable.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Not determined or not applicable.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Use dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Vapors can flow to distant ignition sources and flashback

Liquid is volatile and may generate an explosive atmosphere

Special protective equipment for firefighters:

Wear protective eye wear, gloves and clothing

Refer to Section 8

Special precautions:

Avoid inhaling gases, fumes, dust, mist, vapor and aerosols

Avoid contact with skin, eyes and clothing

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Beware of vapors accumulating to form explosive concentrations

Vapors can accumulate in low areas

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 4 of 9

Sebacoyl Chloride 4% in Hexane

Wear protective eye wear, gloves and clothing Use spark-proof tools and explosion-proof equipment

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Do not eat, drink, smoke or use personal products when handling chemical substances.

Avoid breathing mist or vapor.

Use only non-sparking tools.

Take precautionary measures against electrostatic discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well-ventilated area.

Keep container tightly sealed.

Keep away from all ignition sources: open flames, hot surfaces, direct sunlight, spark sources.

Store locked up.

Use appropriate containment to avoid environmental contamination.

Protect from freezing and physical damage.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	n-Hexane	110-54-3	ACGIH TLV TWA 50 ppm
United States (OSHA)	n-Hexane	110-54-3	OSHA PEL TWA 500 ppm
	n-Hexane	110-54-3	OSHA PEL TWA 1,800 mg/m ³
NIOSH	n-Hexane	110-54-3	NIOSH REL TWA 50 ppm
	n-Hexane	110-54-3	NIOSH REL TWA 180 mg/m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Use explosion-proof ventilation equipment.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Respiratory protection:

When necessary, use NIOSH-approved breathing equipment.

General hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with skin, eyes and clothing.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 5 of 9

Sebacoyl Chloride 4% in Hexane

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear, colorless liquid
Odor	Acrid, hydrocarbon odor
Odor threshold	Not available
рН	Not available
Melting point/freezing point	Not available
Initial boiling point/range	90-96°C
Flash point (closed cup)	-15°C
Evaporation rate	4.3
Flammability (solid, gas)	Not available
Upper flammability/explosive limit	8%
Lower flammability/explosive limit	1.0%
Vapor pressure	119 mmHg @ 37°C
Vapor density	2.97
Density	Not available
Relative density	0.70 @ 20°C
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not available
Auto/Self-ignition temperature	225°C
Decomposition temperature	Not available
Dynamic viscosity	Not available
Kinematic viscosity	Not available
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Excess heat, ignition source or flames.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 6 of 9

Sebacoyl Chloride 4% in Hexane

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Sebacoyl Chloride	oral	LC50 oral- mouse- > 1600mg/kg

Skin corrosion/irritation

Assessment: Causes skin irritation **Product data:** No data available.

Substance data:

Name	Result
Sebacoyl Chloride	Causes severe skin burns
n-Hexane	Causes skin irritation.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Reproductive toxicity

Assessment: Suspected of damaging fertility or the unborn child

Product data: No data available.

Substance data:

Name	Result
n-Hexane	Suspected of damaging fertility or the unborn child.

Specific target organ toxicity (single exposure)

Assessment: May cause drowsiness or dizziness

Product data: No data available.

Substance data:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 7 of 9

Sebacoyl Chloride 4% in Hexane

Name	Result
	Specific Target Organ Toxicity, Repeated Exposure - May cause damage to the nervous system through prolonged or repeated exposure via inhalation.
l .	Specific Target Organ Toxicity, Single Exposure - May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure)

Assessment: May cause damage to organs through prolonged or repeated exposure

Product data: No data available. **Substance data:** No data available.

Aspiration toxicity

Assessment: May be fatal if swallowed and enters airways

Product data: No data available.

Substance data: No data available.

Information on likely routes of exposure: No data available.

Symptoms related to the physical, chemical and toxicological characteristics: No data available.

Other information: No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Chronic (long-term) toxicity
Product data: No data available.
Substance data: No data available.

Persistence and degradability
Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.
Substance data: No data available.
Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11)

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1208
UN proper shipping name	Hexanes

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 8 of 9

Sebacoyl Chloride 4% in Hexane

UN transport hazard class(es)	3
Packing group	II
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	1208
UN proper shipping name	Hexanes
UN transport hazard class(es)	3
Packing group	II
Environmental hazards	Marine Pollutant
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1208	
UN proper shipping name	Hexanes	
UN transport hazard class(es)	3	¥2
Packing group	II	
Environmental hazards	Marine Pollutant	
Special precautions for user	None	

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Bulk Name None		
Ship type	None	
Pollution category	None	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

111-19-3	Sebacoyl Chloride	Listed
110-54-3	n-Hexane	Listed

Significant New Use Rule (TSCA Section 5): Not determined.

Export notification under TSCA Section 12(b): Not determined.

SARA Section 311/312 hazards:

Acute	Chronic	Fire	Pressure	Reactive
No	No	No	No	No

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 04.18.2017 Page 9 of 9

Sebacoyl Chloride 4% in Hexane

SARA Section 302 extremely hazardous substances: Not determined.

SARA Section 313 toxic chemicals:

110-54-3	n-нехапе		Listed	
CERCLA:				
110-54-3	n-Hexane	Listed	5000	1

RCRA: Not determined.

Section 112(r) of the Clean Air Act (CAA): Not determined.

Massachusetts Right to Know:

110-54-3	n-Hexane	Listed
111-19-3	Sebacoyl Chloride	Not
		Listed

New Jersey Right to Know:

110-54-3	n-Hexane	Listed
111-19-3	Sebacoyl Chloride	Not
		Listed

New York Right to Know:

110-54-3	n-Hexane	Listed
111-19-3	Sebacoyl Chloride	Not
		Listed

Pennsylvania Right to Know:

110-54-3	n-Hexane	Listed
111-19-3	Sebacoyl Chloride	Not Listed

California Proposition 65: Not determined.

SECTION 16: Other information

Abbreviations and Acronyms: None **Disclaimer:**

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

NFPA: 2-3-0 **HMIS:** 2-3-0

Initial preparation date: 04.18.2017

End of Safety Data Sheet