

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014**Iron Standard, 0.5 ppm as Fe****SECTION 1: Identification of the substance/mixture and of the supplier****Product name:** Iron Standard, 0.5 ppm as Fe**Manufacturer/Supplier Article number:** IS1205SS**Recommended uses of the product and restrictions on use:** Laboratory**Manufacturer Details:**

AquaPhoenix Scientific, Inc.
 860 Gitts Run Road
 Hanover, PA 17331
 1-717-632-1291

Emergency telephone number:**ChemTel: (24-hour)**

+1(800)255-3924

+1(813)248-0585 (International)

SECTION 2: Hazards identification**Classification of the substance or mixture:****Corrosive**

Corrosive to metals, category 1

Corrosive to metals. 1.

Signal word: Warning**Hazard statements:**

May be corrosive to metals.

Precautionary statements:

If medical advice is needed have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep only in original container.

Absorb spillage to prevent material damage.

Store in a corrosive resistant container with a resistant inner liner.

Other Non-GHS Classification: None**SECTION 3: Composition/information on ingredients****Ingredients:**

Ingredients:		
CAS 7664-93-9	Sulfuric Acid	3.67 %
CAS 7732-18-5	Deionized water	96.33 %
CAS 7783-85-9	Ferrous Ammonium Sulfate	0.0004 %
Percentages are by weight		

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014

Iron Standard, 0.5 ppm as Fe**SECTION 4: First aid measures****Description of first aid measures****After inhalation:**

Move exposed individual to fresh air. Loosen clothing as necessary and position individual in a comfortable position. Provide oxygen if breathing is difficult. Seek immediate medical advice.

After skin contact:

Rinse thoroughly. Rinse/flush exposed area gently using water for at least 30 minutes. Seek immediate medical assistance. Remove contaminated clothing and discard. Neutralize the soaking solution with sodium hydroxide solution.

After eye contact:

Protect unexposed eye. Remove contact lens(es) if able to do so during rinsing. Rinse/flush exposed eye(s) gently using water for at least 30 minutes. Seek immediate medical assistance. Rinse under the eyelids during flushing.

After swallowing:

Rinse mouth thoroughly. Do not induce vomiting. Have exposed individual drink sips of water. Do not induce vomiting. Seek immediate medical assistance.

Most important symptoms and effects, both acute and delayed:

Irritation. Nausea. Headache. Shortness of breath. Burning of eyes or skin. Coughing. Strong inorganic acid mists containing sulfuric acid can cause cancer. Lung damage, chronic bronchitis. Damage to teeth and stomach.

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention, provide SDS document to physician. Use of soap may assist with neutralization on exposed skin in conjunction with flushing.

SECTION 5: Firefighting measures**Extinguishing media****Suitable extinguishing agents:**

If in laboratory setting, follow laboratory fire suppression procedures. Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition. Use dry Chemical, foam, or carbon dioxide to extinguish fire.

Unsuitable extinguishing agents:

Do not use water directly on sulfuric acid.

Special hazards arising from the substance or mixture:

Combustion products may include carbon oxides or other toxic vapors. Poisonous sulfur oxides are combustion products. Aerosols or mist may be produced in a fire. Sulfuric acid may ignite combustibles.

Advice for firefighters:**Protective equipment:**

Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment for fire and chemical resistance.

Additional information (precautions):

Containers may explode.

SECTION 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Neutralize with lime or soda ash. Use respiratory protective device against the

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014**Iron Standard, 0.5 ppm as Fe**

effects of fumes/dust/aerosol. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources. Protect from heat. Stop the spill, if possible. Contain spilled material by diking or using inert absorbent. Transfer to a disposal or recovery container.

Environmental precautions:

Prevent from reaching drains, sewer or waterway. Collect contaminated soil for characterization per Section 13.

Methods and material for containment and cleaning up:

If in a laboratory setting, follow Chemical Hygiene Plan procedures. Always obey local regulations. Place into properly labeled containers for recovery or disposal. If necessary, use trained response staff/contractor. Do not use water. Neutralize with lime or soda ash. Add water to form slurry. Decant water to drain with excess water. Dispose of remaining solid as normal refuse.

Reference to other sections: None

SECTION 7: Handling and storage**Precautions for safe handling:**

Prevent formation of aerosols. Do not mix with bases. Wash hands after handling. Avoid contact with eyes, skin, and clothing. Follow good hygiene procedures when handling chemical materials. Do not eat, drink, smoke, or use personal products when handling chemical substances. Wear protective clothing and equipment. Do not handle with incompatibles (see Section 10). Avoid ingestion and inhalation.

Conditions for safe storage, including any incompatibilities:

Protect from freezing. Keep container tightly closed. Provide ventilation for containers. Avoid storage near extreme heat, ignition sources or open flame. Store away from foodstuffs. Store away from oxidizing agents. Store in cool, dry conditions in well sealed containers. Do not store near incompatible materials (see Section 10). Store away from reducing agents.

SECTION 8: Exposure controls/personal protection**Control parameters:**

7664-93-9, Sulfuric Acid., OSHA PEL: 1 mg/m³.
7664-93-9, Sulfuric Acid., ACGIH TLV: 0.2 mg/m³.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use/handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor or mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use under a fume hood. Ensure eye wash and safety showers are available.

Respiratory protection:

Use suitable respiratory protective device when high concentrations are present. Use suitable respiratory protective device when aerosol or mist is formed. For spills, respiratory protection may be advisable. Use under a fume hood. Respirator with acid gas cartridges.

Protection of skin:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation being used/handled. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Wear protective equipment to prevent contact with skin, eyes, or hair.

Eye protection:

Safety glasses with side shields or goggles. Face shield.

General hygienic measures:

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014

Iron Standard, 0.5 ppm as Fe**SECTION 9: Physical and chemical properties**

Appearance (physical state, color):	Pale yellow-green liquid	Explosion limit lower:	Not determined
		Explosion limit upper:	Not determined
Odor:	Odorless	Vapor pressure at 20°C:	Not determined
Odor threshold:	Not determined	Vapor density:	Not determined
pH-value:	Not determined	Relative density:	Approx. 1
Melting/Freezing point:	Below 0°C	Solubilities:	Soluble in water.
Boiling point/Boiling range:	Approx. 100C	Partition coefficient (n-octanol/water):	Not determined
Flash point (closed cup):	Not determined	Auto/Self-ignition temperature:	Not determined
Evaporation rate:	Not determined	Decomposition temperature:	Not determined
Flammability (solid, gaseous):	Not determined	Viscosity:	a. Kinematic: Not determined b. Dynamic: Not determined
Density at 20°C:	Not determined		

SECTION 10: Stability and reactivity**Reactivity:**

None under normal processing.

Chemical stability:

No decomposition if used and stored according to specifications.

Possible hazardous reactions:

Reacts violently or explosively with incompatibles. Reacts with most metals to produce hydrogen gas, which may form explosive mixtures with air.

Conditions to avoid:

Store away from incompatible substances. excess heat.

Incompatible materials:

Organics. Metals. Strong acids. Strong bases. Alcohols. Chlorine. halogenated compounds. Combustible materials. Chlorates. Alkalines. Carbides. Fulminates. Reducing agents. Nitrates. Acetic acid. Oxidizing agents.

Hazardous decomposition products:

Oxides of sulfur. Carcinogenic mists/aerosols. Oxygen.

SECTION 11: Toxicological information**Acute Toxicity:** No additional information.**Chronic Toxicity:** No additional information.**Skin corrosion/irritation:**

Rabbit - Extremely corrosive and destructive to tissue. 7664-93-9.

Serious eye damage/irritation:

Rabbit - Corrosive to eyes. 7664-93-9.

Respiratory or skin sensitization: No additional information.**Carcinogenicity:**

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014**Iron Standard, 0.5 ppm as Fe****Strong inorganic acid mists containing sulfuric acid.:** IARC Group 1**Germ cell mutagenicity:** No additional information.**Reproductive Toxicity:** No additional information.**STOT-single and repeated exposure:** No additional information.**Additional toxicological information:**

No additional information.

SECTION 12: Ecological information**Ecotoxicity:**

7664-93-9, EC50 - Daphnia magna (Water flea) - 29 mg/l - 24 h.

7664-93-9, LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h.

Persistence and degradability:

Not applicable for test method.

Bioaccumulative potential:

Not expected to bio accumulate.

Mobility in soil:

Aqueous solution has high mobility in soil.

Other adverse effects:

Concentrated sulfuric acid has moderate acute and chronic toxicity to aquatic life, which is driven by the pH of the aquatic environment, because of the presence of the acid. Small quantities will be neutralized by natural alkalinity.

SECTION 13: Disposal considerations**Waste disposal recommendations:**

Product/containers must not be disposed together with household garbage. Do not allow product to reach sewage system or open water. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Consult federal state/ provincial and local regulations regarding the proper disposal of waste material that may incorporate some amount of this product.

SECTION 14: Transport information**US DOT****UN Number:**

ADR, ADN, DOT, IMDG, IATA

3264

Limited Quantity Exception:

None

Bulk:**RQ (if applicable):** None**Proper shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S. (Sulfuric Acid Solution).**Hazard Class:** 8**Packing Group:** II.**Marine Pollutant (if applicable):** No**Non Bulk:****RQ (if applicable):** None**Proper shipping Name:** Corrosive Liquid, Acidic, Inorganic, N.O.S. (Sulfuric Acid Solution).**Hazard Class:** 8**Packing Group:** II.**Marine Pollutant (if applicable):** No

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014**Iron Standard, 0.5 ppm as Fe**

additional information.

Comments: None

additional information.

Comments: None**SECTION 15: Regulatory information****United States (USA)****SARA Section 311/312 (Specific toxic chemical listings):**

Acute,Chronic,Reactive

SARA Section 313 (Specific toxic chemical listings):

7664-93-9 Sulfuric acid.

RCRA (hazardous waste code):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) :

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

7664-93-9 sulfuric acid 1000 lb.

7783-85-9 Ferrous Ammonium Sulfate 1000 lbs.

Proposition 65 (California):**Chemicals known to cause cancer:**

7664-93-9 sulfuric acid.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Canada**Canadian Domestic Substances List (DSL) :**

All ingredients are listed.

SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and

Safety Data Sheet

according to 29CFR1910/1200 and GHS Rev. 3

Initial preparation date: : 12.05.2014**Iron Standard, 0.5 ppm as Fe**

regulations applicable to this material.

NFPA: 2-0-0**HMIS:** 2-0-0**GHS Full Text Phrases:** None**Abbreviations and Acronyms:**

IMDG	International Maritime Code for Dangerous Goods.
PNEC.	Predicted No-Effect Concentration (REACH).
CFR	Code of Federal Regulations (USA)
SARA	Superfund Amendments and Reauthorization Act (USA).
RCRA.	Resource Conservation and Recovery Act (USA).
TSCA.	Toxic Substances Control Act (USA).
NPRI	National Pollutant Release Inventory (Canada).
DOT	US Department of Transportation.
IATA	International Air Transport Association.
GHS	Globally Harmonized System of Classification and Labelling of Chemicals.
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service (division of the American Chemical Society).
NFPA	National Fire Protection Association (USA).
HMIS	Hazardous Materials Identification System (USA).
WHMIS	Workplace Hazardous Materials Information System (Canada).
DNEL	Derived No-Effect Level (REACH).